

CALENDAR FOR WATER YEAR 2002

2001

OCTOBER							NOVEMBER							DECEMBER						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5	6					1	2	3							1
7	8	9	10	11	12	13	4	5	6	7	8	9	10	2	3	4	5	6	7	8
14	15	16	17	18	19	20	11	12	13	14	15	16	17	9	10	11	12	13	14	15
21	22	23	24	25	26	27	18	19	20	21	22	23	24	16	17	18	19	20	21	22
28	29	30	31				25	26	27	28	29	30		23	24	25	26	27	28	29
														30	31					

2002

JANUARY							FEBRUARY							MARCH						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
		1	2	3	4	5						1	2						1	2
6	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9
13	14	15	16	17	18	19	10	11	12	13	14	15	16	10	11	12	13	14	15	16
20	21	22	23	24	25	26	17	18	19	20	21	22	23	17	18	19	20	21	22	23
27	28	29	30	31			24	25	26	27	28			24	25	26	27	28	29	30
														31						
APRIL							MAY							JUNE						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5	6				1	2	3	4							1
7	8	9	10	11	12	13	5	6	7	8	9	10	11	2	3	4	5	6	7	8
14	15	16	17	18	19	20	12	13	14	15	16	17	18	9	10	11	12	13	14	15
21	22	23	24	25	26	27	19	20	21	22	23	24	25	16	17	18	19	20	21	22
28	29	30					26	27	28	29	30	31		23	24	25	26	27	28	29
														30						
JULY							AUGUST							SEPTEMBER						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5	6					1	2	3	1	2	3	4	5	6	7
7	8	9	10	11	12	13	4	5	6	7	8	9	10	8	9	10	11	12	13	14
14	15	16	17	18	19	20	11	12	13	14	15	16	17	15	16	17	18	19	20	21
21	22	23	24	25	26	27	18	19	20	21	22	23	24	22	23	24	25	26	27	28
28	29	30	31				25	26	27	28	29	30	31	29	30					


U.S. Department of the Interior
U.S. Geological Survey

Water Resources Data Virginia Water Year 2002

Volume 2. Ground-Water Level and Ground-Water Quality Records

By Roger K. White, Eugene D. Powell, and Joel R. Guyer

Water-Data Report VA-02-2



Prepared in cooperation with the
Virginia Department of Environmental Quality and with other agencies



U.S. DEPARTMENT OF THE INTERIOR

GALE A. NORTON, Secretary

U.S. GEOLOGICAL SURVEY

Charles G. Groat, Director

For information on the water program in Virginia write to

District Chief
Water Resources Division
U.S. Geological Survey
1730 East Parham Road
Richmond, Virginia 23228-2202

or

Virginia Department of Environmental Quality
Surface Water Investigations
900 Natural Resource Drive Suite 600
Charlottesville, Virginia 22903

2002

PREFACE

This volume of the annual hydrologic data report of Virginia is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's and cooperating agencies' surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and water quality provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for Virginia are contained in two volumes:

Volume 1. Surface-Water-Discharge and Surface-Water-Quality Records

Volume 2. Ground-Water-Level and Ground-Water-Quality Records

This report (Volume 2) is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey and the Virginia Department of Environmental Quality who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guidelines, the following personnel contributed significantly to the collection, computation, processing, and completion of this information:

Dennis W. Adams
Richard J. Ahlin
R. Brent Banks
Robert W. Buck
William V. Daniels, Jr.
Karl M. Dydak
Michael R. Eckenwiler
Thomas L. Gibson
Joel R. Guyer
George E. Harlow
Harold G. Henderlite
Daniel W. Henry
Kenneth E. Hyer
Donna S. Justus

James K. Lambert
Ronnie E. Lawson
R. Russell Lotspeich
Roger M. Moberg
David L. Nelms
Daniel A. Nissen
Joseph A. Owens
Eugene D. Powell
Carlos C. Rodriguez
Dawn M. Valenti
Stephen L. Wheeler
Roger K. White
Richard L. Young

This report was prepared in cooperation with the State of Virginia and with other agencies under the general supervision of Ward W. Staubitz, District Chief.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE February 2003		3. REPORT TYPE AND DATES COVERED Annual - Oct. 1, 2001, to Sept. 30, 2002
4. TITLE AND SUBTITLE Water Resources Data - Virginia - Water Year 2002 Volume 2. Ground-Water-Level and Ground-Water-Quality Records			5. FUNDING NUMBERS	
6. AUTHOR(S) Roger K. White, Eugene D. Powell, and Joel R. Guyer				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Water Resources Division 1730 East Parham Road Richmond, Virginia 23228			8. PERFORMING ORGANIZATION REPORT NUMBER USGS-WDR-VA-02-2	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Water Resources Division 1730 East Parham Road Richmond, Virginia 23228			10. SPONSORING / MONITORING AGENCY REPORT NUMBER USGS-WDR-VA-02-2	
11. SUPPLEMENTARY NOTES Prepared in cooperation with the Virginia Department of Environmental Quality and with other agencies				
12a. DISTRIBUTION / AVAILABILITY STATEMENT No restriction on distribution. This report may be purchased from the National Technical Information Service, Springfield, VA 22161.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Water-resources data for the 2002 water year for Virginia consist of records of water levels and water quality of ground-water wells. This report (Volume 2. Ground-Water-Level and Ground-Water-Quality Records) contains water levels at 302 observation wells and water quality at 48 wells. Locations of these wells are shown on figures 4, 5, 6, 7 and 8. The data in this report represent that part of the National Water Data System collected by the U.S. Geological Survey and cooperating State and Federal agencies in Virginia.				
14. SUBJECT TERMS *Virginia, *Hydrologic data, *Ground water, *Water quality Water levels, Water analyses, Chemical analyses, Water temperatures			15. NUMBER OF PAGES 368	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT Unclassified	

CONTENTS

	Page
Preface	iii
List of ground-water wells, by county or independent city, for which records are published in this volume	vi
Introduction	1
Cooperation	1
Records collected by the State of Virginia	2
Summary of hydrologic conditions	2
Explanation of the records	4
Station identification numbers	4
Latitude-longitude system	6
Records of ground-water levels	7
Data collection and computation	7
Data presentation	7
Records of ground-water quality	8
Data collection and computation	8
Data presentation	8
Remarks codes	9
Water quality-control data	9
Blank Samples	9
Reference Samples	10
Replicate Samples	10
Spike Samples	10
Access to USGS water data	10
Definition of terms	11
Publications on techniques of water-resources investigations	29
Station records, ground water	44
Ground-water levels	44
Quality of ground water	347
Index	355

ILLUSTRATIONS

Figure 1. Monthly ground-water levels at key observation wells in water-table aquifers	3
2. Ground-water levels in selected observation wells in confined Coastal Plain aquifers	5
3. System for numbering wells	6
4. Map of Virginia showing location of ground-water observation wells	34
5. Map of southeastern Virginia showing location of ground-water observation wells	36
6. Map of York-James peninsula and vicinity in Virginia showing location of ground-water observation wells	38
7. Map of Delmarva peninsula in Virginia showing location of ground-water observation wells	40
8. Map of Frederick County showing location of ground-water observation wells	41

GROUND-WATER WELLS, BY COUNTY OR INDEPENDENT CITY, FOR WHICH RECORDS
ARE PUBLISHED IN THIS VOLUME

[SOW refers to the STATE OBSERVATION WELL numbering system as designated
by the Virginia Department of Environmental Quality]

	Page
ACCOMACK COUNTY	
Well 64H 5 SOW 102C	44
Well 64H 6 SOW 102A	45
Well 64H 7 SOW 102B	46
Well 64K 7 SOW 106C	47
Well 64K 8 SOW 106B	48
Well 64K 9 SOW 106A	49
Well 64K 10 SOW 108A	50
Well 64K 11 SOW 108B	51
Well 64K 12 SOW 108C	52
Well 65K 23 SOW 109C	53
Well 65K 24 SOW 109A	54
Well 65K 25 SOW 109B	55
Well 65K 26 SOW 109S	56
Well 65K 27 SOW 114A	57
Well 65K 28 SOW 114B	58
Well 65K 29 SOW 114C	59
Well 65K 30 SOW 114S	60
Well 65K 59 SOW 183A	61
Well 65K 60 SOW 183B	62
Well 65K 61 SOW 183C	63
Well 65K 62 SOW 183D	64
Well 66K 2 SOW 101C	65
Well 66K 3 SOW 101B	66
Well 66K 4 SOW 101A	67
Well 66L 1 SOW 107C	68
Well 66L 2 SOW 107A	69
Well 66L 3 SOW 107B	70
Well 66M 16 SOW 110A	71
Well 66M 17 SOW 110B	72
Well 66M 18 SOW 110C	73
Well 66M 19 SOW 110S	74
Well 66M 23 SOW 181A	75
Well 66M 24 SOW 181B	76
Well 66M 25 SOW 181C	77
Well 66M 26 SOW 181D	78
Well 66M 27 SOW 181E	79
Well 67M 10 SOW 115A	80
Well 67M 11 SOW 115B	81
Well 67M 13 SOW 115D	82
ALBEMARLE COUNTY	
Well 43N 1 SOW 028	83
APPOMATTOX COUNTY	
Well 41H 2	84
ARLINGTON COUNTY	
Well 53V 1	85
Well 54V 3	86
AUGUSTA COUNTY	
Well 38P 1 SOW 070	87
BUCHANAN COUNTY	
Well 14E 40	88
BUCKINGHAM COUNTY	
Well 41H 3	89
CAROLINE COUNTY	
Well 52N 5	90
Well 52N 6	91
Well 53M 1	92
CHARLES CITY COUNTY	
Well 54G 13 SOW 067	93
CHESAPEAKE (INDEPENDENT CITY)	
Well 59C 29 SOW 163A	94
Well 59C 30 SOW 163B	95
Well 59C 31 SOW 163C	96
Well 60B 3 SOW 090A	97
Well 60B 4 SOW 090B	98
Well 60C 41 SOW 164	99
Well 61B 5 SOW 091B	100
Well 61B 6 SOW 091C	101
Well 61B 12 SOW 091E	102
Well 61B 13 SOW 091F	103
Well 61B 14 SOW 091G	104
Well 61B 15 SOW 091H	105
Well 61B 16 SOW 091J	106
Well 61B 17 SOW 091K	107
Well 61B 19 SOW 091M	108

GROUND-WATER WELLS, BY COUNTY OR INDEPENDENT CITY, FOR WHICH RECORDS
ARE PUBLISHED IN THIS VOLUME

	Page
CHESTERFIELD COUNTY	
Well 51H 92	109
Well 51H 95	110
Well 51H130	111
Well 52G 22	112
Well 52G 24	113
CLARKE COUNTY	
Well 46W175	114
COLONIAL HEIGHTS (INDEPENDENT CITY)	
Well 51G 1	115
ESSEX COUNTY	
Well 55N 2	116
FAIRFAX COUNTY	
Well 52V 2	117
FRANKLIN (INDEPENDENT CITY)	
Well 55B 67 SOW 145D	118
FREDERICK COUNTY	
Well 44W 2	119
Well 44W 4	120
Well 44W 5	121
Well 44W 6	122
Well 44W 7	123
Well 44W 8	124
Well 44W 9	125
Well 44W 10	126
Well 44W 11	127
Well 44W 12	128
Well 44W 13	129
Well 44W 14	130
Well 44W 16	131
Well 44W 17	132
Well 44W 18	133
Well 44W 19	134
Well 44X 2	135
Well 44X 5	136
Well 44X 6	137
Well 45W 16	138
Well 45W 17	139
Well 45X 3	140
Well 45X 4	141
Well 45X 9	142
Well 45X 11	143
Well 45X 12	144
Well 45X 13	145
Well 45X 14	146
Well 45X 15	147
Well 45Y 1	148
Well 45Y 2	149
Well 45Y 3	150
Well 45Y 4	151
Well 45Y 5	152
Well 45Y 6	153
Well 45Y 8	154
Well 46X108	155
Well 46Y 1	156
GLOUCESTER COUNTY	
Well 57H 20 SOW 192A	157
Well 57H 21 SOW 192B	158
Well 57H 22 SOW 192C	159
Well 58H 6 SOW 168A	160
Well 58H 7 SOW 168B	161
Well 58H 8 SOW 168C	162
HANOVER COUNTY	
Well 51M 11	163
Well 52J 56	164
Well 53K 19 SOW 080	165
HENRICO COUNTY	
Well 50J 1 SOW 023	166
Well 51K 14 SOW 137	167
Well 52H 3 SOW 136	168
Well 52H 16	169
Well 52H 17	170

GROUND-WATER WELLS, BY COUNTY OR INDEPENDENT CITY, FOR WHICH RECORDS
ARE PUBLISHED IN THIS VOLUME

	Page
ISLE OF WIGHT COUNTY	
Well 55B 16	171
Well 55B 36	172
Well 55B 62 SOW 096B	173
Well 57C 25 SOW 149A	174
Well 57C 26 SOW 149B	175
Well 57C 28 SOW 149D	176
Well 57D 21 SOW 143A	177
Well 57D 22 SOW 143B	178
Well 57D 23 SOW 143C	179
Well 57E 10 SOW 144B	180
Well 57E 14 SOW 144A	181
Well 57E 15 SOW 144C	182
JAMES CITY COUNTY	
Well 55H 20	183
Well 56F 1 SOW 018	184
Well 56G 57	185
Well 56H 22 SOW 135A	186
Well 56H 25 SOW 177A	187
Well 56H 26 SOW 177B	188
Well 56H 27 SOW 177C	189
Well 56H 28 SOW 177D	190
Well 56H 29 SOW 177E	191
Well 56H 30 SOW 177F	192
Well 56H 31 SOW 135B	193
Well 57H 14 SOW 095	194
KING AND QUEEN COUNTY	
Well 54K 6 SOW 064	195
Well 54L 10	196
Well 56J 11 SOW 073	197
Well 57J 3 SOW 074	198
KING GEORGE COUNTY	
Well 54Q 21	199
Well 54R 2	200
KING WILLIAM COUNTY	
Well 56J 2	201
Well 56J 10	202
LANCASTER COUNTY	
Well 59K 1 SOW 015	203
Well 59K 9	204
LOUDOUN COUNTY	
Well 49Y 1 SOW 022	205
Well 50W 4C	206
LOUISA COUNTY	
Well 45N 1	207
Well 45N 4	208
Well 46N 1 SOW 056	209
MATHEWS COUNTY	
Well 59H 1	210
MIDDLESEX COUNTY	
Well 58J 5	211
Well 59J 16	212
Well 59J 25	213
Well 59J 27	214
MONTGOMERY COUNTY	
Well 27F 2 SOW 019	215
NEW KENT COUNTY	
Well 53J 6	216
Well 55J 6	217
NEWPORT NEWS (INDEPENDENT CITY)	
Well 58F 1 SOW 002	218
Well 58F 50 SOW 171A	219
Well 58F 51 SOW 171B	220
Well 58F 52 SOW 171C	221
Well 58F 53 SOW 171D	222
Well 58F 54 SOW 171E	223
Well 58F 55 SOW 171F	224
NORFOLK (INDEPENDENT CITY)	
Well 61C 1	225

GROUND-WATER WELLS, BY COUNTY OR INDEPENDENT CITY, FOR WHICH RECORDS
ARE PUBLISHED IN THIS VOLUME

	Page
NORTHAMPTON COUNTY	
Well 62G 15 SOW 121	226
Well 63F 15 SOW 105A	227
Well 63F 16 SOW 105C	228
Well 63F 17 SOW 105B	229
Well 63F 34	230
Well 63F 51 SOW 182A	231
Well 63F 52 SOW 182B	232
Well 63F 53 SOW 182C	233
Well 63F 54 SOW 182D	234
Well 63F 55 SOW 182E	235
Well 63G 15 SOW 104C	236
Well 63G 16 SOW 104B	237
Well 63G 17 SOW 104A	238
Well 63G 22 SOW 111A	239
Well 63G 23 SOW 111B	240
Well 63G 25 SOW 111S	241
Well 63H 4 SOW 103C	242
Well 63H 5 SOW 103B	243
Well 63H 6 SOW 103A	244
Well 63J 1 SOW 113A	245
Well 63J 2 SOW 113B	246
Well 63J 3 SOW 113C	247
Well 64J 9 SOW 112A	248
Well 64J 10 SOW 112B	249
Well 64J 11 SOW 112C	250
ORANGE COUNTY	
Well 45P 1 SOW 030	251
PATRICK COUNTY	
Well 30C 1 SOW 010	252
PORTSMOUTH (INDEPENDENT CITY)	
Well 60C 27	253
Well 60D 2	254
PRINCE GEORGE COUNTY	
Well 52E 2	255
Well 52F 1 SOW 038	256
PRINCE WILLIAM COUNTY	
Well 49U 1	257
Well 49V 1	258
Well 51S 7	259
Well 52S 4	260
Well 53T 2 SOW 029	261
PULASKI COUNTY	
Well 25E 1 SOW 009	262
Well 25E 2 SOW 059	263
RICHMOND COUNTY	
Well 57M 4	264
ROANOKE (INDEPENDENT CITY)	
Well 31G 1 SOW 008	265
ROCKBRIDGE COUNTY	
Well 35K 1 SOW 063	266
ROCKINGHAM COUNTY	
Well 41Q 1	267
SOUTHAMPTON COUNTY	
Well 51B 3	268
Well 52A 1	269
Well 52B 8 SOW 178A	270
Well 52B 11 SOW 178D	271
Well 52B 12 SOW 178E	272
Well 52B 13 SOW 178F	273
Well 53B 6	274
Well 53B 7	275
Well 54A 1	276
Well 55A 3 SOW 086	277
Well 55C 3	278
Well 55C 10	279
SUFFOLK (INDEPENDENT CITY)	
Well 56A 10 SOW 088A	280
Well 56A 11 SOW 089	281
Well 56A 12 SOW 088B	282
Well 56A 13 SOW 076B	283
Well 56A 14 SOW 076C	284
Well 57B 8	285
Well 57C 21 SOW 099A	286
Well 57C 22 SOW 099B	287
Well 57C 24 SOW 099D	288
Well 58A 75 SOW 170	289

GROUND-WATER WELLS, BY COUNTY OR INDEPENDENT CITY, FOR WHICH RECORDS
ARE PUBLISHED IN THIS VOLUME

	Page
SUFFOLK (INDEPENDENT CITY)--Continued	
Well 58A 77 SOW 180A	290
Well 58A 78 SOW 180B	291
Well 58A 79 SOW 180C	292
Well 58A 80 SOW 180D	293
Well 58A 81 SOW 180E	294
Well 58A 83 SOW 180G	295
Well 58A 84 SOW 180H	296
Well 58B 13	297
Well 58B268 SOW 169A	298
Well 58B269 SOW 169B	299
Well 58B270 SOW 169C	300
Well 58B273 SOW 169F	301
Well 58C 57 SOW 141A	302
Well 58C 58 SOW 141B	303
Well 58C 59 SOW 141C	304
Well 58C 60 SOW 141D	305
Well 58C 61 SOW 159A	306
Well 58C 62 SOW 159B	307
SURREY COUNTY	
Well 56F 2 SOW 039	308
Well 57E 11 SOW 094A	309
Well 57E 13 SOW 094C	310
Well 57F 16 SOW 087A	311
Well 57F 24 SOW 087B	312
SUSSEX COUNTY	
Well 53D 6 SOW 179A	313
Well 53D 10 SOW 179E	314
Well 53D 11 SOW 179F	315
Well 53E 5 SOW 045	316
VIRGINIA BEACH (INDEPENDENT CITY)	
Well 61C 27 SOW 174A	317
Well 61C 28 SOW 174B	318
Well 61D 5 SOW 155	319
Well 62A 2 SOW 097A	320
Well 62B 1 SOW 098A	321
Well 62B 2 SOW 098B	322
Well 62C 2 SOW 092A	323
Well 62C 3 SOW 092B	324
Well 62C 10 SOW 172B	325
Well 62C 11 SOW 172C	326
Well 63C 4 SOW 173A	327
WESTMORELAND COUNTY	
Well 55P 5	328
Well 55P 9	329
Well 56N 1 SOW 016	330
WINCHESTER (INDEPENDENT CITY)	
Well 45X 7	331
Well 45X 8	332
YORK COUNTY	
Well 57G 17 SOW 068	333
Well 58F 62 SOW 187A	334
Well 58F 63 SOW 187B	335
Well 58F 65 SOW 191A	336
Well 59F 1 SOW 027	337
Well 59F 72 SOW 184A	338
Well 59F 73 SOW 184B	339
Well 59F 74 SOW 184C	340
Well 59F 81 SOW 186A	341
Well 59F 86 SOW 188A	342
Well 59F 89 SOW 189A	343
Well 59F 96 SOW 189B	344
Well 59F 99 SOW 190B	345
Quality of ground water	347
Miscellaneous quality of ground water	347

WATER RESOURCES DATA - VIRGINIA, 2002

VOLUME 2. GROUND-WATER-LEVEL AND GROUND-WATER-QUALITY RECORDS

INTRODUCTION

The Water Resources Division of the U.S. Geological Survey, in cooperation with State agencies, obtains a large amount of data pertaining to the water resources of Virginia each water year. These data, accumulated during many water years, constitute a valuable data base for developing an improved understanding of the water resources of the State. To make these data readily available to interested parties outside the Geological Survey, the data are published annually in this report series entitled "Water Resources Data - Virginia."

This series of annual reports for Virginia began with the 1961 water year with a report that contained only data relating to the quantities of surface water. For the 1964 water year, a similar report was introduced that contained only data relating to water quality. Beginning with the 1975 water year, the report format was changed to present, in one volume, data on quantities of surface water, quality of surface and ground water, and ground-water levels. Beginning with the 1990 water year, the quantity of data to be published made it necessary to present the data in two volumes; Volume 1 encompassed surface-water-discharge and surface-water-quality records and Volume 2 encompassed ground-water-level and ground-water-quality records.

This report is Volume 2 in our 2002 series and includes records of water levels and water quality of ground-water wells. It contains records for water levels at 267 observation wells and water quality at 62 wells. Locations of these wells are shown on figures 4, 5, 6, and 7. The data in this report represent that part of the National Water Data System collected by the U.S. Geological Survey and cooperating State and Federal agencies in Virginia.

Prior to introduction of this series and for several water years concurrent with it, water-resources data for Virginia were published in U.S. Geological Survey Water-Supply Papers. Data on water levels for the 1935 through 1974 water years were published under the title "Ground-Water Levels in the United States." These Water-Supply Papers may be consulted in the libraries of the principal cities of the United States and may be purchased from U.S. Geological Survey, Branch of Information Services, Federal Center, Bldg. 41, Box 25286, Denver, CO 80225.

Publications similar to this report are published annually by the Geological Survey for all States. These official Survey reports have an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is identified as "U.S. Geological Survey Water-Data Report VA-00-2." For archiving and general distribution, the reports for 1971-74 water years also are identified as water-data reports. These water-data reports are for sale in paper copy or in microfiche by the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the District Office at the address given on the back of the title page or by telephone (804) 261-2600.

Water resources data, including those provided in water data reports, are available through the World Wide Web on the Internet. The Universal Resource Location (URL) to the Virginia District's home page is:

<http://va.water.usgs.gov>

COOPERATION

The U.S. Geological Survey and agencies of the State of Virginia have had joint-funding agreements for the collection of water-resource records since 1930. Organizations that assisted in collecting the data in this report through joint-funding agreements with the Survey are:

VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY, Robert G. Burnley, Executive Director.

CITY OF NEWPORT NEWS, Brian Ramaley, Director, Department of Public Utilities.

HAMPTON ROADS PLANNING DISTRICT COMMISSION, Arthur L. Collins, Executive Director.

Organizations that provided data are acknowledged in station descriptions.

WATER RESOURCES DATA - VIRGINIA, 2002

RECORDS COLLECTED BY THE STATE OF VIRGINIA

In addition to data collected by the U.S. Geological Survey, there are included herein records for 183 observation wells operated by the Virginia Department of Environmental Quality. These records are published as provided and are acknowledged in the "REMARKS" paragraph of each individual well. The Virginia Department of Environmental Quality is under the direction of Robert G. Burnley, executive director. Published material for the ground-water wells is supplied through the Division of Water Resource Management, Larry G. Lawson, P.E., director.

SUMMARY OF HYDROLOGIC CONDITIONS

Generally dry conditions of previous years persisted in the 2002 water year resulting in a moderate to extreme drought in Virginia and much of the Eastern Seaboard of the United States. Rain in March and April caused temporary moderation of the drought in some areas of Virginia. But dry weather during the summer of 2002 amplified the drought which culminated in August from extreme to exceptional levels throughout most of Virginia, as well as the Mid-Atlantic Region and most of the Southeastern United States. Rain in September 2002 reduced the severity of the drought somewhat in Virginia.

The effect of the drought on ground-water levels during the 2002 water year are illustrated by hydrographs of end-of-month measurements from a network of 13 observation wells in Virginia (fig. 1 and 2). These wells have been selected to represent general water-level conditions across the State from different Physiographic regions. The regions range from the Cumberland Plateau of the Appalachian province (coal fields) in the west, to the Valley and Ridge, Blue Ridge, and Piedmont, in the center of the state, and the Coastal Plain in the east (fig. 4). Water levels in other observation wells documented in this report can differ from those in the selected wells because of well construction (in particular the diameter and the depth of the open interval of the well) because of the time interval (end-of-month) chosen to represent the data, and because of local differences in hydrologic conditions.

Water levels in 11 of the wells indicate the response of the water-table aquifer to changes in rates of ground-water recharge, flow, and discharge which are generally controlled by natural processes but may also be affected by human activities. The index wells used for describing hydrologic conditions in the water-table aquifer generally are in areas that are not thought to be affected by pumping.

Water levels in the other two wells indicate changes in ground-water levels that result primarily from pumping from the confined aquifers of the Coastal Plain of Virginia. The locations of the network wells and other observation wells documented in this report are shown in figures 4 through 7.

Water-Table Aquifer

The water-table aquifer is the shallowest aquifer in Virginia and is present throughout the State. It is formed in different geologic materials at different locations. Water levels in this aquifer respond to changes in recharge and evapotranspiration rates but the response time is different depending on antecedent conditions of the unsaturated zone, the depth of the water table below land surface, the depth of the open interval of the well, and the materials above the open interval.

Average end-of-month water levels for each network well indicates the seasonal cycle expected during a normal water year (fig. 1). In a normal year, ground-water levels would rise when rates of recharge are highest, typically during the winter and early spring months. Ground-water recharge generally requires adequate precipitation, wet conditions near land surface to allow infiltration of water into the soil, dormant vegetation, and subsequent percolation of water to the water table. Water levels in the water-table aquifer in Virginia typically are highest in late winter or early spring when trees and other plants are dormant and evapotranspiration is low.

Ground-water levels typically begin to decline following the opening of leaves when rates of evapotranspiration increase, in late March and early April in Virginia. Water levels normally continue to decline through the summer to seasonal lows in the late summer and early fall when evapotranspiration is high and soil moisture can become low or depleted. Uptake and transpiration of water by plants and the dry soil typically retains much of the precipitation that falls during these periods, thereby limiting recharge to the water-table aquifer. Consequently, water levels are lowest from late summer to early winter before the trees lose their leaves and plants again become dormant.

Most of the water-table network wells began the water year below the normal monthly average water levels for the period of the record (fig. 1). Some of those wells, particularly those in the center of the state (41H3 and 45N1) and in the northwest (41Q1 and 46W175) began the year well below average (fig. 4). Wells in the north and east, however, began the water year one to two feet above the average monthly water levels (50W 4C, 52V2, and 55P9).

The winter recharge and subsequent rise in water levels did not materialize, however, for almost all of the wells during the 2002 water year. All of the wells including those in the north and east that had been above average levels, fell below average during the winter. Water levels did rise somewhat in most of the well in March, April, and May following some spring rainfalls, but the levels were still below average and remained below average for the remainder of the water year. In fact, the wells in the center and northwestern parts of the state continued to decline throughout the winter and into the early spring setting new lows each month. One well, 14E40 in the southwestern part of the state, did rise above the average for a brief period at the end of March 2002 before it was destroyed to make way for building construction. All of the wells declined during the dry summer of 2002 indicating the extent of the drought had effected the entire state. At the end of the water year some rain cause a slight upturn in a two wells (46W175 and 51G1), but most of the wells had not yet responded to the rainfall of September.

In summary, ground-water levels across the state indicate drought conditions throughout the water year with the lowest levels far below average in the central and northwestern parts of the state. In general, Water levels ranged from lower than to much lower than the average monthly levels in all of the wells for the majority of the water year.




Figure 1. Monthly ground-water levels at index observation wells in water-table aquifers.

WATER RESOURCES DATA - VIRGINIA, 2002

Confined Coastal Plain Aquifers

The Coastal Plain of Virginia is in the eastern part of the State (fig. 4) and is underlain by an interlayered system of sandy aquifers separated by silty and clayey confining units. These aquifers are laterally continuous throughout the Coastal Plain of Virginia and extend into adjacent states. The confined aquifers are among the highest water-yielding aquifers in Virginia. Consequently, large amounts of water are withdrawn by industrial, municipal, agricultural, and domestic users. The Coastal Plain aquifer system increases in thickness toward the east such that the greatest depth of aquifers from which water can be withdrawn typically increases to the east.

Because of the lateral continuity of these aquifers, declines in water levels that result from pumping can extend over large areas. The magnitude of the decline in a particular well depends on the hydraulic properties of the aquifers and confining units, the amount of water pumped, and the proximity of the well to the pumps. Consequently, water levels in wells indicate the combined effects of regional declines from pumping throughout the aquifer system and local declines from nearby pumps. In the early 1900's, prior to significant pumping from the confined aquifers, water levels throughout the Coastal Plain were above sea level and probably were near land surface. In the eastern part of the Coastal Plain, water flowed from many wells at land surface, indicating that water levels were above land surface.

Water levels have declined in the Coastal Plain from the time that pumping began. This regional decline has been well documented in numerous data and interpretive reports. Water levels in the two network wells (wells 55B16 in Isle of Wight County and 56H27 in James City County) indicate the history of the more recent changes in water levels.

Well 55B16 is open to the middle Potomac aquifer in Isle of Wight County. The small, short-term changes in water levels in this well result from changes in local and regional pumping (fig. 2). Water levels were probably near land surface prior to pumping and therefore the overall decline in water levels was probably about 100 ft at this location before 1960 when water levels were first measured in this well. Water levels in this well have declined an additional 100 ft since then, mostly during the 1960s. For a brief period at the end of 1970 and again in 1974, water levels rose significantly in the well, about 20 and 30 feet respectively, because of temporary industrial shutdowns at Franklin, Virginia. When the pumping at Franklin resumed, the water levels returned to the previous pumping levels.

The hydrograph of well 55B16 indicates smaller fluctuation in pumping continued through the 1970's and 1980's, but overall the trend was steady until 1987 and 1988, when water levels decline to new lows below a depth of 200 ft. Water levels declined again from 1990 to 1992 when the lowest reading for the period of record was recorded. Water levels recovered later that year and remain generally steady until 1998 when an upward trend began and lasted until August of 1999. Then in September 1999, torrential rain from Hurricane Floyd caused flooding and the shutdown of industrial wells again at Franklin, Virginia. Water levels rose in the well 30 feet during the one month of shutdown. When normal pumping resumed again at Franklin, the water level in 55B16 fell about 25 ft. In the water years 2000 and 2001, water levels in the well declined slowly and in 2002 the levels have remained somewhat steady returning to the levels of the mid 1990's.

Well 56H27 is open to the Brightseat-upper Potomac aquifer in James City County. Because of the low frequency of measurements, effects of local pumping on water levels in this well cannot be readily evaluated (fig. 2). Land surface at the well is about 100 ft above sea level. Water levels probably declined significantly in this area before 1985 when water levels were first measured in this well. Water levels have declined steadily since 1985 in this well and in 2002 the water levels were more than 26 ft below those of 1985-- a rate of about 1.5 ft per year. Unlike water levels in well 55B16, water levels in well 56H27 continued to decline during the 2002 water year, establishing a record new low during the last tapdown in July of 2002.

As these two wells indicate, water levels in the confined Coastal Plain aquifers are holding steady in some areas, but steadily declining in others. The wells also indicate that the confined aquifers of the Coastal Plain are strongly effected by large pumping centers.

EXPLANATION OF THE RECORDS

The ground-water records published in this report are for the 2002 water year that began October 1, 2001, and ended September 30, 2002. A calendar of the water year is provided on the inside of the front cover. The records contain ground-water-level and ground-water-quality data. The locations of the wells where the water-level data were collected are shown in figures 4, 5, 6, and 7. The following sections of the introductory text are presented to provide users with a more detailed explanation of how the hydrologic data published in this report were collected, analyzed, computed, and arranged for presentation.

Station Identification Numbers

Each well in this report is assigned a unique identification number. This number is unique in that it applies specifically to a given well and to no other. The number usually is assigned when a well is first established in U.S. Geological Survey records and is retained for that well indefinitely. The system used by the U.S. Geological Survey to assign identification numbers for ground-water well sites is based on geographic location. The "latitude-longitude" system is used for wells.




Figure 2. Ground-water levels in selected observation wells in confined Coastal Plain aquifers.

WATER RESOURCES DATA - VIRGINIA, 2002

Latitude-Longitude System

The identification numbers for wells are assigned according to the grid system of latitude and longitude. The number consists of 15 digits. The first six digits denote the degrees, minutes, and seconds of latitude, the next seven digits denote degrees, minutes, and seconds of longitude, and the last two digits (assigned sequentially) identify the wells or other sites within a 1-second grid. This site-identification number, once assigned, is a pure number and has no locational significance. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number; however, its true latitude and longitude will be listed in the LOCATION paragraph of the station description.




Figure 3. System for numbering wells.

A second well-numbering system used in Virginia utilizes 7 1/2-minute quadrangles within the State. The quadrangles are numbered from west to east, and lettered from south to north, omitting the letters "I" and "O." The designation for each quadrangle is determined by the method "Read Right, Up." Wells are numbered serially within each quadrangle. This local well number is shown immediately after the primary well number.

Well records furnished by the State of Virginia also include the well number that is based on an indexing system used by the Virginia Department of Environmental Quality.

Records of Ground-Water Levels

Only water-level data from a national network of observation wells are given in this report. These data are intended to provide a sampling and historical record of water-level changes in the Nation's most important aquifers. Locations of the observation wells in this network in Virginia are shown in figures 4, 5, 6, and 7.

Data Collection and Computation

Measurements of water levels are made in many types of wells under varying conditions, but the methods of measurement are standardized to the extent possible. The equipment and measuring techniques used at each observation well ensure that measurements at each well are of consistent accuracy and reliability.

Tables of water-level data are presented by counties arranged in alphabetical order. The prime identification number for a given well is the 15-digit number that appears in the upper left corner of the table. The secondary identification number is the local well number, an alphanumeric number, derived from the township-range location of the well.

Water-level data are obtained from direct measurements with a steel tape or manometer, or from graphic, punched tape, or electronic water-stage recorder. The water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. If known, the elevation of the land-surface datum is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. Water levels in wells equipped with recording gages are reported for every fifth day and the end of each month (eom).

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth to water of several hundred feet, the error of determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water, the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot or a larger unit.

Data Presentation

Each well record consists of three parts, the station description, the data table of water levels observed during the current water year, and a graph of the water levels for the current water year or other selected period. The description of the well is presented first through use of descriptive headings preceding the tabular data. The comments to follow clarify information presented under the various headings.

LOCATION.--This paragraph follows the well-identification number and reports the latitude and longitude (given in degrees, minutes, and seconds); a landline location designation; the hydrologic-unit number; the distance and direction from a geographic point of reference; and the owner's name.

AQUIFER.--This entry designates by name (if a name exists) and geologic age the aquifer(s) open to the well.

WELL CHARACTERISTICS.--This entry describes the well in terms of depth, diameter, casing depth and/or screened interval, method of construction, use, and additional information such as casing breaks, collapsed screen, and other changes since construction.

INSTRUMENTATION.--This paragraph provides information on both the frequency of measurement and the collection method used, allowing the user to better evaluate the reported water-level extremes by knowing whether they are based on weekly, monthly, or some other frequency of measurement.

DATUM.--This entry describes both the measuring point and the land-surface elevation at the well. The measuring point is described physically (such as top of collar, notch in top of casing, plug in pump base and so on), and in relation to land surface (such as 1.3 ft above land-surface datum). The elevation of the land-surface datum is described in feet above (or below) sea level; it is reported with a precision depending on the method of determination.

REMARKS.--This entry describes factors that may influence the water level in a well or the measurement of the water level. It should identify wells that also are water-quality observation wells, and may be used to acknowledge the assistance of local (non-Survey) observers.

WATER RESOURCES DATA - VIRGINIA, 2002

PERIOD OF RECORD.--This entry indicates the period for which there are published records for the well. It reports the month and year of the start of publication of water-level records by the U.S. Geological Survey and the words "to current year" if the records are to be continued into the following year. Periods for which water-level records are available, but are not published by the Geological Survey, may be noted.

EXTREMES FOR PERIOD OF RECORD.--This entry contains the highest and lowest water levels of the period of published record, with respect to land-surface datum, and the dates of their occurrence.

EXTREMES FOR CURRENT YEAR.--This entry contains the highest and lowest instantaneous water levels, along with the dates of occurrence, at sites with water-stage recorders. The values are for the current water year, and are with respect to land-surface datum.

A table of water levels follows the station description for each well. Water levels are reported in feet below land-surface datum and all taped measurements of water level are listed. For wells equipped with recorders, only abbreviated tables are published; generally, only water-level lows are listed for every fifth day and at the end of the month (eom). The highest and lowest water levels of the water year and their dates of occurrence are shown on a line below the abbreviated table. Because all values are not published for wells with recorders, the extremes may be values that are not listed in the table. Missing records are indicated by dashes in place of the water level. A hydrograph for a selected period of record follows each water-level table.

Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records in that, for most sampling sites, they consist of only one set of measurements for the water year. The quality of ground water ordinarily changes only slowly; therefore, for most general purposes, one annual sampling, or only a few samples taken at infrequent intervals during the year, is sufficient. Frequent measurement of the same constituents is not necessary unless one is concerned with a particular problem, such as monitoring for trends in nitrate concentration. In the special cases where the quality of ground water may change more rapidly, more frequent measurements are made to identify the nature of the changes.

Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as a part of special studies in specific areas. Consequently, a number of chemical analyses are presented for some counties but none are presented for others. As a result, the records for this year, by themselves, do not provide a balanced view of ground-water quality Statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" publications referred to in the "On-site Measurements and Sample Collection" and the "Laboratory Measurements" sections in this data report. In addition, the TWRI book 1, Chapter D2, describes guidelines for the collection and field analysis of ground-water samples for selected unstable constituents. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. These methods are consistent with ASTM standards and generally follow ISO standards. All samples were obtained by trained personnel. The wells sampled were pumped long enough to assure that the water collected came directly from the aquifer and had not stood for a long time in the well casing where it would have been exposed to the atmosphere and to the material, possibly metal, comprising the casings.

Data Presentation

The records of ground-water quality are published in a section titled QUALITY OF GROUND WATER immediately following the ground-water-level records. Data for quality of ground water are listed alphabetically by County and are identified by well number. The prime identification number for wells sampled is the 15-digit number derived from the latitude-longitude locations. No descriptive statements are given for ground-water-quality records; however, the well number, depth of well, date of sampling, and other pertinent data are given in the table containing the chemical analyses of the ground water.

WATER RESOURCES DATA - VIRGINIA, 2002

Remark Codes

The following remark codes may appear with the ground-water-quality data in this report:

PRINTED OUTPUT	REMARK
E	Estimated value
>	Actual value is known to be greater than the value shown
<	Actual value is known to be less than the value shown
K	Results based on colony count outside the acceptance range (non-ideal colony count)
L	Biological organism count less than 0.5 percent (organism may be observed rather than counted)
D	Biological organism count equal to or greater than 15 percent (dominant)
V	Analyte was detected in both the environmental sample and the associated blanks.
&	Biological organism estimated as dominant
M	Constituent was detected but not quantified.

Water Quality-Control Data

Data generated from quality-control (QC) samples are a requisite for evaluating the quality of the sampling and processing techniques as well as data from the actual samples themselves. Without QC data, environmental sample data cannot be adequately interpreted because the errors associated with the sample data are unknown. The various types of QC samples collected by this district are described in the following section. Procedures have been established for the storage of water-quality-control data within the USGS. These procedures allow for storage of all derived QC data and are identified so that they can be related to corresponding environmental samples.

Blank Samples

Blank samples are collected and analyzed to ensure that environmental samples have not been contaminated by the overall data-collection process. The blank solution used to develop specific types of blank samples is a solution that is free of the analytes of interest. Any measured value signal in a blank sample for an analyte (a specific component measured in a chemical analysis) that was absent in the blank solution is believed to be due to contamination. There are many types of blank samples possible, each designed to segregate a different part of the overall data-collection process. The types of blank samples collect in this district are:

Source solution blank a blank solution that is transferred to a sample bottle in an area of the office laboratory with an atmosphere that is relatively clean and protected with respect to target analytes.

Ambient blank a blank solution that is put in the same type of bottle used for an environmental sample, kept with the set of sample bottles before sample collection, and opened at the site and exposed to the ambient conditions.

Field blank - a blank solution that is subjected to all aspects of sample collection, field processing preservation, transportation, and laboratory handling as an environmental sample.

Trip blank - a blank solution that is put in the same type of bottle used for an environmental sample and kept with the set of sample bottles before and after sample collection.

Equipment blank - a blank solution that is processed through all equipment used for collecting and processing an environmental sample (similar to a field blank but normally done in the more controlled conditions of the office).

Sampler blank - a blank solution that is poured or pumped through the same field sampler used for collecting an environmental sample.

Pump blank a blank solution that is processed through the same pump-and-tubing system used for an environmental sample.

Standpipe blank a blank solution that is poured from the containment vessel (stand-pipe) before the pump is inserted to obtain the pump blank.

WATER RESOURCES DATA - VIRGINIA, 2002

Filter blank - a blank solution that is filtered in the same manner and through the same filter apparatus used for an environmental sample.

Splitter blank - a blank solution that is mixed and separated using a field splitter in the same manner and through the same apparatus used for an environmental sample.

Preservation blank - a blank solution that is treated with the sampler preservatives used for an environmental sample.

Canister blank a blank solution that is taken directly from a stainless steel canister just before the VOC sampler is submerged to obtain a field blank sample.

Reference Samples

Reference material is a solution or material prepared by a laboratory whose composition is certified for one or more properties so that it can be used to assess a measurement method. Samples of reference material are submitted for analysis to ensure that an analytical method is accurate for the known properties of the reference material. Generally, the selected reference material properties are similar to the environmental sample properties.

Replicate Samples

Replicate samples are a set of environmental samples collected in a manner such that the samples are thought to be essentially identical in composition. Replicate is the general case for which a duplicate is the special case consisting of two samples. Replicate samples are collected and analyzed to establish the amount of variability in the data contributed by some part of the collection and analytical process. There are many types of replicate samples possible, each of which may yield slightly different results in a dynamic hydrologic setting, such as a flowing stream. The types of replicate samples collected in this district are:

Concurrent sample a type of replicate sample in which the samples are collected simultaneously with two or more samplers or by using one sampler and alternating collection of samples into two or more compositing containers.

Sequential samples - a type of replicate sample in which the samples are collected one after the other, typically over a short time.

Split sample - a type of replicate sample in which a sample is split into subsamples contemporaneous in time and space.

Spike Samples

Spike samples are samples to which known quantities of a solution with one or more well-established analyte concentrations have been added. These samples are analyzed to determine the extent of matrix interference or degradation on the analyte concentration during sample processing and analysis.

Concurrent sample a type of spike sample that is collected at the same time with the same sampling and compositing devices then spiked with the same spike solution containing laboratory-certified concentrations of selected analytes.

Split sample a type of spike sample in which a sample is split into subsamples contemporaneous in time and space then spiked with the same spike solution containing laboratory-certified concentrations of selected analytes.

ACCESS TO USGS WATER DATA

The USGS provides near real-time stage and discharge data for many of the gaging stations equipped with the necessary telemetry and historic daily-mean and peak-flow discharge data for most current or discontinued gaging stations through the world wide web (WWW). These data may be accessed at:

<http://va.water.usgs.gov>

Some water-quality and ground-water data also are available through the WWW. In addition, data can be provided in various machine-readable formats on magnetic tape or 3-1/2 inch floppy disk. Information about the availability of specific types of data or products, and user charges, can be obtained locally from each of the Water Resources Division District Offices (See address on the back of the title page.)

DEFINITION OF TERMS

Specialized technical terms related to streamflow, water-quality, and other hydrologic data, as used in this report, are defined below. Definitions of common terms such as algae, water level, and precipitation are given in standard dictionaries. Not all terms defined in this alphabetical list apply to every State. See also table for converting inch/pound units to International System (SI) units on the inside of the back cover.

Acid neutralizing capacity (ANC) is the equivalent sum of all bases or base-producing materials, solutes plus particulates, in an aqueous system that can be titrated with acid to an equivalence point. This term designates titration of an "unfiltered" sample (formerly reported as alkalinity).

Acre-foot (AC-FT, acre-ft) is a unit of volume, commonly used to measure quantities of water used or stored, equivalent to the volume of water required to cover 1 acre to a depth of 1 foot and equivalent to 43,560 cubic feet, 325,851 gallons, or 1,233 cubic meters. (See also "Annual runoff")

Adenosine triphosphate (ATP) is an organic, phosphate-rich compound important in the transfer of energy in organisms. Its central role in living cells makes ATP an excellent indicator of the presence of living material in water. A measurement of ATP therefore provides a sensitive and rapid estimate of biomass. ATP is reported in micrograms per liter.

Algal growth potential (AGP) is the maximum algal dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present at stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample. (See also "Biomass" and "Dry weight")

Alkalinity is the capacity of solutes in an aqueous system to neutralize acid. This term designates titration of a "filtered" sample.

Annual runoff is the total quantity of water that is discharged ("runs off") from a drainage basin in a year. Data reports may present annual runoff data as volumes in acre-feet, as discharges per unit of drainage area in cubic feet per second per square mile, or as depths of water on the drainage basin in inches.

Annual 7-day minimum is the lowest mean value for any 7-consecutive-day period in a year. Annual 7-day minimum values are reported herein for the calendar year and the water year (October 1 through September 30). Most low-flow frequency analyses use a climatic year (April 1-March 31), which tends to prevent the low-flow period from being artificially split between adjacent years. The date shown in the summary statistics table is the initial date of the 7-day period. (This value should not be confused with the 7-day, 10-year low-flow statistic.)

Aroclor is the registered trademark for a group of poly-chlorinated biphenyls that were manufactured by the Monsanto Company prior to 1976. Aroclors are assigned specific 4-digit reference numbers dependent upon molecular type and degree of substitution of the biphenyl ring hydrogen atoms by chlorine atoms. The first two digits of a numbered aroclor represent the molecular type, and the last two digits represent the percentage weight of the hydrogen-substituted chlorine.

Artificial substrate is a device that is purposely placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is collected. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multiplate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection. (See also "Substrate")

Ash mass is the mass or amount of residue present after the residue from the dry mass determination has been ashed in a muffle furnace at a temperature of 500 °C for 1 hour. Ash mass of zooplankton and phytoplankton is expressed in grams per cubic meter (g/m^3), and periphyton and benthic organisms in grams per square meter (g/m^2). (See also "Biomass" and "Dry mass")

Aspect is the direction toward which a slope faces with respect to the compass.

Bacteria are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, whereas others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Bankfull stage, as used in this report, is the stage at which a stream first overflows its natural banks formed by floods with 1- to 3-year recurrence intervals.

Base discharge (for peak discharge) is a discharge value, determined for selected stations, above which peak discharge data are published. The base discharge at each station is selected so that an average of about three peak flows per year will be published. (See also "Peak flow")

Base flow is sustained flow of a stream in the absence of direct runoff. It includes natural and human-induced streamflows. Natural base flow is sustained largely by ground-water discharge.

Bedload is material in transport that is supported primarily by the streambed. In this report, bedload is considered to consist of particles in transit from the bed to an elevation equal to the top of the bedload sampler nozzle (ranging from 0.25 to 0.5 foot) that are retained in the bedload sampler. A sample collected with a pressure-differential bedload sampler also may contain a component of the suspended load.

Bedload discharge (tons per day) is the rate of sediment moving as bedload, reported as dry weight, that passes through a cross section in a given time. NOTE: Bedload discharge values in this report may include a component of the suspended-sediment discharge. A correction may be necessary when computing the total sediment discharge by summing the bedload discharge and the suspended-sediment discharge. (See also "Bedload," "Dry weight," "Sediment," and "Suspended-sediment discharge")

Bed material is the sediment mixture of which a stream-bed, lake, pond, reservoir, or estuary bottom is composed. (See also "Bedload" and "Sediment")

Benthic organisms are the group of organisms inhabiting the bottom of an aquatic environment. They include a number of types of organisms, such as bacteria, fungi, insect larvae and nymphs, snails, clams, and crayfish. They are useful as indicators of water quality.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

Biomass is the amount of living matter present at any given time, expressed as mass per unit area or volume of habitat.

Biomass pigment ratio is an indicator of the total proportion of periphyton that are autotrophic (plants). This is also called the Autotrophic Index.

Blue-green algae (*Cyanophyta*) are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water. Concentrations are expressed as a number of cells per milliliter (cells/mL) of sample. (See also "Phytoplankton")

Bottom material (See "Bed material")

Bulk electrical conductivity is the combined electrical conductivity of all material within a doughnut-shaped volume surrounding an induction probe. Bulk conductivity is affected by different physical and chemical properties of the material including the dissolved solids content of the pore water and lithology and porosity of the rock.

Cells/volume refers to the number of cells of any organism that is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample volume, and are generally reported as cells or units per milliliter (mL) or liter (L).

Cells volume (biovolume) determination is one of several common methods used to estimate biomass of algae in aquatic systems. Cell members of algae are frequently used in aquatic surveys as an indicator of algal production. However, cell numbers alone cannot represent true biomass because of considerable cell-size variation among the algal species. Cell volume (μm^3) is determined by obtaining critical cell measurements or cell dimensions (for example, length, width, height, or radius) for 20 to 50 cells of each important species to obtain an average biovolume per cell. Cells are categorized according to the correspondence of their cellular shape to the nearest geometric solid or combinations of simple solids (for example, spheres, cones, or cylinders). Representative formulae used to compute biovolume are as follows:

$$\text{sphere } 4/3 \pi r^3 \quad \text{cone } 1/3 \pi r^2 h \quad \text{cylinder } \pi r^2 h.$$

pi (π) is the ratio of the circumference to the diameter of a circle; $\pi = 3.14159\dots$

From cell volume, total algal biomass expressed as biovolume ($\mu\text{m}^3/\text{mL}$) is thus determined by multiplying the number of cells of a given species by its average cell volume and then summing these volumes for all species.

Cfs-day (See "Cubic foot per second-day")

Channel bars, as used in this report, are the lowest prominent geomorphic features higher than the channel bed.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with BOD or with carbonaceous organic pollution from sewage or industrial wastes. [See also "Biochemical oxygen demand (BOD)"]

Clostridium perfringens (*C. perfringens*) is a spore-forming bacterium that is common in the feces of human and other warmblooded animals. Clostridial spores are being used experimentally as an indicator of past fecal contamination and presence of microorganisms that are resistant to disinfection and environmental stresses. (See also "Bacteria")

Coliphages are viruses that infect and replicate in coliform bacteria. They are indicative of sewage contamination of water and of the survival and transport of viruses in the environment.

Color unit is produced by 1 milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Confined aquifer is a term used to describe an aquifer containing water between two relatively impermeable boundaries. The water level in a well tapping a confined aquifer stands above the top of the confined aquifer and can be higher or lower than the water table that may be present in the material above it. In some cases, the water level can rise above the ground surface, yielding a flowing well.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

Continuous-record station is a site where data are collected with sufficient frequency to define daily mean values and variations within a day.

Control designates a feature in the channel that physically affects the water-surface elevation and thereby determines the stage-discharge relation at the gage. This feature may be a constriction of the channel, a bedrock outcrop, a gravel bar, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure, as used in this report, is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of saltwater.

Cubic foot per second (CFS, ft^3/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point in 1 second. It is equivalent to approximately 7.48 gallons per second or approximately 449 gallons per minute, or 0.02832 cubic meters per second. The term “second-foot” sometimes is used synonymously with “cubic foot per second” but is now obsolete.

Cubic foot per second-day (CFS-DAY, Cfs-day, $[(\text{ft}^3/\text{s})/\text{d}]$) is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, 1.98347 acre-feet, 646,317 gallons, or 2,446.6 cubic meters. The daily mean discharges reported in the daily value data tables are numerically equal to the daily volumes in cfs-days, and the totals also represent volumes in cfs-days.

Cubic foot per second per square mile [CFSM, $(\text{ft}^3/\text{s})/\text{mi}^2$] is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming the runoff is distributed uniformly in time and area. (See also “Annual runoff”)

Daily mean suspended-sediment concentration is the time-weighted concentration of suspended sediment passing a stream cross section during a 24-hour day. (See also “Sediment” and “Suspended-sediment concentration”)

Daily-record station is a site where data are collected with sufficient frequency to develop a record of one or more data values per day. The frequency of data collection can range from continuous recording to periodic sample or data collection on a daily or near-daily basis.

Data collection platform (DCP) is an electronic instrument that collects, processes, and stores data from various sensors, and transmits the data by satellite data relay, line-of-sight radio, and/or landline telemetry.

Data logger is a microprocessor-based data acquisition system designed specifically to acquire, process, and store data. Data are usually downloaded from onsite data loggers for entry into office data systems.

Datum is a surface or point relative to which measurements of height and/or horizontal position are reported. A vertical datum is a horizontal surface used as the zero point for measurements of gage height, stage, or elevation; a horizontal datum is a reference for positions given in terms of latitude-longitude, State Plane coordinates, or UTM coordinates. (See also “Gage datum,” “Land-surface datum,” “National Geodetic Vertical Datum of 1929,” and “North American Vertical Datum of 1988”)

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells per milliliter (cells/mL) of sample. (See also “Phytoplankton”)

Diel is of or pertaining to a 24-hour period of time; a regular daily cycle.

Discharge, or **flow**, is the rate that matter passes through a cross section of a stream channel or other water body per unit of time. The term commonly refers to the volume of water (including, unless otherwise stated, any sediment or other constituents suspended or dissolved in the water) that passes a cross section in a stream channel, canal, pipeline, etc., within a given period of time (cubic feet per second). Discharge also can apply to the rate at which constituents, such as suspended sediment, bedload, and dissolved or suspended chemicals, pass through a cross section, in which cases the quantity is expressed as the mass of constituent that passes the cross section in a given period of time (tons per day).

Dissolved refers to that material in a representative water sample that passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal and State agencies that collect water-quality data. Determinations of “dissolved” constituent concentrations are made on sample water that has been filtered.

Dissolved oxygen (DO) is the molecular oxygen (oxygen gas) dissolved in water. The concentration in water is a function of atmospheric pressure, temperature, and dissolved-solids concentration of the water. The ability of water to retain oxygen decreases with increasing temperature or dissolved-solids concentration. Photosynthesis and respiration by plants commonly cause diurnal variations in dissolved-oxygen concentration in water from some streams.

Dissolved-solids concentration in water is the quantity of dissolved material in a sample of water. It is determined either analytically by the “residue-on-evaporation” method, or mathematically by totaling the concentrations of individual constituents reported in a comprehensive chemical analysis. During the analytical determination, the bicarbonate (generally a major dissolved component of water) is converted to carbonate. In the mathematical calculation, the bicarbonate value, in milligrams per liter, is multiplied by 0.4926 to convert it to carbonate. Alternatively, alkalinity concentration (as mg/L CaCO₃) can be converted to carbonate concentration by multiplying by 0.60.

Diversity index (H) (Shannon index) is a numerical expression of evenness of distribution of aquatic organisms. The formula for diversity index is:

$$\bar{d} = -\sum_{i=1}^s \frac{n_i}{n} \log_2 \frac{n_i}{n},$$

where n_i is the number of individuals per taxon, n is the total number of individuals, and s is the total number of taxa in the sample of the community. Index values range from zero, when all the organisms in the sample are the same, to some positive number, when some or all of the organisms in the sample are different.

Drainage area of a stream at a specific location is that area upstream from the location, measured in a horizontal plane, that has a common outlet at the site for its surface runoff from precipitation that normally drains by gravity into a stream. Drainage areas given herein include all closed basins, or noncontributing areas, within the area unless otherwise specified.

Drainage basin is a part of the Earth’s surface that contains a drainage system with a common outlet for its surface runoff. (See “Drainage area”)

Dry mass refers to the mass of residue present after drying in an oven at 105 °C, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry-mass values are expressed in the same units as ash mass. (See also “Ash mass,” “Biomass,” and “Wet mass”)

Dry weight refers to the weight of animal tissue after it has been dried in an oven at 65 °C until a constant weight is achieved. Dry weight represents total organic and inorganic matter in the tissue. (See also “Wet weight”)

Embeddedness is the degree to which gravel-sized and larger particles are surrounded or enclosed by finer-sized particles. (See also “Substrate embeddedness class”)

Enterococcus bacteria are commonly found in the feces of humans and other warmblooded animals. Although some strains are ubiquitous and not related to fecal pollution, the presence of enterococci in water is an indication of fecal pollution and the possible presence of enteric pathogens. Enterococcus bacteria are those bacteria that produce pink to red colonies with black or reddish-brown precipitate after incubation at 41 °C on mE agar (nutrient medium for bacterial growth) and subsequent transfer to EIA medium. Enterococci include *Streptococcus feacalis*, *Streptococcus feacium*, *Streptococcus avium*, and their variants. (See also “Bacteria”)

EPT Index is the total number of distinct taxa within the insect orders Ephemeroptera, Plecoptera, and Trichoptera. This index summarizes the taxa richness within the aquatic insects that are generally considered pollution sensitive; the index usually decreases with pollution.

***Escherichia coli* (*E. coli*)** are bacteria present in the intestine and feces of warmblooded animals. *E. coli* are a member species of the fecal coliform group of indicator bacteria. In the laboratory, they are defined as those bacteria that produce yellow or yellow-brown colonies on a filter pad saturated with urea substrate broth after primary culturing for 22 to 24 hours at 44.5 °C on mTEC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also "Bacteria")

Estimated (E) concentration value is reported when an analyte is detected and all criteria for a positive result are met. If the concentration is less than the method detection limit (MDL), an 'E' code will be reported with the value. If the analyte is qualitatively identified as present, but the quantitative determination is substantially more uncertain, the National Water Quality Laboratory will identify the result with an 'E' code even though the measured value is greater than the MDL. A value reported with an 'E' code should be used with caution. When no analyte is detected in a sample, the default reporting value is the MDL preceded by a less than sign (<).

Euglenoids (*Euglenophyta*) are a group of algae that are usually free-swimming and rarely creeping. They have the ability to grow either photosynthetically in the light or heterotrophically in the dark. (See also "Phytoplankton")

Extractable organic halides (EOX) are organic compounds that contain halogen atoms such as chlorine. These organic compounds are semivolatile and extractable by ethyl acetate from air-dried streambed sediment. The ethyl acetate extract is combusted, and the concentration is determined by microcoulometric determination of the halides formed. The concentration is reported as micrograms of chlorine per gram of the dry weight of the streambed sediment.

Fecal coliform bacteria are present in the intestines or feces of warmblooded animals. They often are used as indicators of the sanitary quality of the water. In the laboratory, they are defined as all organisms that produce blue colonies within 24 hours when incubated at 44.5 °C plus or minus 0.2 °C on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also "Bacteria")

Fecal streptococcal bacteria are present in the intestines of warmblooded animals and are ubiquitous in the environment. They are characterized as gram-positive, cocci bacteria that are capable of growth in brain-heart infusion broth. In the laboratory, they are defined as all the organisms that produce red or pink colonies within 48 hours at 35 °C plus or minus 1.0 °C on KF-streptococcus medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also "Bacteria")

Fire algae (*Pyrrhophyta*) are free-swimming unicells characterized by a red pigment spot. (See also "Phytoplankton")

Flow-duration percentiles are values on a scale of 100 that indicate the percentage of time for which a flow is not exceeded. For example, the 90th percentile of river flow is greater than or equal to 90 percent of all recorded flow rates.

Gage datum is a horizontal surface used as a zero point for measurement of stage or gage height. This surface usually is located slightly below the lowest point of the stream bottom such that the gage height is usually slightly greater than the maximum depth of water. Because the gage datum itself is not an actual physical object, the datum usually is defined by specifying the elevations of permanent reference marks such as bridge abutments and survey monuments, and the gage is set to agree with the reference marks. Gage datum is a local datum that is maintained independently of any national geodetic datum. However, if the elevation of the gage datum relative to the national datum (North American Vertical Datum of 1988 or National Geodetic Vertical Datum of 1929) has been determined, then the gage readings can be converted to elevations above the national datum by adding the elevation of the gage datum to the gage reading.

Gage height (G.H.) is the water-surface elevation, in feet above the gage datum. If the water surface is below the gage datum, the gage height is negative. Gage height often is used interchangeably with the more general term "stage," although gage height is more appropriate when used in reference to a reading on a gage.

Gage values are values that are recorded, transmitted, and/or computed from a gaging station. Gage values typically are collected at 5-, 15-, or 30-minute intervals.

Gaging station is a site on a stream, canal, lake, or reservoir where systematic observations of stage, discharge, or other hydrologic data are obtained.

Gas chromatography/flame ionization detector (GC/FID) is a laboratory analytical method used as a screening technique for semivolatile organic compounds that are extractable from water in methylene chloride.

Geomorphic channel units, as used in this report, are fluvial geomorphic descriptors of channel shape and stream velocity. Pools, riffles, and runs are types of geomorphic channel units considered for National Water-Quality Assessment (NAWQA) Program habitat sampling.

Green algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algae mats or floating “moss” in lakes. Their concentrations are expressed as number of cells per milliliter (cells/mL) of sample. (See also “Phytoplankton”)

Habitat, as used in this report, includes all nonliving (physical) aspects of the aquatic ecosystem, although living components like aquatic macrophytes and riparian vegetation also are usually included. Measurements of habitat are typically made over a wider geographic scale than are measurements of species distribution.

Habitat quality index is the qualitative description (level 1) of instream habitat and riparian conditions surrounding the reach sampled. Scores range from 0 to 100 percent with higher scores indicative of desirable habitat conditions for aquatic life. Index only applicable to wadable streams.

Hardness of water is a physical-chemical characteristic that commonly is recognized by the increased quantity of soap required to produce lather. It is computed as the sum of equivalents of polyvalent cations (primarily calcium and magnesium) and is expressed as the equivalent concentration of calcium carbonate (CaCO_3).

High tide is the maximum height reached by each rising tide. The high-high and low-high tides are the higher and lower of the two high tides, respectively, of each tidal day. *See NOAA web site:*
<http://www.co-ops.nos.noaa.gov/tideglos.html>

Hilsenhoff's Biotic Index (HBI) is an indicator of organic pollution that uses tolerance values to weight taxa abundances; usually increases with pollution. It is calculated as follows:

$$HBI = \text{sum} \frac{(n)(a)}{N} ,$$

where n is the number of individuals of each taxon, a is the tolerance value of each taxon, and N is the total number of organisms in the sample.

Horizontal datum (See “Datum”)

Hydrologic index stations referred to in this report are continuous-record gaging stations that have been selected as representative of streamflow patterns for their respective regions. Station locations are shown on index maps.

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as defined by the former Office of Water Data Coordination and delineated on the State Hydrologic Unit Maps by the USGS. Each hydrologic unit is identified by an 8-digit number.

Inch (IN., in.), as used in this report, refers to the depth to which the drainage area would be covered with water if all of the runoff for a given time period were uniformly distributed on it. (See also “Annual runoff”)

Instantaneous discharge is the discharge at a particular instant of time. (See also “Discharge”)

Island, as used in this report, is a mid-channel bar that has permanent woody vegetation, is flooded once a year on average, and remains stable except during large flood events.

Laboratory reporting level (LRL) is generally equal to twice the yearly determined long-term method detection level (LT-MDL). The LRL controls false negative error. The probability of falsely reporting a nondetection for a sample that contained an analyte at a concentration equal to or greater than the LRL is predicted to be less than or equal to 1 percent. The value of the LRL will be reported with a “less than” (<) remark code for samples in which the analyte was not detected. The National Water Quality Laboratory (NWQL) collects quality-control data from selected analytical methods on a continuing basis to determine LT-MDLs and to establish LRLs. These values are reevaluated annually on the basis of the most current quality-control data and, therefore, may change. [Note: In several previous NWQL documents (NWQL Technical Memorandum 98.07, 1998), the LRL was called the nondetection value or NDV—a term that is no longer used.]

Land-surface datum (lsd) is a datum plane that is approximately at land surface at each ground-water observation well.

Latent heat flux (often used interchangeably with latent heat-flux density) is the amount of heat energy that converts water from liquid to vapor (evaporation) or from vapor to liquid (condensation) across a specified cross-sectional area per unit time. Usually expressed in watts per square meter.

Light-attenuation coefficient, also known as the extinction coefficient, is a measure of water clarity. Light is attenuated according to the Lambert-Beer equation:

$$I = I_o e^{-\lambda L} ,$$

where I_o is the source light intensity, I is the light intensity at length L (in meters) from the source, λ is the light-attenuation coefficient, and e is the base of the natural logarithm. The light-attenuation coefficient is defined as

$$\lambda = -\frac{1}{L} \log_e \frac{I}{I_o} .$$

Lipid is any one of a family of compounds that are insoluble in water and that make up one of the principal components of living cells. Lipids include fats, oils, waxes, and steroids. Many environmental contaminants such as organochlorine pesticides are lipophilic.

Long-term method detection level (LT-MDL) is a detection level derived by determining the standard deviation of a minimum of 24 method detection limit (MDL) spike sample measurements over an extended period of time. LT-MDL data are collected on a continuous basis to assess year-to-year variations in the LT-MDL. The LT-MDL controls false positive error. The chance of falsely reporting a concentration at or greater than the LT-MDL for a sample that did not contain the analyte is predicted to be less than or equal to 1 percent.

Low tide is the minimum height reached by each falling tide. The high-low and low-low tides are the higher and lower of the two low tides, respectively, of each tidal day. *See NOAA web site:*
<http://www.co-ops.nos.noaa.gov/tideglos.html>

Macrophytes are the macroscopic plants in the aquatic environment. The most common macrophytes are the rooted vascular plants that usually are arranged in zones in aquatic ecosystems and restricted in the area by the extent of illumination through the water and sediment deposition along the shoreline.

Mean concentration of suspended sediment (Daily mean suspended-sediment concentration) is the time-weighted concentration of suspended sediment passing a stream cross section during a given time period. (See also “Daily mean suspended-sediment concentration” and “Suspended-sediment concentration”)

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period. (See also “Discharge”)

Mean high or **low tide** is the average of all high or low tides, respectively, over a specific period.

Mean sea level is a local tidal datum. It is the arithmetic mean of hourly heights observed over the National Tidal Datum Epoch. Shorter series are specified in the name; for example, monthly mean sea level and yearly mean sea level. In order that they may be recovered when needed, such datums are referenced to fixed points known as benchmarks. (See also “Datum”)

Measuring point (MP) is an arbitrary permanent reference point from which the distance to water surface in a well is measured to obtain water level.

Membrane filter is a thin microporous material of specific pore size used to filter bacteria, algae, and other very small particles from water.

Metamorphic stage refers to the stage of development that an organism exhibits during its transformation from an immature form to an adult form. This developmental process exists for most insects, and the degree of difference from the immature stage to the adult form varies from relatively slight to pronounced, with many intermediates. Examples of metamorphic stages of insects are egg-larva-adult or egg-nymph-adult.

Method detection limit (MDL) is the minimum concentration of a substance that can be measured and reported with 99-percent confidence that the analyte concentration is greater than zero. It is determined from the analysis of a sample in a given matrix containing the analyte. At the MDL concentration, the risk of a false positive is predicted to be less than or equal to 1 percent.

Methylene blue active substances (MBAS) are apparent detergents. The determination depends on the formation of a blue color when methylene blue dye reacts with synthetic anionic detergent compounds.

Micrograms per gram (UG/G, $\mu\text{g/g}$) is a unit expressing the concentration of a chemical constituent as the mass (micrograms) of the element per unit mass (gram) of material analyzed.

Micrograms per kilogram (UG/KG, $\mu\text{g/kg}$) is a unit expressing the concentration of a chemical constituent as the mass (micrograms) of the constituent per unit mass (kilogram) of the material analyzed. One microgram per kilogram is equivalent to 1 part per billion.

Micrograms per liter (UG/L, $\mu\text{g/L}$) is a unit expressing the concentration of chemical constituents in water as mass (micrograms) of constituent per unit volume (liter) of water. One thousand micrograms per liter is equivalent to 1 milligram per liter. One microgram per liter is equivalent to 1 part per billion.

Microsiemens per centimeter (US/CM, $\mu\text{S/cm}$) is a unit expressing the amount of electrical conductivity of a solution as measured between opposite faces of a centimeter cube of solution at a specified temperature. Siemens is the International System of Units nomenclature. It is synonymous with mhos and is the reciprocal of resistance in ohms.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in water as the mass (milligrams) of constituent per unit volume (liter) of water. Concentration of suspended sediment also is expressed in milligrams per liter and is based on the mass of dry sediment per liter of water-sediment mixture.

Minimum reporting level (MRL) is the smallest measured concentration of a constituent that may be reliably reported by using a given analytical method.

Miscellaneous site, miscellaneous station, or miscellaneous sampling site is a site where streamflow, sediment, and/or water-quality data or water-quality or sediment samples are collected once, or more often on a random or discontinuous basis to provide better areal coverage for defining hydrologic and water-quality conditions over a broad area in a river basin.

Most probable number (MPN) is an index of the number of coliform bacteria that, more probably than any other number, would give the results shown by the laboratory examination; it is not an actual enumeration. MPN is determined from the distribution of gas-positive cultures among multiple inoculated tubes.

Multiple-plate samplers are artificial substrates of known surface area used for obtaining benthic invertebrate samples. They consist of a series of spaced, hardboard plates on an eyebolt.

Nanograms per liter (NG/L, ng/L) is a unit expressing the concentration of chemical constituents in solution as mass (nanograms) of solute per unit volume (liter) of water. One million nanograms per liter is equivalent to 1 milligram per liter.

National Geodetic Vertical Datum of 1929 (NGVD of 1929) is a fixed reference adopted as a standard geodetic datum for elevations determined by leveling. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the mean sea level at 26 tide stations, it does not necessarily represent local mean sea level at any particular place. *See NOAA web site: <http://www.ngs.noaa.gov/faq.shtml#WhatVD29VD88>* (See "North American Vertical Datum of 1988")

Natural substrate refers to any naturally occurring immersed or submersed solid surface, such as a rock or tree, upon which an organism lives. (See also "Substrate")

Nekton are the consumers in the aquatic environment and consist of large free-swimming organisms that are capable of sustained, directed mobility.

Nephelometric turbidity unit (NTU) is the measurement for reporting turbidity that is based on use of a standard suspension of formazin. Turbidity measured in NTU uses nephelometric methods that depend on passing specific light of a specific wavelength through the sample.

North American Vertical Datum of 1988 (NAVD 1988) is a fixed reference adopted as the official civilian vertical datum for elevations determined by Federal surveying and mapping activities in the United States. This datum was established in 1991 by minimum-constraint adjustment of the Canadian, Mexican, and United States first-order terrestrial leveling networks.

Open or screened interval is the length of unscreened opening or of well screen through which water enters a well, in feet below land surface.

Organic carbon (OC) is a measure of organic matter present in aqueous solution, suspension, or bottom sediment. May be reported as dissolved organic carbon (DOC), particulate organic carbon (POC), or total organic carbon (TOC).

Organic mass or volatile mass of a living substance is the difference between the dry mass and ash mass and represents the actual mass of the living matter. Organic mass is expressed in the same units as for ash mass and dry mass. (See also "Ash mass," "Biomass," and "Dry mass")

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square meter (m²), acre, or hectare. Periphyton, benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliter (mL) or liter (L). Numbers of planktonic organisms can be expressed in these terms.

Organochlorine compounds are any chemicals that contain carbon and chlorine. Organochlorine compounds that are important in investigations of water, sediment, and biological quality include certain pesticides and industrial compounds.

Parameter code is a 5-digit number used in the USGS computerized data system, National Water Information System (NWIS), to uniquely identify a specific constituent or property.

Partial-record station is a site where discrete measurements of one or more hydrologic parameters are obtained over a period of time without continuous data being recorded or computed. A common example is a crest-stage gage partial-record station at which only peak stages and flows are recorded.

Particle size is the diameter, in millimeters (mm), of a particle determined by sieve or sedimentation methods. The sedimentation method utilizes the principle of Stokes law to calculate sediment particle sizes. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube, sedigraph) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification, as used in this report, agrees with the recommendation made by the American Geophysical Union Subcommittee on Sediment Terminology. The classification is as follows:

Classification	Size (mm)	Method of analysis
Clay	>0.00024 - 0.004	Sedimentation
Silt	>0.004 - 0.062	Sedimentation
Sand	>0.062 - 2.0	Sedimentation/sieve
Gravel	>2.0 - 64.0	Sieve
Cobble	>64 - 256	Manual measurement
Boulder	>256	Manual measurement

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. For the sedimentation method, most of the organic matter is removed, and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Peak flow (peak stage) is an instantaneous local maximum value in the continuous time series of streamflows or stages, preceded by a period of increasing values and followed by a period of decreasing values. Several peak values ordinarily occur in a year. The maximum peak value in a year is called the annual peak; peaks lower than the annual peak are called secondary peaks. Occasionally, the annual peak may not be the maximum value for the year; in such cases, the maximum value occurs at midnight at the beginning or end of the year, on the recession from or rise toward a higher peak in the adjoining year. If values are recorded at a discrete series of times, the peak recorded value may be taken as an approximation of the true peak, which may occur between the recording instants. If the values are recorded with finite precision, a sequence of equal recorded values may occur at the peak; in this case, the first value is taken as the peak.

Percent composition or percent of total is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, weight, mass, or volume.

Percent shading is a measure of the amount of sunlight potentially reaching the stream. A clinometer is used to measure left and right bank canopy angles. These values are added together, divided by 180, and multiplied by 100 to compute percentage of shade.

Periodic-record station is a site where stage, discharge, sediment, chemical, physical, or other hydrologic measurements are made one or more times during a year but at a frequency insufficient to develop a daily record.

Periphyton is the assemblage of microorganisms attached to and living upon submerged solid surfaces. Although primarily consisting of algae, they also include bacteria, fungi, protozoa, rotifers, and other small organisms. Periphyton are useful indicators of water quality.

Pesticides are chemical compounds used to control undesirable organisms. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides.

pH of water is the negative logarithm of the hydrogen-ion activity. Solutions with pH less than 7.0 standard units are termed "acidic," and solutions with a pH greater than 7.0 are termed "basic." Solutions with a pH of 7.0 are neutral. The presence and concentration of many dissolved chemical constituents found in water are affected, in part, by the hydrogen-ion activity of water. Biological processes including growth, distribution of organisms, and toxicity of the water to organisms also are affected, in part, by the hydrogen-ion activity of water.

Phytoplankton is the plant part of the plankton. They are usually microscopic, and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment and commonly are known as algae. (See also "Plankton")

Picocurie (PC, pCi) is one trillionth (1×10^{-12}) of the amount of radioactive nuclide represented by a curie (Ci). A curie is the quantity of radioactive nuclide that yields 3.7×10^{10} radioactive disintegrations per second (dps). A picocurie yields 0.037 dps, or 2.22 dpm (disintegrations per minute).

Plankton is the community of suspended, floating, or weakly swimming organisms that live in the open water of lakes and rivers. Concentrations are expressed as a number of cells per milliliter (cells/mL) of sample.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Polychlorinated naphthalenes (PCNs) are industrial chemicals that are mixtures of chlorinated naphthalene compounds. They have properties and applications similar to polychlorinated biphenyls (PCBs) and have been identified in commercial PCB preparations.

Pool, as used in this report, is a small part of a stream reach with little velocity, commonly with water deeper than surrounding areas.

Primary productivity is a measure of the rate at which new organic matter is formed and accumulated through photo-synthetic and chemosynthetic activity of producer organisms (chiefly, green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated (carbon method) by the plants.

Primary productivity (carbon method) is expressed as milligrams of carbon per area per unit time [$\text{mg C}/(\text{m}^2/\text{time})$] for periphyton and macrophytes or per volume [$\text{mg C}/(\text{m}^3/\text{time})$] for phytoplankton. The carbon method defines the amount of carbon dioxide consumed as measured by radioactive carbon (carbon-14). The carbon-14 method is of greater sensitivity than the oxygen light and dark bottle method and is preferred for use with unenriched water samples. Unit time may be either the hour or day, depending on the incubation period. (See also "Primary productivity")

Primary productivity (oxygen method) is expressed as milligrams of oxygen per area per unit time [$\text{mg O}/(\text{m}^2/\text{time})$] for periphyton and macrophytes or per volume [$\text{mg O}/(\text{m}^3/\text{time})$] for phytoplankton. The oxygen method defines production and respiration rates as estimated from changes in the measured dissolved-oxygen concentration. The oxygen light and dark bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period. (See also "Primary productivity")

Radioisotopes are isotopic forms of elements that exhibit radioactivity. Isotopes are varieties of a chemical element that differ in atomic weight but are very nearly alike in chemical properties. The difference arises because the atoms of the isotopic forms of an element differ in the number of neutrons in the nucleus; for example, ordinary chlorine is a mixture of isotopes having atomic weights of 35 and 37, and the natural mixture has an atomic weight of about 35.453. Many of the elements similarly exist as mixtures of isotopes, and a great many new isotopes have been produced in the operation of nuclear devices such as the cyclotron. There are 275 isotopes of the 81 stable elements, in addition to more than 800 radioactive isotopes.

Reach, as used in this report, is a length of stream that is chosen to represent a uniform set of physical, chemical, and biological conditions within a segment. It is the principal sampling unit for collecting physical, chemical, and biological data.

Recoverable from bed (bottom) material is the amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of readily soluble substances. Complete dissolution of all bottom material is not achieved by the digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results. (See also "Bed material")

Recurrence interval, also referred to as return period, is the average time, usually expressed in years, between occurrences of hydrologic events of a specified type (such as exceedances of a specified high flow or nonexceedance of a specified low flow). The terms "return period" and "recurrence interval" do not imply regular cyclic occurrence. The actual times between occurrences vary randomly, with most of the times being less than the average and a few being substantially greater than the average. For example, the 100-year flood is the flow rate that is exceeded by the annual maximum peak flow at intervals whose average length is 100 years (that is, once in 100 years, on average); almost two-thirds of all exceedances of the 100-year flood occur less than 100 years after the previous exceedance, half occur less than 70 years after the previous exceedance, and about one-eighth occur more than 200 years after the previous exceedance. Similarly, the 7-day, 10-year low flow ($7Q_{10}$) is the flow rate below which the annual minimum 7-day-mean flow dips at intervals whose average length is 10 years (that is, once in 10 years, on average); almost two-thirds of the nonexceedances of the $7Q_{10}$ occur less than 10 years after the previous nonexceedance, half occur less than 7 years after, and about one-eighth occur more than 20 years after the previous nonexceedance. The recurrence interval for annual events is the reciprocal of the annual probability of occurrence. Thus, the 100-year flood has a 1-percent chance of being exceeded by the maximum peak flow in any year, and there is a 10-percent chance in any year that the annual minimum 7-day-mean flow will be less than the $7Q_{10}$.

Replicate samples are a group of samples collected in a manner such that the samples are thought to be essentially identical in composition.

Return period (See "Recurrence interval")

Riffle, as used in this report, is a shallow part of the stream where water flows swiftly over completely or partially submerged obstructions to produce surface agitation.

River mileage is the curvilinear distance, in miles, measured upstream from the mouth along the meandering path of a stream channel in accordance with Bulletin No. 14 (October 1968) of the Water Resources Council and typically is used to denote location along a river.

Run, as used in this report, is a relatively shallow part of a stream with moderate velocity and little or no surface turbulence.

Runoff is the quantity of water that is discharged ("runs off") from a drainage basin during a given time period. Runoff data may be presented as volumes in acre-feet, as mean discharges per unit of drainage area in cubic feet per second per square mile, or as depths of water on the drainage basin in inches. (See also "Annual runoff")

Sea level, as used in this report, refers to one of the two commonly used national vertical datums (NGVD 1929 or NAVD 1988). See separate entries for definitions of these datums. See conversion factors and vertical datum page (inside back cover) for identification of the datum used in this report.

Sediment is solid material that originates mostly from disintegrated rocks; when transported by, suspended in, or deposited from water, it is referred to as "fluvial sediment." Sediment includes chemical and biochemical precipitates and decomposed organic material, such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are affected by environmental and land-use factors. Some major factors are topography, soil characteristics, land cover, and depth and intensity of pre-cipitation.

Sensible heat flux (often used interchangeably with latent sensible heat-flux density) is the amount of heat energy that moves by turbulent transport through the air across a specified cross-sectional area per unit time and goes to heating (cooling) the air. Usually expressed in watts per square meter.

Seven-day, 10-year low flow ($7Q_{10}$) is the discharge below which the annual 7-day minimum flow falls in 1 year out of 10 on the long-term average. The recurrence interval of the $7Q_{10}$ is 10 years; the chance that the annual 7-day minimum flow will be less than the $7Q_{10}$ is 10 percent in any given year. (See also "Annual 7-day minimum" and "Recurrence interval")

Shelves, as used in this report, are streambank features extending nearly horizontally from the flood plain to the lower limit of persistent woody vegetation.

Sodium adsorption ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions within soil and is an index of sodium or alkali hazard to the soil. Sodium hazard in water is an index that can be used to evaluate the suitability of water for irrigating crops.

Soil heat flux (often used interchangeably with soil heat-flux density) is the amount of heat energy that moves by conduction across a specified cross-sectional area of soil per unit time and goes to heating (or cooling) the soil. Usually expressed in watts per square meter.

Soil-water content is the water lost from the soil upon drying to constant mass at 105 °C; expressed either as mass of water per unit mass of dry soil or as the volume of water per unit bulk volume of soil.

Specific electrical conductance (conductivity) is a measure of the capacity of water (or other media) to conduct an electrical current. It is expressed in microsiemens per centimeter at 25 °C. Specific electrical conductance is a function of the types and quantity of dissolved substances in water and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is from 55 to 75 percent of the specific conductance (in microsiemens). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stable isotope ratio (per MIL) is a unit expressing the ratio of the abundance of two radioactive isotopes. Isotope ratios are used in hydrologic studies to determine the age or source of specific water, to evaluate mixing of different water, as an aid in determining reaction rates, and other chemical or hydrologic processes.

Stage (See “Gage height”)

Stage-discharge relation is the relation between the water-surface elevation, termed stage (gage height), and the volume of water flowing in a channel per unit time.

Streamflow is the discharge that occurs in a natural channel. Although the term “discharge” can be applied to the flow of a canal, the word “streamflow” uniquely describes the discharge in a surface stream course. The term “streamflow” is more general than “runoff” as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lives.

Substrate embeddedness class is a visual estimate of riffle streambed substrate larger than gravel that is surrounded or covered by fine sediment (<2mm, sand or finer). Below are the class categories expressed as the percentage covered by fine sediment:

0	no gravel or larger substrate	3	26-50 percent
1	> 75 percent	4	5-25 percent
2	51-75 percent	5	< 5 percent

Surface area of a lake is that area (acres) encompassed by the boundary of the lake as shown on USGS topographic maps, or other available maps or photographs. Because surface area changes with lake stage, surface areas listed in this report represent those determined for the stage at the time the maps or photographs were obtained.

Surficial bed material is the upper surface (0.1 to 0.2 foot) of the bed material that is sampled using U.S. Series Bed-Material Samplers.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of undissolved material in a water-sediment mixture. It is defined operationally as the material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative suspended water-sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the “total” amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures are required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results. Determinations of “suspended, recoverable” constituents are made either by directly analyzing the suspended material collected on the filter or, more commonly, by difference, on the basis of determinations of (1) dissolved and (2) total recoverable concentrations of the constituent. (See also “Suspended”)

Suspended sediment is the sediment maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid. (See also “Sediment”)

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 foot above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L). The analytical technique uses the mass of all of the sediment and the net weight of the water-sediment mixture in a sample to compute the suspended-sediment concentration. (See also “Sediment” and “Suspended sediment”)

Suspended-sediment discharge (tons/d) is the rate of sediment transport, as measured by dry mass or volume, that passes a cross section in a given time. It is calculated in units of tons per day as follows: concentration (mg/L) x discharge (ft³/s) x 0.0027. (See also “Sediment,” “Suspended sediment,” and “Suspended-sediment concentration”)

Suspended-sediment load is a general term that refers to a given characteristic of the material in suspension that passes a point during a specified period of time. The term needs to be qualified, such as “annual suspended-sediment load” or “sand-size suspended-sediment load,” and so on. It is not synonymous with either suspended-sediment discharge or concentration. (See also “Sediment”)

Suspended, total is the total amount of a given constituent in the part of a water-sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. Knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as “suspended, total.” Determinations of “suspended, total” constituents are made either by directly analyzing portions of the suspended material collected on the filter or, more commonly, by difference, on the basis of determinations of (1) dissolved and (2) total concentrations of the constituent. (See also “Suspended”)

Suspended solids, total residue at 105 °C concentration is the concentration of inorganic and organic material retained on a filter, expressed as milligrams of dry material per liter of water (mg/L). An aliquot of the sample is used for this analysis.

Synoptic studies are short-term investigations of specific water-quality conditions during selected seasonal or hydrologic periods to provide improved spatial resolution for critical water-quality conditions. For the period and conditions sampled, they assess the spatial distribution of selected water-quality conditions in relation to causative factors, such as land use and contaminant sources.

Taxa (Species) richness is the number of species (taxa) present in a defined area or sampling unit.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular mayfly, *Hexagenia limbata*, is the following:

Kingdom:	Animal
Phylum:	Arthropoda
Class:	Insecta
Order:	Ephemeroptera
Family:	Ephemeridae
Genus:	<i>Hexagenia</i>
Species:	<i>Hexagenia limbata</i>

Thalweg is the line formed by connecting points of minimum streambed elevation (deepest part of the channel).

Thermograph is an instrument that continuously records variations of temperature on a chart. The more general term “temperature recorder” is used in the table descriptions and refers to any instrument that records temperature whether on a chart, a tape, or any other medium.

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water resulting from the mixing of flow proportionally to the duration of the concentration.

Tons per acre-foot (T/acre-ft) is the dry mass (tons) of a constituent per unit volume (acre-foot) of water. It is computed by multiplying the concentration of the constituent, in milligrams per liter, by 0.00136.

Tons per day (T/DAY, tons/d) is a common chemical or sediment discharge unit. It is the quantity of a substance in solution, in suspension, or as bedload that passes a stream section during a 24-hour period. It is equivalent to 2,000 pounds per day, or 0.9072 metric tons per day.

Total is the amount of a given constituent in a representative whole-water (unfiltered) sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total." (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determined at least 95 percent of the constituent in the sample.)

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. This group includes coliforms that inhabit the intestine of warmblooded animals and those that inhabit soils. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria that ferment lactose with gas formation within 48 hours at 35 °C. In the laboratory, these bacteria are defined as all the organisms that produce colonies with a golden-green metallic sheen within 24 hours when incubated at 35 °C plus or minus 1.0 °C on M-Endo medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 milliliters of sample. (See also "Bacteria")

Total discharge is the quantity of a given constituent, measured as dry mass or volume, that passes a stream cross section per unit of time. When referring to constituents other than water, this term needs to be qualified, such as "total sediment discharge," "total chloride discharge," and so on.

Total in bottom material is the amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total in bottom material."

Total length (fish) is the straight-line distance from the anterior point of a fish specimen's snout, with the mouth closed, to the posterior end of the caudal (tail) fin, with the lobes of the caudal fin squeezed together.

Total load refers to all of a constituent in transport. When referring to sediment, it includes suspended load plus bed load.

Total organism count is the number of organisms collected and enumerated in any particular sample. (See also "Organism count/volume")

Total recoverable is the amount of a given constituent in a whole-water sample after a sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data for whole-water samples, equivalent digestion procedures are required of all laboratories performing such analyses because different digestion procedures may produce different analytical results.

Total sediment discharge is the mass of suspended-sediment plus bed-load transport, measured as dry weight, that passes a cross section in a given time. It is a rate and is reported as tons per day. (See also "Bedload," "Bedload discharge," "Sediment," "Suspended sediment," and "Suspended-sediment concentration")

Total sediment load or **total load** is the sediment in transport as bedload and suspended-sediment load. The term may be qualified, such as “annual suspended-sediment load” or “sand-size suspended-sediment load,” and so on. It differs from total sediment discharge in that load refers to the material, whereas discharge refers to the quantity of material, expressed in units of mass per unit time. (See also “Sediment,” “Suspended-sediment load,” and “Total load”)

Transect, as used in this report, is a line across a stream perpendicular to the flow and along which measurements are taken, so that morphological and flow characteristics along the line are described from bank to bank. Unlike a cross section, no attempt is made to determine known elevation points along the line.

Turbidity is the reduction in the transparency of a solution due to the presence of suspended and some dissolved substances. The measurement technique records the collective optical properties of the solution that cause light to be scattered and attenuated rather than transmitted in straight lines; the higher the intensity of scattered or attenuated light, the higher the value of the turbidity. Turbidity is expressed in nephelometric turbidity units (NTU). Depending on the method used, the turbidity units as NTU can be defined as the intensity of light of a specified wavelength scattered or attenuated by suspended particles or absorbed at a method specified angle, usually 90 degrees, from the path of the incident light. Currently approved methods for the measurement of turbidity in the USGS include those that conform to U.S. EPA Method 180.1, ASTM D1889-00, and ISO 7027. Measurements of turbidity by these different methods and different instruments are unlikely to yield equivalent values.

Ultraviolet (UV) absorbance (absorption) at 254 or 280 nanometers is a measure of the aggregate concentration of the mixture of UV absorbing organic materials dissolved in the analyzed water, such as lignin, tannin, humic substances, and various aromatic compounds. UV absorbance (absorption) at 254 or 280 nanometers is measured in UV absorption units per centimeter of pathlength of UV light through a sample.

Unconfined aquifer is an aquifer whose upper surface is a water table free to fluctuate under atmospheric pressure. (See “Water-table aquifer”)

Vertical datum (See “Datum”)

Volatile organic compounds (VOCs) are organic compounds that can be isolated from the water phase of a sample by purging the water sample with inert gas, such as helium, and subsequently analyzed by gas chromatography. Many VOCs are human-made chemicals that are used and produced in the manufacture of paints, adhesives, petroleum products, pharmaceuticals, and refrigerants. They are often components of fuels, solvents, hydraulic fluids, paint thinners, and dry cleaning agents commonly used in urban settings. VOC contamination of drinking-water supplies is a human health concern because many are toxic and are known or suspected human carcinogens.

Water table is that surface in a ground-water body at which the water pressure is equal to the atmospheric pressure.

Water-table aquifer is an unconfined aquifer within which the water table is found.

Water year in USGS reports dealing with surface-water supply is the 12-month period October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the year ending September 30, 2002, is called the “2002 water year.”

WDR is used as an abbreviation for “Water-Data Report” in the REVISED RECORDS paragraph to refer to State annual hydrologic-data reports. (WRD was used as an abbreviation for “Water-Resources Data” in reports published prior to 1976.)

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

Wet mass is the mass of living matter plus contained water. (See also "Biomass" and "Dry mass")

Wet weight refers to the weight of animal tissue or other substance including its contained water. (See also "Dry weight")

WSP is used as an acronym for "Water-Supply Paper" in reference to previously published reports.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column and often are large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers. (See also "Plankton")

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Branch of Information Services, Box 25286, Federal Center, Denver, Colorado 80225 (authorized agent of the Superintendent of Documents, Government Printing Office). Prepayment is required. Remittance should be sent by check or money order payable to the U.S. Geological Survey. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

Book 1. Collection of Water Data by Direct Measurement

Section D. Water Quality

- 1-D1. *Water temperature-influential factors, field measurement, and data presentation*, by H. H. Stevens, Jr., J.F. Ficke, and G. F. Smoot: USGS-TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. *Guidelines for collection and field analysis of ground-water samples for selected unstable constituents*, by W.W. Wood: USGS-TWRI Book 1, Chapter D2. 1976. 24 pages.

Book 2. Collection of Environmental Data

Section D. Surface Geophysical Methods

- 2-D1. *Application of surface geophysics to ground-water investigations*, by A.A. R. Zohdy, G.P. Eaton, and D.R. Mabey: USGS-TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-D2. *Application of seismic-refraction techniques to hydrologic studies*, by F.P. Haeni: USGS-TWRI Book 2, Chapter D2. 1988. 86 pages.

WATER RESOURCES DATA - VIRGINIA, 2002

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS--Continued

Section E. Subsurface Geophysical Methods

- 2-E1. *Application of borehole geophysics to water-resources investigations*, by W.S. Keys and L.M. MacCary: USGS-TWRI Book 2, Chapter E1. 1971. 126 pages.
- 2-E2. *Borehole geophysics applied to ground-water investigations*, by W.S. Keys: USGS-TWRI Book 2, Chapter E2. 1990. 150 pages.

Section F. Drilling and Sampling Methods

- 2-F1. *Application of drilling, coring, and sampling techniques to test holes and wells*, by Eugene Shuter and W.E. Teasdale: USGS-TWRI Book 2, Chapter F1. 1989. 97 pages.

Book 3. Applications of Hydraulics

Section A. Surface-Water Techniques

- 3-A1. *General field and office procedures for indirect discharge measurements*, by M.A. Benson and Tate Dalrymple: USGS-TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. *Measurement of peak discharge by the slope-area method*, by Tate Dalrymple and M.A. Benson: USGS-TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. *Measurement of peak discharge at culverts by indirect methods*, by G.L. Bodhaine: USGS-TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. *Measurement of peak discharge at width contractions by indirect methods*, by H.F. Matthai: USGS-TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. *Measurement of peak discharge at dams by indirect methods*, by Harry Hulsing: USGS-TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. *General procedure for gaging streams*, by R.W. Carter and Jacob Davidian: USGS-TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. *Stage measurement at gaging stations*, by T.J. Buchanan and W.P. Somers: USGS-TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. *Discharge measurements at gaging stations*, by T.J. Buchanan and W.P. Somers: USGS-TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. *Measurement of time of travel in streams by dye tracing*, by F.A. Kilpatrick and J.F. Wilson, Jr.: USGS-TWRI Book 3, Chapter A9. 1989. 27 pages.
- 3-A10. *Discharge ratings at gaging stations*, by E.J. Kennedy: USGS-TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. *Measurement of discharge by the moving-boat method*, by G.F. Smoot and C.E. Novak: USGS-TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A12. *Fluorometric procedures for dye tracing*, Revised, by J.F. Wilson, Jr., E.D. Cobb, and F.A. Kilpatrick: USGS-TWRI Book 3, Chapter A12. 1986. 41 pages.
- 3-A13. *Computation of continuous records of streamflow*, by E.J. Kennedy: USGS-TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. *Use of flumes in measuring discharge*, by F.A. Kilpatrick and V.R. Schneider: USGS-TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. *Computation of water-surface profiles in open channels*, by Jacob Davidian: USGS-TWRI Book 3, Chapter A15. 1984. 48 pages.
- 3-A16. *Measurement of discharge using tracers*, by F.A. Kilpatrick and E.D. Cobb: USGS-TWRI Book 3, Chapter A16. 1985. 52 pages.
- 3-A17. *Acoustic velocity meter systems*, by Antonius Laenen: USGS-TWRI Book 3, Chapter A17. 1985. 38 pages.
- 3-A18. *Determination of stream reaeration coefficients by use of tracers*, by F.A. Kilpatrick, R.E. Rathbun, Nobuhiro Yotsukura, G.W. Parker, and L.L. DeLong: USGS-TWRI Book 3, Chapter A18. 1989. 52 pages.
- 3-A19. *Levels at streamflow gaging stations*, by E.J. Kennedy: USGS-TWRI Book 3, Chapter A19. 1990. 31 pages.

WATER RESOURCES DATA - VIRGINIA, 2002

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS--Continued

3-A20. *Simulation of soluble waste transport and buildup in surface waters using tracers*, by F.A. Kilpatrick: USGS-TWRI Book 3, Chapter A20. 1993. 38 pages.

3-A21. *Stream-gaging cableways*, by C. Russell Wagner: USGS-TWRI Book 3, Chapter A21. 1995. 56 pages.

Section B. Ground-Water Techniques

3-B1. *Aquifer-test design, observation, and data analysis*, by R.W. Stallman: USGS-TWRI Book 3, Chapter B1. 1971. 26 pages.

3-B2. *Introduction to ground-water hydraulics, a programed text for self-instruction*, by G.D. Bennett: USGS-TWRI Book 3, Chapter B2. 1976. 172 pages.

3-B3. *Type curves for selected problems of flow to wells in confined aquifers*, by J.E. Reed: USGS-TWRI Book 3, Chapter B3. 1980. 106 pages.

3-B4. *Regression modeling of ground-water flow*, by R.L. Cooley and R.L. Naff: USGS-TWRI Book 3, Chapter B4. 1990. 232 pages.

3-B4. *Supplement 1. Regression modeling of ground-water flow --Modifications to the computer code for nonlinear regression solution of steady-state ground-water flow problems*, by R.L. Cooley: USGS-TWRI Book 3, Chapter B4. 1993. 8 pages.

3-B5. *Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems--An introduction*, by O.L. Franke, T.E. Reilly, and G.D. Bennett: USGS-TWRI Book 3, Chapter B5. 1987. 15 pages.

3-B6. *The principle of superposition and its application in ground-water hydraulics*, by T.E. Reilly, O.L. Franke, and G.D. Bennett: USGS-TWRI Book 3, Chapter B6. 1987. 28 pages.

3-B7. *Analytical solutions for one-, two-, and three-dimensional solute transport in ground-water systems with uniform flow*, by E.J. Wexler: USGS-TWRI Book 3, Chapter B7. 1992. 190 pages.

3-B8. *System and boundary conceptualization in ground-water flow simulation*, by T.E. Reilly: USGS-TWRI book 3, chap. B8. 2001. 29 p.

Section C. Sedimentation and Erosion Techniques

3-C1. *Fluvial sediment concepts*, by H.P. Guy: USGS-TWRI Book 3, Chapter C1. 1970. 55 pages.

3-C2. *Field methods for measurement of fluvial sediment*, by Thomas K. Edwards and G. Douglas Glysson: USGS-TWRI Book 3, Chapter C2. 1988. 80 pages.

3-C3. *Computation of fluvial-sediment discharge*, by George Porterfield: USGS-TWRI Book 3, Chapter C3. 1972. 66 pages.

Book 4. Hydrologic Analysis and Interpretation

Section A. Statistical Analysis

4-A1. *Some statistical tools in hydrology*, by H.C. Riggs: USGS-TWRI Book 4, Chapter A1. 1968. 39 pages.

4-A2. *Frequency curves*, by H.C. Riggs: USGS-TWRI Book 4, Chapter A2. 1968. 15 pages.

4-A3. *Statistical methods in water resources*, by D.R. Helsel and R.M. Hirsch: USGS-TWRI book 4, chap. A3. 1991. Available only online at <http://water.usgs.gov/pubs/twri/twri4a3/>. (Accessed August 30, 2002.)

Section B. Surface Water

4-B1. *Low-flow investigations*, by H.C. Riggs: USGS-TWRI Book 4, Chapter B1. 1972. 18 pages.

4-B2. *Storage analyses for water supply*, by H.C. Riggs and C.H. Hardison: USGS-TWRI Book 4, Chapter B2. 1973. 20 pages.

4-B3. *Regional analyses of streamflow characteristics*, by H.C. Riggs: USGS-TWRI Book 4, Chapter B3. 1973. 15 pages.

WATER RESOURCES DATA - VIRGINIA, 2002

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS--Continued

Section D. Interrelated Phases of the Hydrologic Cycle

- 4-D1. *Computation of rate and volume of stream depletion by wells*, by C.T. Jenkins: USGS-TWRI Book 4, Chapter D1. 1970. 17 pages.

Book 5. Laboratory Analysis

Section A. Water Analysis

- 5-A1. *Methods for determination of inorganic substances in water and fluvial sediments*, by M.J. Fishman and L.C. Friedman, editors: USGS-TWRI Book 5, Chapter A1. 1989. 545 pages.
- 5-A2. *Determination of minor elements in water by emission spectroscopy*, by P.R. Barnett and E.C. Mallory, Jr.: USGS-TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. *Methods for the determination of organic substances in water and fluvial sediments*, edited by R.L. Wershaw, M.J. Fishman, R.R. Grabbe, and L.E. Lowe: USGS-TWRI Book 5, Chapter A3. 1987. 80 pages.
- 5-A4. *Methods for collection and analysis of aquatic biological and microbiological samples*, by L.J. Britton and P.E. Greeson, editors: USGS-TWRI Book 5, Chapter A4. 1989. 363 pages.
- 5-A5. *Methods for determination of radioactive substances in water and fluvial sediments*, by L.L. Thatcher, V.J. Janzer, and K.W. Edwards: USGS-TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. *Quality assurance practices for the chemical and biological analyses of water and fluvial sediments*, by L.C. Friedman and D.E. Erdmann: USGS-TWRI Book 5, Chapter A6. 1982. 181 pages.

Section C. Sediment Analysis

- 5-C1. *Laboratory theory and methods for sediment analysis*, by H.P. Guy: USGS-TWRI Book 5, Chapter C1. 1969. 58 pages.

Book 6. Modeling Techniques

Section A. Ground Water

- 6-A1. *A modular three-dimensional finite-difference ground-water flow model*, by M.G. McDonald and A.W. Harbaugh: USGS-TWRI Book 6, Chapter A1. 1988. 586 pages.
- 6-A2. *Documentation of a computer program to simulate aquifer-system compaction using the modular finite-difference ground-water flow model*, by S.A. Leake and D.E. Prudic: USGS-TWRI Book 6, Chapter A2. 1991. 68 pages.
- 6-A3. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 1: Model Description and User's Manual*, by L.J. Torak: USGS-TWRI Book 6, Chapter A3. 1993. 136 pages.
- 6-A4. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 2: Derivation of finite-element equations and comparisons with analytical solutions*, by R.L. Cooley: USGS-TWRI Book 6, Chapter A4. 1992. 108 pages.
- 6-A5. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 3: Design philosophy and programming details*, by L.J. Torak: USGS-TWRI Book 6, Chapter A5. 1993. 243 pages.
- 6-A6. *A coupled surface-water and ground-water flow model (MODBRANCH) for simulation of stream-aquifer interaction*, by Eric D. Swain and Eliezer J. Wexler. 1996. 125 pages.
- 6-A7. *User's guide to SEAWAT: A computer program for simulation of three-dimensional variable ground-water flow*, by Weixing Guo and Christian D. Langevin: USGS-TWRI book 6, chap. A7, 2002. 77 pages.

WATER RESOURCES DATA - VIRGINIA, 2002

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS--Continued

Book 7. Automated Data Processing and Computations

Section C. Computer Programs

- 7-C1. *Finite difference model for aquifer simulation in two dimensions with results of numerical experiments*, by P.C. Trescott, G.F. Pinder, and S.P. Larson: USGS-TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. *Computer model of two-dimensional solute transport and dispersion in ground water*, by L.F. Konikow and J.D. Bredehoeft: USGS-TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. *A model for simulation of flow in singular and interconnected channels*, by R.W. Schaffranek, R.A. Baltzer, and D.E. Goldberg: USGS-TWRI Book 7, Chapter C3. 1981. 110 pages.

Book 8. Instrumentation

Section A. Instruments for Measurement of Water Level

- 8-A1. *Methods of measuring water levels in deep wells*, by M.S. Garber and F.C. Koopman: USGS-TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-A2. *Installation and service manual for U.S. Geological Survey manometers*, by J.D. Craig: USGS-TWRI Book 8, Chapter A2. 1983. 57 pages.

Section B. Instruments for Measurement of Discharge

- 8-B2. *Calibration and maintenance of vertical-axis type current meters*, by G.F. Smoot and C.E. Novak: USGS-TWRI Book 8, Chapter B2. 1968. 15 pages.

Book 9. Handbooks for Water-Resources Investigations

Section A. National Field Manual for the Collection of Water-Quality Data

- 9-A1. *National Field Manual for the Collection of Water-Quality Data: Preparations for Water Sampling*, by F.D. Wilde, D.B. Radtke, Jacob Gibbs, and R.T. Iwatsubo: USGS-TWRI book 9, chap. A1. 1998. 47 p.
- 9-A2. *National Field Manual for the Collection of Water-Quality Data: Selection of Equipment for Water Sampling*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibbs, and R.T. Iwatsubo: USGS-TWRI book 9, chap. A2. 1998. 94 p.
- 9-A3. *National Field Manual for the Collection of Water-Quality Data: Cleaning of Equipment for Water Sampling*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibbs, and R.T. Iwatsubo: USGS-TWRI book 9, chap. A3. 1998. 75 p.
- 9-A4. *National Field Manual for the Collection of Water-Quality Data: Collection of Water Samples*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibbs, and R.T. Iwatsubo: USGS-TWRI book 9, chap. A4. 1999. 156 p.
- 9-A5. *National Field Manual for the Collection of Water-Quality Data: Processing of Water Samples*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibbs, and R.T. Iwatsubo: USGS-TWRI book 9, chap. A5. 1999, 149 p.
- 9-A6. *National Field Manual for the Collection of Water-Quality Data: Field Measurements*, edited by F.D. Wilde and D.B. Radtke: USGS-TWRI Book 9, Chapter A6. 1998. Variously paginated.
- 9-A7. *National Field Manual for the Collection of Water-Quality Data: Biological Indicators*, by D.N. Myers and F.D. Wilde: USGS-TWRI Book 9, Chapter A7. 1997. 49 pages.
- 9-A8. *National Field Manual for the Collection of Water-Quality Data: Bottom-material samples*, by D.B. Radtke: USGS-TWRI Book 9, Chapter A8. 1998. 48 pages.
- 9-A9. *National Field Manual for the Collection of Water-Quality Data: Safety in Field Activities*, by S.L. Lane and R.G. Fay: USGS-TWRI Book 9, Chapter A9. 1998. 60 pages.





Figure 4. Location of ground-water observation wells.



WATER RESOURCES DATA - VIRGINIA, 2002





Figure 5. Location of ground-water observation wells in southeastern Virginia.



WATER RESOURCES DATA - VIRGINIA, 2002





Figure 6. Location of ground-water observation wells on York-James peninsula and vicinity.



WATER RESOURCES DATA - VIRGINIA, 2002




Figure 7. Location of ground-water observation wells on Delmarva peninsula.



THIS IS A BLANK PAGE

GROUND-WATER-LEVEL RECORDS

GROUND-WATER LEVELS

ACCOMACK COUNTY

372922076470101. Local number, 64H 5 SOW 102C.

LOCATION.--Lat 37°29'21", long 75°47'04", NAD83, Hydrologic Unit 02080110, at entrance to Virginia Landing, 0.2 mi south from end of State Highway 605, 2.0 mi southeast of Willis Wharf, and 5.2 mi southwest of intersection of State Highways 605 and 182. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 306 ft, screened 296 to 306 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Nov. 13, 1985, to July 24, 1995, bimonthly measurement with chalked tape. Prior to Nov. 13, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.3 ft above land-surface datum prior to Mar. 1, 1988; 1.1 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.70 ft below land-surface datum, June 6, 1984; lowest measured, 7.35 ft below land-surface datum, Nov. 1, 1977.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	6.25	JAN 16	6.59	APR 24	4.52	JUL 24	4.77
WATER YEAR 2002		HIGHEST	4.52	APR 24, 2002	LOWEST	6.59	JAN 16, 2002



ACCOMACK COUNTY

372905075474002. Local number, 64H 6 SOW 102A.

LOCATION.--Lat 37°29'21", long 75°47'04", NAD83, Hydrologic Unit 02080110, at entrance to Virginia Landing, 0.2 mi south from end of State Highway 605, 2.0 mi southeast of Willis Wharf, and 5.2 mi southwest of intersection of State Highways 605 and 182. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 154 ft, screened 144 to 154 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Nov. 13, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Nov. 13, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.7 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.33 ft below land-surface datum, Oct. 30, 1984; lowest measured, 9.63 ft below land-surface datum, Sept. 1, 1977.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	8.22	JAN 16	6.23	APR 24	3.28	JUL 24	6.57
WATER YEAR 2002		HIGHEST	3.28	APR 24, 2002		LOWEST	8.22
							OCT 10, 2001



GROUND-WATER LEVELS

ACCOMACK COUNTY

372905075474001. Local number, 64H 7 SOW 102B.

LOCATION.--Lat 37°29'21", long 75°47'04", NAD83, Hydrologic Unit 02080110, at entrance to Virginia Landing, 0.2 mi south from end of State Highway 605, 2.0 mi southeast of Willis Wharf, and 5.2 mi southwest of intersection of State Highways 605 and 182. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 220 ft, screened 210 to 220 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Nov. 13, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Nov. 13, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.19 ft below land-surface datum, July 10, 1984; lowest measured, 8.76 ft below land-surface datum, Nov. 1, 1978.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	8.66	JAN 16	7.40	APR 24	3.89	JUL 24	6.91
WATER YEAR 2002		HIGHEST	3.89	APR 24, 2002	LOWEST	8.66	OCT 10, 2001



ACCOMACK COUNTY

373845075522501. Local number, 64K 7 SOW 106C.

LOCATION.--Lat 37°38'45", long 75°52'24", NAD83, Hydrologic Unit 02080109, 100 ft north of State Highway 633, 0.3 mi northwest of intersection of State Highways 631 and 633, and 0.3 mi northwest of Hacksneck. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 176 ft, screened 166 to 176 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 3 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.73 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.31 ft below land-surface datum, May 22, 1991; lowest measured, 2.90 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	2.05	JAN 22	2.24	MAY 01	1.29	JUL 24	2.90
WATER YEAR 2002		HIGHEST	1.29	MAY 01, 2002	LOWEST	2.90	JUL 24, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

373845075522503. Local number, 64K 8 SOW 106B.

LOCATION.--Lat 37°38'45", long 75°52'24", NAD83, Hydrologic Unit 02080109, 100 ft north of State Highway 633, 0.3 mi northwest of intersection of State Highways 631 and 633, and 0.3 mi northwest of Hacksneck. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 95 ft, screened 85 to 95 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 3 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.7 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality. - Water Division.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.69 ft below land-surface datum, Oct. 22, 1996; lowest measured, 3.16 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	2.12	JAN 22	1.86	MAY 01	1.20	JUL 24	3.16
WATER YEAR 2002		HIGHEST	1.20	MAY 01, 2002		LOWEST	3.16
							JUL 24, 2002



ACCOMACK COUNTY

373845075522502. Local number, 64K 9 SOW 106A.

LOCATION.--Lat 37°38'45", long 75°52'24", NAD83, Hydrologic Unit 02080109, 100 ft north of State Highway 633, 0.3 mi northwest of intersection of State Highways 631 and 633, and 0.3 mi northwest of Hacksneck. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 37 ft, screened 27 to 37 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is approximately 3 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.32 ft below land-surface datum, Feb. 24, 1994; lowest measured, 3.46 ft below land-surface datum, Sept. 14, 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	2.23	JAN 22	1.18	MAY 01	1.06	JUL 24	2.96
WATER YEAR 2002		HIGHEST	1.06	MAY 01, 2002	LOWEST	2.96	JUL 24, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

373932075452701. Local number, 64K 10 SOW 108A.

LOCATION.--Lat 37°39'32", long 75°45'26", NAD83, Hydrologic Unit 02080109, 200 ft east of State Highway 609, 0.2 mi southeast of intersection of State Highways 609 and 627, and 0.9 mi northwest of Melfa. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 50 ft, screened 40 to 50 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 47 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.22 ft above land-surface datum prior to Mar. 1, 1988; 0.75 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.98 ft below land-surface datum, Apr. 21, 1983; lowest measured, 15.06 ft below land-surface datum, Jan. 30, 1985.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	6.51	JAN 22	6.45	MAY 01	5.84	JUL 24	7.04
WATER YEAR 2002		HIGHEST	5.84	MAY 01, 2002		LOWEST	7.04
							JUL 24, 2002



ACCOMACK COUNTY

373932075452702. Local number, 64K 11 SOW 108B.

LOCATION.--Lat 37°39'32", long 75°45'26", NAD83, Hydrologic Unit 02080109, 200 ft east of State Highway 609, 0.2 mi southeast of intersection of State Highways 609 and 627, and 0.9 mi northwest of Melfa. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 180 ft, screened 170 to 180 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 47 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.03 ft below land-surface datum, Aug. 1, 1979; lowest measured, 17.03 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	15.62	JAN 22	15.42	MAY 01	14.66	JUL 24	17.03
WATER YEAR 2002		HIGHEST	14.66	MAY 01, 2002	LOWEST	17.03	JUL 24, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

373932075452703. Local number, 64K 12 SOW 108C.

LOCATION.--Lat 37°39'32", long 75°45'26", NAD83, Hydrologic Unit 02080109, 200 ft east of State Highway 609, 0.2 mi southeast of intersection of State Highways 609 and 627, and 0.9 mi northwest of Melfa. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 284 ft, screened 274 to 284 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 47 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.50 ft below land-surface datum, Feb. 2, 1984; lowest measured, 30.12 ft below land-surface datum, Jan. 30, 1996.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	29.77	JAN 22	29.17	MAY 01	28.30	JUL 24	30.05
WATER YEAR 2002		HIGHEST	28.30	MAY 01, 2002	LOWEST	30.05	JUL 24, 2002



ACCOMACK COUNTY

374442075432501. Local number, 65K 23 SOW 109C.

LOCATION.--Lat 37°44'42", long 75°43'24", NAD83, Hydrologic Unit 02080109, 50 ft north of State Highway 658, 0.1 mi northeast of intersection of State Highways 658 and 660, and 2.2 mi southeast of Deep Creek. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 290 ft, screened 280 to 290 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 13 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.36 ft below land-surface datum, Dec. 30, 1982; lowest measured, 16.65 ft below land-surface datum, Mar. 12, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	13.13	JAN 22	13.52	MAY 01	13.68	JUL 24	13.48
WATER YEAR 2002		HIGHEST	13.13	OCT 09, 2001	LOWEST	13.68	MAY 01, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374442075432502. Local number, 65K 24 SOW 109A.

LOCATION.--Lat 37°44'42", long 75°43'24", NAD83, Hydrologic Unit 02080109, 50 ft north of State Highway 658, 0.1 mi northeast of intersection of State Highways 658 and 660, and 2.2 mi southeast of Deep Creek. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 130 ft, screened 120 to 130 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 13 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.35 ft below land-surface datum, Apr. 21, 1983; lowest measured, 9.27 ft below land-surface datum, Oct. 23, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	8.06	JAN 22	8.07	MAY 01	6.42	JUL 24	8.09
WATER YEAR 2002		HIGHEST	6.42	MAY 01, 2002	LOWEST	8.09	JUL 24, 2002



ACCOMACK COUNTY

374442075432503. Local number, 65K 25 SOW 109B.

LOCATION.--Lat 37°44'42", long 75°43'24", NAD83, Hydrologic Unit 02080109, 50 ft north of State Highway 658, 0.1 mi northeast of intersection of State Highways 658 and 660, and 2.2 mi southeast of Deep Creek. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 228 ft, screened 218 to 228 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 13 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.15 ft below land-surface datum, June 20, 1984; lowest measured, 14.34 ft below land-surface datum, Sept. 10, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	13.03	JAN 22	13.42	MAY 01	12.61	JUL 24	13.24
WATER YEAR 2002		HIGHEST	12.61	MAY 01, 2002		LOWEST	13.42
							JAN 22, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374442075432504. Local number, 65K 26 SOW 109S.

LOCATION.--Lat 37°44'42", long 75°43'24", NAD83, Hydrologic Unit 02080109, 50 ft north of State Highway 658, 0.1 mi northeast of intersection of State Highways 658 and 660, and 2.2 mi southeast of Deep Creek. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 25 ft, screened 15 to 25 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 13 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.37 ft above land-surface datum prior to Mar. 1, 1988; 0.5 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.03 ft below land-surface datum, Feb. 24, 1994; lowest measured, 6.57 ft below land-surface datum, Oct. 31, 1978.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	5.68	JAN 22	3.42	MAY 01	2.21	JUL 24	3.82
WATER YEAR 2002	HIGHEST	2.21	MAY 01, 2002	LOWEST	5.68	OCT 09, 2001	



ACCOMACK COUNTY

374425075400001. Local number, 65K 27 SOW 114A.

LOCATION.--Lat 37°44'25", long 75°39'59", NAD83, Hydrologic Unit 02080109, 0.2 mi northwest of intersection of State Highway 662 and U.S. Highway 13, 0.6 mi northwest of State Highway 662, and 0.9 mi east of Greenbush. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 160 ft, screened 150 to 160 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to Jul. 20, 1985, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.4 ft above land-surface datum prior to Feb. 27, 1990; 1.5 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--March 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 34.59 ft below land-surface datum, June 6, 1984; lowest measured, 54.72 ft below land-surface datum, Sept. 2, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 47.70 ft below land-surface datum, Nov. 28; lowest instantaneous water-level, 54.72 ft below land-surface datum, Sept. 2.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	51.24	51.76	48.84	48.80	51.08	50.23	48.07	51.47	51.32	53.82	53.33	53.98
10	51.73	51.14	50.39	49.53	51.46	50.62	48.00	51.21	52.21	53.13	53.95	52.80
15	52.33	49.34	50.51	50.94	51.08	49.51	49.21	48.80	52.31	53.81	53.58	52.71
20	51.86	49.36	50.11	51.93	50.97	48.58	49.83	51.83	52.49	53.63	53.77	53.67
25	51.23	48.73	51.29	50.99	51.23	49.18	50.34	52.01	52.61	52.26	54.16	53.26
EOM	51.05	48.69	50.08	50.46	50.05	49.27	50.95	51.53	53.43	52.04	54.40	53.89

WATER YEAR 2002 HIGHEST 48.00 APR 10, 2002 LOWEST 54.40 AUG 31, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374425075400002. Local number, 65K 28 SOW 114B.

LOCATION.--Lat 37°44'25", long 75°39'59", NAD83, Hydrologic Unit 02080109, 0.2 mi northwest of intersection of State Highway 662 and U.S. Highway 13, 0.6 mi northwest of State Highway 662, and 0.9 mi east of Greenbush. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 230 ft, screened 220 to 230 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to Jul. 20, 1985, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.5 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction. Water level affected by local pumpage.

PERIOD OF RECORD.--March 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 49.40 ft below land-surface datum, June 6, 1987; lowest recorded, 87.22 ft below land-surface datum, Sept. 1, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 62.75 ft below land-surface datum, Nov. 27; lowest instantaneous water-level, 87.22 ft below land-surface datum, Sept. 1.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	83.70	75.91	78.32	76.97	78.80	76.90	77.70	81.90	78.15	---	80.96	82.92
10	83.35	82.53	74.89	80.15	79.05	77.70	76.85	75.64	81.84	---	86.20	75.95
15	77.22	77.25	82.01	79.57	82.55	76.90	73.70	78.20	73.60	---	85.05	83.82
20	83.73	74.33	80.88	83.65	80.95	76.35	81.05	83.08	74.40	---	81.60	85.65
25	82.69	71.98	75.41	81.30	73.50	71.45	77.75	74.05	---	83.49	83.78	83.15
EOM	81.10	79.82	76.05	81.10	79.55	76.55	81.95	76.00	---	81.78	87.08	78.65

WATER YEAR 2002 HIGHEST 71.45 MAR 25, 2002 LOWEST 87.08 AUG 31, 2002



59

374425075400003. Local number. 65K 29 SOW 114C.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 315 ft, screened 305 to 315 ft.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.5 ft above land-surface datum prior to Feb. 27, 1990; 1.6 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage. Missing record due to recorder malfunction.

PERIOD OF RECORD.--March 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 71.50 ft below land-surface datum, Feb. 24, 1986; lowest recorded, 108.92 ft below land-surface datum, Aug. 17, 1991.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 86.95 ft below land-surface datum, Apr. 2; lowest instantaneous water level, 105.86 ft below land-surface datum, Oct. 13.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	103.65	96.39	97.32	96.25	97.49	95.43	95.80	97.35	98.05	100.85	100.45	100.85
10	103.72	102.25	93.98	99.32	99.10	97.50	95.05	100.37	94.86	96.45	105.19	93.08
15	98.98	96.37	100.87	99.48	101.68	96.10	92.35	98.45	101.73	102.81	104.10	101.25
20	103.88	93.88	99.82	103.65	99.55	94.88	99.50	94.55	98.45	99.50	100.45	103.80
25	102.24	92.16	94.55	100.60	93.15	95.50	98.49	101.80	103.19	101.60	102.85	101.35
EOM	101.19	98.80	95.48	100.30	98.45	95.10	95.68	99.85	104.20	100.18	105.15	97.15

WATER YEAR 2002	HIGHEST	92.16	NOV 25, 2001	LOWEST	105.19	AUG 10, 2002
-----------------	---------	-------	--------------	--------	--------	--------------



GROUND-WATER LEVELS

ACCOMACK COUNTY

374425075400004. Local number, 65K 30 SOW 114S.

LOCATION.--Lat 37°44'25", long 75°39'59", NAD83, Hydrologic Unit 02080109, 0.2 mi northwest of intersection of State Highway 662 and U.S. Highway 13, 0.6 mi northwest of State Highway 662, and 0.9 mi east of Greenbush. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 40 ft, screened 30 to 40 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Mar. 1, 1988; 1.5 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--March 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.06 ft below land-surface datum, Oct. 21, 1996; lowest measured, 20.10 ft below land-surface datum, Dec. 9, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	8.36	JAN 16	9.62	APR 24	8.45	JUL 23	9.89
WATER YEAR 2002		HIGHEST	8.36	OCT 09, 2001	LOWEST	9.89	JUL 23, 2002



ACCOMACK COUNTY

374314075401402. Local number, 65K 59 SOW 183A.

LOCATION.--Lat 37°43'14", long 75°40'13", NAD83, Hydrologic Unit 02080109, at Accomac, 500 ft north of U.S. Highway 13 (Business), 700 ft east of intersection of State Highway 764, and U.S. Highway 13 (Business). Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 250 ft, diameter 2 in. from 250 to 285 ft, depth 285 ft, screened 275 to 285 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 6, 1990 to Jan. 28, 1997, continuous strip-chart recorder. Prior to Aug. 7, 1990, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage. Missing record due to recorder malfunction.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 52.28 ft below land-surface datum, Jan. 13, 1993; lowest recorded, 61.24 ft below land-surface datum, Sept. 29, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	59.53	JAN 22	58.60	MAY 01	57.05	JUL 23	60.28
WATER YEAR 2002		HIGHEST	57.05	MAY 01, 2002		LOWEST	60.28
							JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374314075401403. Local number, 65K 60 SOW 183B.

LOCATION.--Lat 37°43'14", long 75°40'13", NAD83, Hydrologic Unit 02080109, at Accomac, 500 ft north of U.S. Highway 13 (Business), 700 ft east of intersection of State Highway 764, and U.S. Highway 13 (Business). Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 210 ft, diameter 2 in. from 210 to 235 ft, depth 235 ft, screened 225 to 235 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.50 ft below land-surface datum, May 7, 1990; lowest measured, 30.57 ft below land-surface datum, Oct. 10, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	29.30	JAN 22	26.64	MAY 01	25.97	JUL 23	30.07
WATER YEAR 2002		HIGHEST	25.97	MAY 01, 2002		LOWEST	30.07
							JUL 23, 2002



ACCOMACK COUNTY

374314075401404. Local number, 65K 61 SOW 183C.

LOCATION.--Lat 37°43'14", long 75°40'13", NAD83, Hydrologic Unit 02080109, at Accomac, 500 ft north of U.S. Highway 13 (Business), 700 ft east of intersection of State Highway 764, and U.S. Highway 13 (Business). Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 82 ft, diameter 2 in. from 82 to 134 ft, depth 134 ft, screened 124 to 134 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 6, 1990 to Jan. 28, 1997, continuous strip-chart recorder. Prior to Aug. 6, 1990, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 18.20 ft below land-surface datum, May 7, 1990; lowest recorded, 27.32 ft below land-surface datum, Sept. 13, 14, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	24.67	JAN 22	22.65	MAY 01	21.81	JUL 23	25.62
WATER YEAR 2002		HIGHEST	21.81	MAY 01, 2002		LOWEST	25.62
							JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374314075401405. Local number, 65K 62 SOW 183D.

LOCATION.--Lat 37°43'14", long 75°40'13", NAD83, Hydrologic Unit 02080109, at Accomac, 500 ft north of U.S. Highway 13 (Business), 700 ft east of intersection of State Highway 764, and U.S. Highway 13 (Business). Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 20 ft, screened 15 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.09 ft below land-surface datum, Jan. 4, 1993; lowest measured, 4.48 ft below land-surface datum, Oct. 10, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	3.43	JAN 22	3.56	MAY 01	3.06	JUL 23	4.09
WATER YEAR 2002		HIGHEST	3.06	MAY 01, 2002	LOWEST	4.09	JUL 23, 2002



ACCOMACK COUNTY

374320075380501. Local number, 66K 2 SOW 101C.

LOCATION.--Lat 37°43'19", long 75°36'55", NAD83, Hydrologic Unit 02080110, 0.2 mi north of State Highway 662, 2.2 mi east of intersection of State Highway 662 and U.S. Highway 13 (Business), and 2.8 mi east of Accomac. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 292 ft, screened 282 to 292 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.4 ft above land-surface datum prior to Mar. 1, 1988; 0.6 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.57 ft below land-surface datum, Apr. 25, 1984; lowest measured, 17.30 ft below land-surface datum, Aug. 5, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	15.24	JAN 16	14.10	APR 24	13.50	JUL 23	15.27
WATER YEAR 2002		HIGHEST	13.50	APR 24, 2002	LOWEST	15.27	JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

374320075365602. Local number, 66K 3 SOW 101B.

LOCATION.--Lat 37°43'19", long 75°36'55", NAD83, Hydrologic Unit 02080110, 0.2 mi north of State Highway 662, 2.2 mi east of intersection of State Highway 662 and U.S. Highway 13 (Business), and 2.8 mi east of Accomac. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 220 ft, screened 210 to 220 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 8 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.36 ft above land-surface datum prior to Mar. 1, 1988; 0.65 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.04 ft below land-surface datum, Apr. 25, 1984; lowest measured, 12.11 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	8.75	JAN 16	8.42	APR 24	7.97	JUL 23	12.11
WATER YEAR 2002		HIGHEST		7.97 APR 24, 2002		LOWEST 12.11 JUL 23, 2002	



374320075365603. Local number, 66K 4 SOW 101A.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 152 ft, screened 142 to 152 ft.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.4 ft above land-surface datum prior to Mar. 1, 1988; 0.65 ft Mar. 1, 1988, to Jun. 20, 1989; at land-surface datum Jun. 21, 1989, to Jan. 3, 1990; 0.85 ft above land-surface datum thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.99 ft below land-surface datum, Apr. 25, 1984; lowest measured, 11.85 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	8.38	JAN 16	8.07	APR 24	7.60	JUL 23	11.85
WATER YEAR 2002	HIGHEST	7.60	APR 24, 2002	LOWEST	11.85	JUL 23, 2002	



GROUND-WATER LEVELS

ACCOMACK COUNTY

375225075321701. Local number, 66L 1 SOW 107C.

LOCATION.--Lat 37°52'25", long 75°32'16", NAD83, Hydrologic Unit 02080110, 0.15 mi northwest of State Highway 679, 0.45 mi northeast of intersection of State Highways 679 and 790, and 0.7 mi west of Assawoman. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 305 ft, screened 295 to 305 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.33 ft above land-surface datum prior to Mar. 1, 1988; 0.4 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--September 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.06 ft below land-surface datum, Jan. 4, 1984; lowest measured, 13.59 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	13.42	JAN 16	11.68	MAY 01	11.00	JUL 23	13.59
WATER YEAR 2002		HIGHEST	11.00	MAY 01, 2002	LOWEST	13.59	JUL 23, 2002



375225075321702. Local number, 66L 2 SOW 107A.

LOCATION.---Lat 37°52'25", long 75°32'16", NAD83, Hydrologic Unit 02080110, 0.15 mi northwest of State Highway 679, 0.45 mi northeast of intersection of State Highways 679 and 790, and 0.7 mi west of Assawoman. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 140 ft, screened 130 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.23 ft above land-surface datum prior to Mar. 1, 1988; 0.6 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.21 ft below land-surface datum, Apr. 25, 1984; lowest measured, 12.29 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	11.96	JAN 16	9.85	MAY 01	9.75	JUL 23	12.29
WATER YEAR 2002		HIGHEST	9.75	MAY 01, 2002		LOWEST	12.29 JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

375225075321703. Local number, 66L 3 SOW 107B.

LOCATION.--Lat 37°52'25", long 75°32'16", NAD83, Hydrologic Unit 02080110, 0.15 mi northwest of State Highway 679, 0.45 mi northeast of intersection of State Highways 679 and 790, and 0.7 mi west of Assawoman. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 206 ft, screened 191 to 201 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum prior to Jun. 19, 1990; 0.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.64 ft below land-surface datum, Apr. 25, 1984; lowest measured, 13.10 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	12.55	JAN 16	10.34	MAY 01	10.16	JUL 23	13.10
WATER YEAR 2002		HIGHEST	10.16	MAY 01, 2002		LOWEST	13.10
							JUL 23, 2002



ACCOMACK COUNTY

375723075344401. Local number, 66M 16 SOW 110A.

LOCATION.--Lat 37°57'23", long 75°34'43", NAD83, Hydrologic Unit 02060009, 0.25 mi northeast of State Highway 693, 0.5 mi southeast of intersection of State Highways 693 and 706, and 2.3 mi northwest of Oak Hall. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 130 ft, screened 120 to 130 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 11 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.45 ft above land-surface datum prior to Feb. 29, 1988; 0.65 ft Mar. 1, 1988, to Oct. 3, 1989; at land-surface datum Oct. 4, 1989, to Jan. 3, 1990; 1.0 ft above land-surface datum Jan. 4, 1990, to Oct. 10, 1990; 0.70 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.28 ft below land-surface datum, Feb. 19, 1986; lowest measured, 13.20 ft below land-surface datum, July 25, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	12.46	JAN 16	12.89	MAY 01	10.81	JUL 23	12.60
WATER YEAR 2002		HIGHEST	10.81	MAY 01, 2002		LOWEST	12.89
							JAN 16, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

375723075344402. Local number, 66M 17 SOW 110B.

LOCATION.--Lat 37°57'23", long 75°34'43", NAD83, Hydrologic Unit 02060009, 0.25 mi northeast of State Highway 693, 0.5 mi southeast of intersection of State Highways 693 and 706, and 2.3 mi northwest of Oak Hall. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 178 ft, screened 168 to 178 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 11 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.45 ft above land-surface datum prior to Feb. 29, 1988; 0.75 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.76 ft below land-surface datum, Apr. 1, 1980; lowest measured, 14.14 ft below land-surface datum, Oct. 20, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	12.98	JAN 16	13.37	MAY 01	11.64	JUL 23	13.45
WATER YEAR 2002		HIGHEST	11.64	MAY 01, 2002	LOWEST	13.45	JUL 23, 2002



375723075344403. Local number. 66M 18 SOW 110C.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 240 ft., screened 230 to 240 ft.

DATUM.--Elevation of land-surface datum is 11 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.65 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.43 ft below land-surface datum, Aug. 12, 1981; lowest measured, 14.12 ft below land-surface datum, Oct. 10, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	13.25	JAN 16	13.31	MAY 01	12.59	JUL 23	13.23
WATER YEAR 2002		HIGHEST	12.59	MAY 01, 2002		LOWEST	13.31
						JAN 16, 2002	



GROUND-WATER LEVELS

ACCOMACK COUNTY

375723075344404. Local number, 66M 19 SOW 110S.

LOCATION.--Lat 37°57'23", long 75°34'43", NAD83, Hydrologic Unit 02060009, 0.25 mi northeast of State Highway 693, 0.5 mi southeast of intersection of State Highways 693 and 706, and 2.3 mi northwest of Oak Hall. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 36 ft, screened 26 to 36 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 11 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Feb. 29, 1988; 0.35 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.97 ft below land-surface datum, Oct. 21, 1996; lowest measured, 11.34 ft below land-surface datum, Nov. 6, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	10.29	JAN 16	10.56	MAY 01	9.02	JUL 23	10.13
WATER YEAR 2002		HIGHEST	9.02	MAY 01, 2002		LOWEST	10.56
							JAN 16, 2002



375610075361801. Local number, 66M 23 SOW 181A.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 1,300 ft, screened 1,290 to 1,300 ft.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional pumpage. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--January 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.38 ft above land-surface datum, Jan. 26, 1988; lowest measured, 8.53 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	7.97	JAN 16	7.95	MAY 01	7.89	JUL 23	8.53
WATER YEAR 2002	HIGHEST	7.89	MAY 01, 2002	LOWEST	8.53	JUL 23, 2002	



GROUND-WATER LEVELS

ACCOMACK COUNTY

375610075361802. Local number, 66M 24 SOW 181B.

LOCATION.--Lat 37°56'10", long 75°36'17", NAD83, Hydrologic Unit 02080109, 100 ft south of State Highway 703, 0.1 mi east of intersection of State Highways 701 and 703, and 2.7 mi northwest of Makemie Park. Owner: Virginia Department of Environmental Quality.

AQUIFER.--St. Marys-Choptank aquifer of Miocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 508 ft, screened 498 to 508 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.25 ft below land-surface datum, Mar. 7, 1989; lowest measured, 1.27 ft below land-surface datum, Jan. 16, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	1.14	JAN 16	1.27	MAY 01	1.06	JUL 23	1.15
WATER YEAR 2002		HIGHEST	1.06	MAY 01, 2002	LOWEST	1.27	JAN 16, 2002



ACCOMACK COUNTY

375610075361803. Local number, 66M 25 SOW 181C.

LOCATION.--Lat 37°56'10", long 75°36'17", NAD83, Hydrologic Unit 02080109, 100 ft south of State Highway 703, 0.1 mi east of intersection of State Highways 701 and 703, and 2.7 mi northwest of Makemie Park. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 340 ft, screened 330 to 340 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.95 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.10 ft below land-surface datum, Apr. 28, 1993; lowest measured, 5.24 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	4.84	JAN 16	5.15	MAY 01	4.91	JUL 23	5.24
WATER YEAR 2002		HIGHEST	4.84	OCT 09, 2001	LOWEST	5.24	JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

375610075361804. Local number, 66M 26 SOW 181D.

LOCATION.--Lat 37°56'10", long 75°36'17", NAD83, Hydrologic Unit 02080109, 100 ft south of State Highway 703, 0.1 mi east of intersection of State Highways 701 and 703, and 2.7 mi northwest of Makemie Park. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 230 ft, screened 220 to 230 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.93 ft below land-surface datum, Apr. 28, 1993; lowest measured, 6.16 ft below land-surface datum, Jan. 16, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	5.34	JAN 16	6.16	MAY 01	4.91	JUL 23	5.35
WATER YEAR 2002		HIGHEST	4.91	MAY 01, 2002	LOWEST	6.16	JAN 16, 2002



ACCOMACK COUNTY

375610075361805. Local number, 66M 27 SOW 181E.

LOCATION.--Lat 37°56'10", long 75°36'17", NAD83, Hydrologic Unit 02080109, 100 ft south of State Highway 703, 0.1 mi east of intersection of State Highways 701 and 703, and 2.7 mi northwest of Makemie Park. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 30 ft, screened 20 to 30 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--October 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.50 ft below land-surface datum, Aug. 8, 1989; lowest measured, 5.03 ft below land-surface datum, Oct. 10, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	4.18	JAN 16	3.65	MAY 01	1.96	JUL 23	4.64
WATER YEAR 2002		HIGHEST	1.96	MAY 01, 2002	LOWEST	4.64	JUL 23, 2002



GROUND-WATER LEVELS

ACCOMACK COUNTY

375635075271501. Local number, 67M 10 SOW 115A.

LOCATION.--Lat 37°56'35", long 75°27'14", NAD83, Hydrologic Unit 02060010, 200 ft east of State Highway 175, 2.4 mi east of Wattsville, and 2.5 mi northeast of intersection of State Highways 175 and 798. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 52 ft, screened 32 to 52 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 20, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 13 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.7 ft above land-surface datum prior to Feb. 28, 1988; 1.7 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division

PERIOD OF RECORD.--March 1981 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.72 ft below land-surface datum, Oct. 3, 1989; lowest measured, 10.96 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	10.23	JAN 16	9.69	APR 24	8.98	JUL 23	10.96
WATER YEAR 2002		HIGHEST	8.98	APR 24, 2002	LOWEST	10.96	JUL 23, 2002



ACCOMACK COUNTY

375635075271502. Local number, 67M 11 SOW 115B.

LOCATION.--Lat 37°56'35", long 75°27'14", NAD83, Hydrologic Unit 02060010, 200 ft east of State Highway 175, 2.4 mi east of Wattsville, and 2.5 mi northeast of intersection of State Highways 175 and 798. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 138 ft, screened 118 to 138 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 14 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.6 ft above land-surface datum prior to Feb. 29, 1988; 1.9 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--March 1981 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.70 ft below land-surface datum, May 6, 1982; lowest measured, 17.22 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	13.28	JAN 16	11.95	APR 24	11.94	JUL 23	17.22
WATER YEAR 2002		HIGHEST	11.94	APR 24, 2002		LOWEST	17.22
							JUL 23, 2002



375635075271504. Local number, 67M 13 SOW 115D.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 249 ft., screened 229 to 249 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to Oct. 5, 1985, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 16 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.8 ft above land-surface datum prior to Aug. 8, 1989; 1.5 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water levels affected by local pumpage. Missing record due to recorder malfunction.

PERIOD OF RECORD.--March 1981 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 10.50 ft below land-surface datum, Jan. 22, 2000; lowest recorded, 53.19 ft below land-surface datum, May 14, 2001.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 18.70 ft below land-surface datum, Feb. 4; lowest instantaneous water level, 52.78 ft below land-surface datum, Aug. 18.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	---	35.36	33.15	31.50	28.75	---	---	27.47	---	---	51.48	44.39
10	38.55	28.30	25.62	23.00	---	---	---	25.62	---	---	50.90	44.19
15	37.35	34.22	24.73	23.15	---	---	---	35.90	---	---	50.95	46.62
20	39.85	30.50	31.42	30.18	---	---	---	41.10	---	---	50.10	42.12
25	35.95	27.35	24.42	30.08	---	---	33.75	47.45	---	50.24	49.88	32.95
EOM	26.00	25.18	23.92	32.43	---	---	24.18	---	---	47.05	38.70	41.15

WATER YEAR 2002	HIGHEST	23.00	JAN 10, 2002	LOWEST	51.48	AUG 05, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



ALBEMARLE COUNTY

380333078264801. Local number, 43N 1 SOW 028.

LOCATION.--Lat 38°03'33", long 78°26'47", NAD83, Hydrologic Unit 02080204, at Key West Subdivision, 1.1 mi east of Charlottesville. Owner: Key West Development Corporation.

AQUIFER.--Lynchburg Formation of Precambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 409 ft, cased to 52 ft, open hole 52 to 409 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Apr. 10, 1981 to Oct. 19, 1995 continuous strip-chart recorder. Jun. 25, 1974 to Apr. 10, 1981 occasional measurement with chalked tape; Prior to Jun. 25, 1974, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 345 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1967 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 8.65 ft below land-surface datum, May 3, 1984; lowest recorded, 22.10 ft below land-surface datum, Nov. 30, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	17.49	FEB 04	17.24	MAY 15	17.10	AUG 27	18.95
WATER YEAR 2002		HIGHEST	17.10	MAY 15, 2002		LOWEST	18.95
							AUG 27, 2002



GROUND-WATER LEVELS
APPOMATTOX COUNTY

372514078394301. Local number, 41H 2.

LOCATION.--Lat 37°25'15", long 78°39'42", NAD83, Hydrologic Unit 02080207, 1.0 mi south of intersection of State Highway 636 on the east side of State Highway 640, 2.8 mi southeast of Sliders. Owner: U.S. Geological Survey.

AQUIFER.--Metagraywacke, quartzose schist, and melange of Cambrian age.

WELL CHARACTERISTICS.--Augered observation water well, diameter 3 in. to 68 ft, diameter 1.25 in. from 68 to 73 ft, depth 73 ft, screened 68 to 73 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. August 1970 to October 1974, digital recorder 60-minute punch. Prior to August 1970, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 640 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

PERIOD OF RECORD.--March 1970 to current year. Unpublished records available prior to October 1977 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 32.56 ft below land-surface datum, May 11, 1998; lowest measured, 51.63 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 01	48.68	JAN 23	50.02	APR 12	50.83	JUL 18	51.63				
DEC 03	49.43	FEB 26	50.40	MAY 31	51.22						
WATER YEAR 2002		HIGHEST	48.68	OCT 01, 2001	LOWEST	51.63	JUL 18, 2002				



ARLINGTON COUNTY

385346077073701. Local number, 53V 1.

LOCATION.--Lat 38°53'46", long 77°07'36", NAD83, Hydrologic Unit 02070010, at Langston School, 4854 Lee Highway in Arlington.
Owner: Arlington County School Board.

AQUIFER.--Brandywine Formation of Pleistocene age and Bryn Mawr (?) Gravel of Pliocene (?) age, overlying the Sykesville Formation of Precambrian age.

WELL CHARACTERISTICS.--Dug unused water well, diameter 24 in., depth 35 ft, terracotta casing.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1989 to Oct. 26, 1995, monthly measurement with chalked tape. Prior to Oct. 1, 1989, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 410 ft NGVD of 1929, from topographic map. Measuring point: Inner flange of manhole, at land-surface datum.

REMARKS.--Water levels affected by water running into well from broken water main October 1992 to August 1993.


PERIOD OF RECORD.--October 1931 to January 2002 (discontinued).

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.19 ft (result of broken water main) below land-surface datum, June 28, 1993; lowest measured, 34.81 ft below land-surface datum, Dec. 5, 1931.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	25.40	JAN 17	28.67

WATER YEAR 2002	HIGHEST	25.40	OCT 11, 2001	LOWEST	28.67	JAN 17, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



GROUND-WATER LEVELS
ARLINGTON COUNTY

385253077042301. Local number, 54V 3.

LOCATION.--Lat 38°52'53", long 77°04'22", NAD83, Hydrologic Unit 02070010, at Arlington National Cemetery in Arlington. Owner: National Park Service, National Capitol Parks.

AQUIFER.--Terrace gravels of Holocene age and sand of Early Cretaceous age.

WELL CHARACTERISTICS.--Dug unused water well, diameter 48 in., depth 50 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1989 to Oct. 26, 1995, monthly measurement with chalked tape. Prior to Oct. 1, 1989, bimonthly measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 205 ft NGVD of 1929, from topographic map. Measuring point: Top of brick and stone casing, 3.0 ft above land-surface datum.

PERIOD OF RECORD.--January 1958 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.34 ft below land-surface datum, June 26, 1978; lowest measured, 45.28 ft below land-surface datum, Nov. 28, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	41.59	APR 10	41.83	JUL 25	42.18	SEP 26	42.38				
JAN 17	41.63	JUN 20	41.96	AUG 28	42.39						
WATER YEAR 2002		HIGHEST	41.59	OCT 11, 2001	LOWEST	42.39	AUG 28, 2002				



382523078535501. Local number, 38P 1 SOW 070.

AQUIFER.--Beekmantown Group of Early Ordovician age.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to Jan. 10, 1974, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 8.02 ft below land-surface datum, Feb. 20, 1998; lowest recorded, 27.02 ft below land-surface datum, Oct. 16, 1977.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 20.85 ft below land-surface datum, Apr. 30 and May 1; lowest instantaneous water level, 23.60 ft below land-surface datum, Sept. 25, 26.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	22.03	22.50	22.92	23.04	23.17	23.28	22.50	21.03	21.82	22.59	22.70	23.37
10	22.14	22.60	22.98	23.10	23.18	23.23	22.51	20.99	21.97	22.72	22.86	23.41
15	22.19	22.70	22.81	23.12	23.19	23.20	22.40	21.08	22.18	22.65	23.00	23.45
20	22.27	22.75	22.80	23.19	23.20	22.98	22.43	21.26	22.32	22.53	23.14	23.52
25	22.34	22.81	22.85	23.13	23.22	22.80	21.3	21.43	22.22	22.60	23.25	23.60
EOM	22.46	22.87	22.96	23.11	23.27	22.65	20.86	21.63	22.42	22.52	23.28	23.07

WATER YEAR 2002	HIGHEST	20.86	APR 30, 2002	LOWEST	23.60	SEP 25, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



370443082022301. Local number, 14E 40.

AQUIFER.--Jawbone coal bed of Norton Formation of Pennsylvanian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 60 ft, cased to 14 ft, open hole 14 to 60 ft.

INSTRUMENTATION.--Electronic data logger 15-minute record interval. June 1988 to September 1997, digital recorder 60-minute punch. October 1986 to June 1988, occasional measurement with chalked tape by USGS personnel. August 1982 to September 1983, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 1,820 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum prior to May 30, 1995; 6.74 thereafter.

REMARKS.--Missing record due to recorder malfunction.


PERIOD OF RECORD.--August 1982 to September 1983, October 1986 to April 2002 (discontinued). Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 1.25 ft above land-surface datum, Apr. 17, 1998; lowest recorded, 11.49 ft below land-surface datum, Oct. 6, 1982.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 0.21 ft below land-surface datum, Mar. 18; lowest instantaneous water level, 9.02 ft below land-surface datum, Nov. 25.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	8.35	8.76	9.00	8.68	7.62	8.06	1.80	---	---	---	---	---
10	8.30	8.84	8.28	8.05	4.98	8.13	3.15	---	---	---	---	---
15	8.49	8.90	7.72	7.48	6.92	7.93	---	---	---	---	---	---
20	8.58	8.96	7.89	4.87	7.63	0.66	---	---	---	---	---	---
25	8.64	9.02	8.14	0.71	7.99	2.61	---	---	---	---	---	---
EOM	8.72	8.95	8.53	6.28	8.19	2.09	---	---	---	---	---	---



BUCKINGHAM COUNTY

372608078404601. Local number, 41H 3.

LOCATION.--Lat 37°26'09", long 78°40'45", NAD83, Hydrologic Unit 02080207, 0.85 mi west of Ranger Headquarters on south side of dirt road off State Highway 636, 1.5 mi south of Sliders. Owner: U.S. Geological Survey.

AQUIFER.--Metagraywacke, quartzose schist, and melange of Cambrian age.

WELL CHARACTERISTICS.--Augered observation water well, diameter 3 in. to 49 ft, diameter 1.25 in. from 49 to 54 ft, depth 54 ft, screened 49 to 54 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 60-minute record interval. October 1974 to June 12, 1998, occasional measurement with chalked tape by USGS personnel. August 1970 to October 1974, digital recorder 60-minute punch. Prior to August 1970, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 683.8 ft NGVD of 1929. Measuring point: Top of casing, 1.3 ft above land-surface datum.

REMARKS.--Prior to Oct. 1, 1981, well was reported as being located in Appomattox County.


PERIOD OF RECORD.--March 1970 to current year. Unpublished records available prior to October 1977 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 7.31 ft below land-surface datum, Apr. 12, 1973; lowest recorded, 36.20 ft below land-surface datum, Sept. 30, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 34.21 ft below land-surface datum, Oct. 1; lowest instantaneous water level, 36.20 ft below land-surface datum, Sept. 30.

DEPTH BELOW LAND S., in FT, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	34.28	34.73	35.12	35.49	35.72	35.69	35.59	35.17	34.84	35.06	35.59	35.98
10	34.36	34.79	35.18	35.53	35.72	35.68	35.54	35.12	34.79	35.16	35.65	36.02
15	34.44	34.86	35.25	35.59	35.71	35.67	35.46	35.08	34.78	35.27	35.70	36.07
20	34.51	34.93	35.31	35.63	35.70	35.65	35.38	35.03	34.82	35.38	35.77	36.11
25	34.58	34.99	35.37	35.68	35.69	35.66	35.30	34.97	34.86	35.46	35.83	36.15
EOM	34.66	35.06	35.44	35.69	35.69	35.63	35.24	34.89	34.95	35.53	35.92	36.20



GROUND-WATER LEVELS

CAROLINE COUNTY

380624077172801. Local number, 52N 5.

LOCATION.--Lat 38°06'24", long 77°17'27", NAD83, Hydrologic Unit 02080104, in block pumphouse under water tank at Camp Wilcox at Fort A. P. Hill, 1.1 mi north of U.S. Highway 301, and near Bowling Green. Owner: U.S. Department of the Army.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to unknown depth, diameter 4 in. from unknown depth to 524 ft, depth 524 ft, screened 468 to 501 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 210 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1971 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 172.20 ft below land-surface datum, Dec. 16, 1971; lowest measured, 210.08 ft below land-surface datum, Jan. 30, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	205.25	JAN 16	204.89	APR 30	204.62	JUL 22	205.94
WATER YEAR 2002		HIGHEST	204.62	APR 30, 2002		LOWEST	205.94 JUL 22, 2002



CAROLINE COUNTY

380415077194101. Local number, 52N 6.

LOCATION.--Lat 38°04'15", long 77°19'40", NAD83, Hydrologic Unit 02080105, on the southwest corner of the intersection of Burke Street and Second Street in the headquarters area of Fort A. P. Hill near Bowling Green. Owner: U.S. Department of the Army.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to 480 ft, diameter 3 in. from 446 to 500 ft, depth 500 ft, screened 488 to 498 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 214 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1971 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 158.65 ft below land-surface datum, Feb. 10, 1982; lowest measured, 207.74 ft below land-surface datum, Mar. 19, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	192.87	JAN 16	192.66	APR 30	192.22	JUL 22	193.39
WATER YEAR 2002		HIGHEST	192.22	APR 30, 2002	LOWEST	193.39	JUL 22, 2002



GROUND-WATER LEVELS

CAROLINE COUNTY

375922077142901. Local number, 53M 1.

LOCATION.--Lat 37°59'22", long 77°14'28", NAD83, Hydrologic Unit 02080105, at Sparta Volunteer Fire Co., 200 ft south of State Highway 721 and 50 ft west of Maracossic Creek. Owner: U.S. Geological Survey.

AQUIFER.--Aquia aquifer of Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 110.75 ft, screened 100.75 ft to 110.75 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to October 1998, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 89 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.75 ft above land-surface datum prior to Dec. 28, 1998; 1.44 ft thereafter.


REMARKS.--Well drilled as part of Fall Zone ground-water study. Water level affected by regional drawdown.

PERIOD OF RECORD.--May 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 55.64 ft below land-surface datum, Jun. 11, 1997; lowest measured, 61.67 ft below land-surface datum, July 22, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	60.67	JAN 16	60.68	APR 30	60.76	JUL 22	61.67
WATER YEAR 2002		HIGHEST	60.67	OCT 29, 2001	LOWEST	61.67	JUL 22, 2002



GROUND-WATER LEVELS

93

CHARLES CITY COUNTY

371956076055101. Local number, 54G 13 SOW 067.

LOCATION.--Lat 37°19'57", long 77°05'50", NAD83, Hydrologic Unit 02080206, 0.6 mi east of Bowens Store on State Highway 5, 1.6 mi southwest of Charles City. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 227 ft, screened 222 to 227 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1973 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 44.63 ft below land-surface datum, Jun. 7, 1973; lowest measured, 70.75 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	69.85	JAN 17	70.02	APR 23	69.92	JUL 11	70.75
WATER YEAR 2002 HIGHEST		69.85	OCT 17, 2001	LOWEST		70.75	JUL 11, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364852076252201. Local number, 59C 29 SOW 163A.

LOCATION.--Lat 36°48'53", long 76°25'21", NAD83, Hydrologic Unit 02080208, 0.7 mi southeast of intersection of State Highways 191 and 337 in Chesapeake. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 35 ft, screened 25 to 35 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly measurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum, prior to Mar. 11, 1996; 2.45 ft Mar. 12, 1996 to May 28, 1998; 3.74 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.70 ft below land-surface datum, Mar. 14, 1989; lowest measured, 18.39 ft below land-surface datum, Nov. 5, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	7.49	JAN 28	6.44	APR 17	5.76	JUL 08	7.27
WATER YEAR 2002		HIGHEST	5.76	APR 17, 2002	LOWEST	7.49	OCT 30, 2001



CITY OF CHESAPEAKE

364852076252202. Local number, 59C 30 SOW 163B.

LOCATION.--Lat 36°48'53", long 76°25'21", NAD83, Hydrologic Unit 02080208, 0.7 mi southeast of intersection of State Highways 191 and 337 in Chesapeake. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 948 ft, screened 938 to 948 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly measurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum, prior to Mar. 11, 1996; 2.47 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 67.06 ft below land-surface datum, May 25, 1983; lowest measured, 95.02 ft below land-surface datum, Jan. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	93.20	JAN 28	95.02	APR 17	92.86	JUL 08	94.77
WATER YEAR 2002		HIGHEST	92.86	APR 17, 2002		LOWEST	95.02
							JAN 28, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364852076252203. Local number, 59C 31 SOW 163C.

LOCATION.--Lat 36°48'53", long 76°25'21", NAD83, Hydrologic Unit 02080208, 0.7 mi southeast of intersection of State Highways 191 and 337 in Chesapeake. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 631 ft, screened 621 to 631 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly measurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum, prior to Mar. 11, 1996; 2.88 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 67.13 ft below land-surface datum, Feb. 23, 1983; lowest measured, 96.10 ft below land-surface datum, Jan. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	94.58	JAN 28	96.10	APR 17	93.13	JUL 08	95.58
WATER YEAR 2002		HIGHEST	93.13	APR 17, 2002		LOWEST	96.10
							JAN 28, 2002



CITY OF CHESAPEAKE

363836076201701. Local number, 60B 3 SOW 090A.

LOCATION.--Lat 36°38'37", long 76°20'16", NAD83, Hydrologic Unit 03010205, 0.15 mi north of intersection of Benefit and West Roads, 1.5 mi north of Cornland. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 855 ft, screened 824 to 834 ft.

INSTRUMENTATION.-- Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 25, 1985 to Oct. 12, 1995, continuous strip-chart recorder. Prior to Aug. 25, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 16 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 53.80 ft below land-surface datum, Jul. 11, 1978; lowest recorded, 90.04 ft below land-surface datum, July 8, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
OCT 18	88.35	JAN 14	89.95	APR 15	89.51	JUL 08	90.04		
WATER YEAR 2002		HIGHEST		88.35	OCT 18, 2001	LOWEST		90.04	JUL 08, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

363836076201702. Local number, 60B 4 SOW 090B.

LOCATION.--Lat 36°38'37", long 76°20'16", NAD83, Hydrologic Unit 03010205, 0.15 mi north of intersection of Benefit and West Roads, 1.5 mi north of Cornland. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 556 ft, screened 525 to 535 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 16 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.05 ft above land-surface datum prior to Mar. 2, 1988; 1.2 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--February 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.20 ft above land-surface datum, Feb. 1, 1978; lowest measured, 11.65 ft below land-surface datum, July 8, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	11.12	JAN 14	11.38	APR 15	11.14	JUL 08	11.65
WATER YEAR 2002		HIGHEST	11.12	OCT 18, 2001	LOWEST	11.65	JUL 08, 2002



CITY OF CHESAPEAKE

364615076182101. Local number, 60C 41 SOW 164.

LOCATION.--Lat 36°46'16", long 76°18'20", NAD83, Hydrologic Unit 02080208, 50 ft north of entrance road to Virginia Power powerplant, 500 ft south of Military Highway in Chesapeake. Owner: Virginia Power.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to 400 ft, diameter 4 in. from 400 to 928 ft, depth 928 ft, screened 770 to 780 ft, 875 to 885 ft, 918 to 928 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Nov. 25, 1982 to Oct. 12, 1995, continuous strip-chart recorder. Prior to Nov. 25, 1982, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum prior to Jul. 15, 1987; 1.5 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--February 1982 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 55.22 ft below land-surface datum, Mar. 15, 1983; lowest recorded, 83.28 ft below land-surface datum, Jan. 14, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074702. Local number, 61B 5 SOW 091B.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,060 ft, screened 1,040 to 1,060 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.83 ft below land-surface datum, Aug. 28, 1980; lowest measured, 71.00 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	69.65	JAN 14	70.30	APR 19	70.50	JUL 17	71.00
WATER YEAR 2002		HIGHEST	69.65	OCT 11, 2001	LOWEST	71.00	JUL 17, 2002



CITY OF CHESAPEAKE

364227076074703. Local number, 61B 6 SOW 091C.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 780 ft, screened 760 to 780 ft.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with manometer.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 7.0 ft above land-surface datum prior to Jan. 11, 1989; 1.2 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.37 ft above land-surface datum, Jul. 26, 1979; lowest measured, 3.28 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	2.81	JAN 14	2.83	APR 19	2.80	JUL 17	3.28
WATER YEAR 2002		HIGHEST	2.80	APR 19, 2002		LOWEST	3.28 JUL 17, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074706. Local number, 61B 12 SOW 091E.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 1,630 ft, diameter 2 in. from 1,630 to 1,830 ft, depth 1,830 ft, screened 1,820 to 1,830 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Low water-level drawdown after April 1998 is the result of pumping of the well. Cause of nonrecovery to pre-pumpage level is unknown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 41.50 ft below land-surface datum, Jun. 21, 1989; lowest measured, 86.89 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
OCT 11	85.99	JAN 14	86.18	APR 19	86.40	JUL 17	86.89		
WATER YEAR 2002		HIGHEST		85.99	OCT 11, 2001	LOWEST		86.89	JUL 17, 2002



364227076074707. Local number, 61B 13 SOW 091F.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

INSTRUMENTATION.--Continuous strip-chart recorder. Jul. 6, 1995 to Feb. 13, 1997, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L. Missing record due to recorder malfunction.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 72.92 ft below land-surface datum, Oct. 16; lowest instantaneous water level, 74.86 ft below land-surface datum, Sept. 30, 2002.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	73.00	73.22	73.56	73.67	73.88	74.00	73.84	73.88	73.98	74.21	74.57	74.65
10	73.19	73.29	73.59	73.60	73.87	74.01	73.93	73.85	73.97	74.30	74.65	74.71
15	73.02	73.35	73.60	73.69	73.90	73.88	73.85	73.99	73.88	74.32	74.72	74.79
20	73.08	73.36	73.53	73.68	73.91	73.92	73.80	73.92	74.16	74.39	74.72	74.73
25	73.02	73.41	73.57	73.75	73.97	73.88	73.92	73.94	74.12	74.43	74.72	74.84
EOM	73.29	73.42	73.67	73.76	73.96	73.81	73.87	73.90	74.19	74.42	74.74	74.88

WATER YEAR 2002	HIGHEST	73.00	OCT 05, 2001	LOWEST	74.86	SEP 30, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



CITY OF CHESAPEAKE

364227076074708. Local number, 61B 14 SOW 091G.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 987 ft, diameter 2 in. from 987 to 1,110 ft, depth 1,110 ft, screened 1,090 to 1,100 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Jul. 6, 1995 to Feb. 13, 1997, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--March 1989 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 51.30 ft below land-surface datum, Mar. 22, 1989; lowest measured, 70.63 ft below land-surface datum, Sept. 30, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 68.75 ft below land-surface datum, Oct. 16; lowest instantaneous water level, 70.63 ft below land-surface datum, Sept. 30.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	68.80	69.07	69.40	69.52	69.71	69.83	69.67	69.70	69.80	70.00	70.37	70.46
10	68.97	69.12	69.42	69.47	69.70	69.83	69.75	69.63	69.81	70.15	70.43	70.52
15	68.80	69.22	69.46	69.48	69.73	69.72	69.70	69.72	69.70	70.18	70.50	70.53
20	68.86	69.22	69.39	69.47	69.76	69.74	69.60	69.76	69.97	70.12	70.53	70.48
25	68.72	69.29	69.42	69.55	69.81	69.72	69.67	69.75	69.97	70.22	70.52	70.60
EOM	69.10	69.31	69.49	69.58	69.82	69.66	69.63	69.73	70.00	70.20	70.50	70.63

WATER YEAR 2002	HIGHEST	68.72	OCT 25, 2001	LOWEST	70.63	SEP 30, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



CITY OF CHESAPEAKE

364227076074709. Local number, 61B 15 SOW 091H.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 700 ft, diameter 2 in. from 674 to 790 ft, depth 790 ft, screened 759 to 769 ft.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with manometer.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Flowing well.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.75 ft above land-surface datum, Apr. 20, 1989; lowest measured, 2.31 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	1.85	JAN 14	1.91	APR 19	1.83	JUL 17	2.31
WATER YEAR 2002		HIGHEST	1.83	APR 19, 2002	LOWEST	2.31	JUL 17, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074710. Local number, 61B 16 SOW 091J.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 602 ft, diameter 2 in. from 586 to 690 ft, depth 690 ft, screened 670 to 680 ft.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with manometer.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.31 ft above land-surface datum, Mar. 13, 1989; lowest measured, 2.73 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
OCT 11	1.89	JAN 14	2.32	APR 19	2.26	JUL 17	2.73		
WATER YEAR 2002		HIGHEST		1.89	OCT 11, 2001	LOWEST		2.73	JUL 17, 2002



GROUND-WATER LEVELS

107

CITY OF CHESAPEAKE

364227076074711. Local number, 61B 17 SOW 091K.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 78 ft, diameter 2 in. from 78 to 108 ft, depth 108 ft, screened 88 to 98 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.00 ft below land-surface datum, Jan. 30, 1991; lowest measured, 9.44 ft below land-surface datum, Nov. 5, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	8.79	JAN 14	9.33	APR 19	6.33	JUL 17	8.60
WATER YEAR 2002		HIGHEST	6.33	APR 19, 2002	LOWEST	9.33	JAN 14, 2002



GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074713. Local number, 61B 19 SOW 091M.

LOCATION.--Lat 36°42'28", long 76°07'46", NAD83, Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.09 ft below land-surface datum, Feb. 26, 1992; lowest measured, 6.74 ft below land-surface datum, Nov. 1, 1994.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	6.37	JAN 14	6.49	APR 19	2.74	JUL 17	6.25
WATER YEAR 2002		HIGHEST	2.74	APR 19, 2002	LOWEST	6.49	JAN 14, 2002



CHESTERFIELD COUNTY

372519077264701. Local number, 51H 92.

LOCATION.--Lat 37°25'20", long 77°26'46", NAD83, Hydrologic Unit 02080206, 500 ft north of Alcott Road at Bensley, 0.3 mi southwest of the intersection of U.S. Highways 1 and 301 (Jefferson Davis Highway) and Alcott Road. Owner: U.S. Geological Survey.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 53 ft, screened 51 to 53 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1985, to Jan. 23, 1991, digital recorder 60-minute punch. Prior to Oct. 1, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 103.00 ft NGVD of 1929. Measuring point: Top of casing, 1.5 ft above land-surface datum prior to Jun. 12, 2001; top of casing, 0.17 ft below land-surface datum thereafter.


REMARKS.--Water level after Sep. 20, 1996 affected by local pumpage.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 8.95 ft below land-surface datum, June 14, 1989; lowest measured, 27.91 ft below land-surface datum, Apr. 29, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 15	14.84	FEB 01	26.15	APR 29	27.91	JUL 19	24.07
WATER YEAR 2002		HIGHEST	14.84	OCT 15, 2001	LOWEST	27.91	APR 29, 2002



GROUND-WATER LEVELS

CHESTERFIELD COUNTY

372519077264704. Local number, 51H 95.

LOCATION.--Lat 37°25'20", long 77°26'46", NAD83, Hydrologic Unit 02080206, 500 ft north of Alcott Road at Bensley and 0.3 mi southwest of the intersection of U.S. Highways 1 and 301 (Jefferson Davis Highway) and Alcott Road. Owner: U.S. Geological Survey.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 4.7 ft, screened 2.7 to 4.7 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Jan. 23, 1991, digital recorder 60-minute punch and monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 102.88 ft NGVD of 1929. Measuring point: Top of casing, 1.9 ft above land-surface datum prior to Jun. 12, 2001; top of casing, 0.14 ft below land-surface datum thereafter.


REMARKS.--Upper limit of recorded water-level data is limited by well construction. Water level affected by pumping and sampling at different times during the year.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.02 ft below land-surface datum, Jan. 11, 12, 1990; well was observed to be dry on Oct. 15, 2001 and July 19, 2002; lowest water level measured, 4.64 ft below land-surface datum, July 13, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 15	Dry	FEB 01	1.97	APR 29	1.61	JUL 19	Dry
WATER YEAR 2002		HIGHEST	1.61	APR 29, 2002	LOWEST	1.97	FEB 01, 2002



CHESTERFIELD COUNTY

372519077264605. Local number, 51H130.

LOCATION.--Lat 37°25'20", long 77°26'45", NAD83, Hydrologic Unit 02080206, 500 ft north of Alcott Road at Bensley and 0.3 mi southwest of the intersection of U.S. Highway 1 and 301 (Jefferson Davis Highway) and Alcott Road. Owner: U.S. Geological Survey.

AQUIFER.--Petersburg Granite of Mississippian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 96 ft, cased to 71 ft, open hole 71 to 96 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1995, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 102.70 ft NGVD of 1929. Measuring point: Top of casing, 1.64 ft above land-surface datum prior to Jun. 12, 2001; top of casing, 0.34 ft below land-surface datum thereafter.


REMARKS.--Water level affected by pumping and sampling at different times during the year.

PERIOD OF RECORD.--May 1985 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.64 ft above land-surface datum, June 1, 1989; lowest measured, 7.82 ft below land-surface datum, July 19, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 15	6.17	FEB 01	7.63	APR 29	6.47	JUL 19	7.82
WATER YEAR 2002		HIGHEST	6.17	OCT 15, 2001	LOWEST	7.82	JUL 19, 2002



GROUND-WATER LEVELS

CHESTERFIELD COUNTY

372031077200001. Local number, 52G 22.

LOCATION.--Lat 37°20'32", long 77°19'59", NAD83, Hydrologic Unit 02080206, at Virginia Department of Transportation salt storage facility, 200 ft east of intersection of State Highway 10 and Interstate 295. Owner: U.S. Geological Survey.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 16.77 ft, screened 11.77 ft to 16.77 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Unpublished digital recorder data Nov. 13, 1995, to Apr. 2, 1996.

DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.59 ft above land-surface datum.

REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Well drilled as part of Fall Zone ground-water study.


PERIOD OF RECORD.--August 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.79 ft below land-surface datum, Dec. 16, 1996; lowest measured, 13.39 ft below land-surface datum, Oct. 21, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	10.88	JAN 24	11.10	APR 16	12.34	JUL 09	10.21

WATER YEAR 2002	HIGHEST	10.21	JUL 09, 2002	LOWEST	12.34	APR 16, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



CHESTERFIELD COUNTY

372031077200003. Local number, 52G 24.

LOCATION.--Lat 37°20'32", long 77°19'59", NAD83, Hydrologic Unit 02080206, at Virginia Department of Transportation salt storage facility, 200 ft east of intersection of State Highway 10 and Interstate 295. Owner: U.S. Geological Survey.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 64.79 ft, screened 59.79 ft to 64.79 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Unpublished digital recorder data Mar. 5, 1996, to Apr. 2, 1996.

DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.35 ft above land-surface datum.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Well drilled as part of Fall Zone ground-water study.

PERIOD OF RECORD.--August 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.16 ft below land-surface datum, Apr. 16, 2002; lowest measured, 17.67 ft below land-surface datum, Oct. 15, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	15.19	JAN 24	13.71	APR 16	9.16	JUL 09	14.82
WATER YEAR 2002		HIGHEST	9.16	APR 16, 2002	LOWEST	15.19	OCT 25, 2001



371644077244601. Local number, 51G 1.

LOCATION.--Lat 37°16'45", long 77°24'45", NAD83, Hydrologic Unit 02080207, 200 ft west of U.S. Highways 1 and 301, 0.5 mi south of the intersection of State Highway 144 (Ashby Avenue) and U.S. Highways 1 and 301 (Boulevard) in Colonial Heights. Owner: Dean Whittington.

AQUIFER.--Petersburg Granite of Mississippian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 100 ft, cased to 50 ft, open hole 50 to 100 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 57.30 ft NGVD of 1929. Measuring point: Top of casing, 1.0 ft above land-surface datum.

PERIOD OF RECORD.--October 1939 to November 2000, June 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.73 ft below land-surface datum, Jan. 26, 1978, Mar. 31, 1998; lowest measured, 19.26 ft below land-surface datum, Dec. 3, 1963.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	16.35	JAN 08	17.10	MAR 28	16.02	JUN 19	15.91	SEP 27	16.48		
31	16.95	29	16.65	APR 23	15.46	JUL 29	16.58				
NOV 29	17.27	FEB 28	16.47	MAY 31	16.40	AUG 29	17.03				
WATER YEAR 2002		HIGHEST	15.46	APR 23, 2002		LOWEST	17.27	NOV 29, 2001			



GROUND-WATER LEVELS

ESSEX COUNTY

380024076585801. Local number, 55N 2.

LOCATION.--Lat 38°00'24", long 76°58'57", NAD83, Hydrologic unit 02080104, 250 feet north east of U.S. Highway 17, 1.6 mi north west of State Highway 624, 1.2 mi southeast of Champlain on the north bound side of U.S. Highway 17. Owner: Ray Ellis.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 516 ft, casing 0 to 494, 514 to 516, screened 494 to 514.

INSTRUMENTATION.--Occasional measurement with chalk tape by USGS personal.

DATUM.--Elevation of land surface datum is 141 ft NGVD of 1929, from topographic map. Measuring point: Top of sanitary seal, 1.96 ft above land surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--September 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 153.12 ft below land-surface datum, Sept. 9, 1999; lowest measured, 156.98 ft below land-surface datum July 22, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	155.72	JAN 16	156.38	APR 30	156.18	JUL 22	156.98
WATER YEAR 2002		HIGHEST	155.72	OCT 22, 2001	LOWEST	156.98	JUL 22, 2002



385638077220101. Local number, 52V 2.

AQUIFER.--Manassas Sandstone of Triassic age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 8 in., depth 205 ft, cased to 35 ft, open hole 35 to 205 ft.

INSTRUMENTATION.--Satellite data collection platform 15-minute record interval. Sept. 1, 1996 to Sept. 13, 1999, electronic data logger 15-minute record interval. Prior to Sept. 1, 1996, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 390 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

REMARKS.--Missing record due to recorder malfunction.


PERIOD OF RECORD.--October 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 6.47 ft below land-surface datum, Mar. 30, 1984; lowest recorded, 24.92 ft below land-surface datum, Dec. 7-8, 1998.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 12.01 ft below land-surface datum, May 2, 3; lowest instantaneous water level, 16.46 ft below land-surface datum, Sept. 25, 26.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	14.70	15.33	14.98	14.83	14.75	14.65	13.75	12.23	13.07	14.09	15.22	15.66
10	15.05	15.39	14.93	14.71	14.83	14.58	13.74	12.49	13.25	14.43	15.52	15.67
15	15.08	15.41	14.89	14.79	14.76	14.40	13.50	12.70	13.22	14.56	15.76	16.04
20	15.06	15.32	14.70	14.77	14.68	14.30	13.47	12.90	13.92	14.73	16.04	16.21
25	15.07	15.24	14.69	14.76	14.81	14.04	13.42	13.06	13.51	14.85	16.19	16.46
EOM	15.38	15.01	14.85	14.71	14.82	13.74	12.47	12.59	13.81	14.87	16.02	16.11



GROUND-WATER LEVELS

CITY OF FRANKLIN

364033076562604. Local number, 55B 67 SOW 145D.

LOCATION.--Lat 36°40'34", long 76°56'25", NAD83, Hydrologic Unit 03010202, at P. D. Camp Community College in Franklin. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 140 ft, screened 130 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 34 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.15 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1984 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 29.51 ft below land-surface datum, Mar. 19, 1985; lowest measured, 36.90 ft below land-surface datum, July 16, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 31	36.03	JAN 08	35.97	APR 24	36.03	JUL 16	36.90
WATER YEAR 2002		HIGHEST	35.97	JAN 08, 2002	LOWEST	36.90	JUL 16, 2002



FREDERICK COUNTY

390546078191701. Local number, 44W 2.

LOCATION.--Lat 39°05'45.72", long 78°19'17.45", NAD83, Hydrologic Unit 02070006, 180 ft northeast of the intersection of Fromans Road and Cedar Creek Grade and 65 ft southeast of Cedar Creek Grade. Owner: Jacques E. Billmyer.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 300 ft, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 827.78 ft NGVD of 1929, NGVD29. Measuring point: Top of casing, 0.9 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 44.08 ft below land-surface datum, July 30, 2002; lowest measured, 52.66 ft below land-surface datum, Nov. 14, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	44.70	JUN 26	44.72	AUG 07	44.71	SEP 05	45.83	SEP 25	47.09
WATER YEAR 2001		HIGHEST	44.70	MAY 30, 2001		LOWEST	47.09	SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	52.66	MAR 26	47.65	MAY 02	44.72	MAY 30	44.70	JUL 08	44.71	JUL 30	44.08
WATER YEAR 2002		HIGHEST	44.08	JUL 30, 2002		LOWEST	52.66	NOV 14, 2001			



GROUND-WATER LEVELS

FREDERICK COUNTY

390558078190001. Local number, 44W 4.

LOCATION.--Lat 39°05'58.44", long 78°18'59.87", NAD83, Hydrologic Unit 02070006, 0.39 mi. northeast of the intersection of Fromans Road and Cedar Creek Grade and 385 ft southeast of Cedar Creek Grade. Owner: Dwight Rinard.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 300 ft, cased to 60 ft, open hole 60 to 300 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 845 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.8 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 77.76 ft below land-surface datum, May 30, 2001; lowest measured, 106.59 ft below land-surface datum, Mar. 26, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	77.76	JUN 26	84.67	AUG 07	90.71	SEP 05	92.63	SEP 25	95.59
WATER YEAR 2001		HIGHEST 77.76		MAY 30, 2001		LOWEST 95.59		SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	102.09	MAR 26	106.59	MAY 02	104.73	MAY 30	102.77	JUL 08	103.04	JUL 30	103.57
WATER YEAR 2002		HIGHEST 102.09		NOV 14, 2001		LOWEST 106.59		MAR 26, 2002			



121

390514078191901. Local number, 44W 5.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 98 ft, cased to 24 ft, open hole 24 to 98 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 730 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.25 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 44.41 ft below land-surface datum, May 30, 2001; lowest measured, 58.57 ft below land-surface datum, Nov. 14, 2001.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	44.41	JUN 26	50.39	AUG 06	55.54	SEP 05	57.39	SEP 25	57.98
WATER YEAR 2001		HIGHEST	44.41	MAY 30, 2001		LOWEST	57.98	SEP 25, 2001	

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	58.57	MAR 26	57.99	APR 30	51.83	MAY 30	49.79	JUL 08	56.96	JUL 29	56.81
WATER YEAR 2002		HIGHEST	49.79	MAY 30, 2002		LOWEST	58.57	NOV 14, 2001			



GROUND-WATER LEVELS

FREDERICK COUNTY

390456078191501. Local number, 44W 6.

LOCATION.--Lat 39°04'55.92", long 78°19'14.61", NAD83, Hydrologic Unit 02070006, 400 ft northeast of the intersection of Middle Road and Cedar Creek Grade and 45 ft west of Middle Road. Owner: Cedar Creek Presbyterian Church.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 725 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.25 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 30.52 ft below land-surface datum, May 30, 2001; lowest measured, 44.78 ft below land-surface datum, Nov. 14, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	30.52	JUN 25	37.61	AUG 07	42.28	SEP 05	43.61	SEP 25	40.01
WATER YEAR 2001		HIGHEST	30.52	MAY 30, 2001		LOWEST	43.61	SEP 05, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	44.78	MAR 25	38.56	APR 30	34.52	MAY 29	36.43	JUL 08	42.65	JUL 29	39.14
WATER YEAR 2002		HIGHEST	34.52	APR 30, 2002		LOWEST	44.78	NOV 14, 2001			



FREDERICK COUNTY

390421078191701. Local number, 44W 7.

LOCATION.--Lat 39°04'20.97", long 78°19'16.68", NAD83, Hydrologic Unit 02070006, 0.13 mi. east of the intersection of Chapel Road and Mine Bank Road and 30 ft south of Chapel Road. Owner: Hites Chapel United Methodist Church.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 765 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.3 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.68 ft below land-surface datum, May 30, 2001; lowest measured, 71.89 ft below land-surface datum, July 8, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	57.68	JUN 25	62.79	AUG 06	62.77	SEP 06	65.63	SEP 25	63.82
WATER YEAR 2001		HIGHEST	57.68	MAY 30, 2001		LOWEST	65.63	SEP 06, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	66.20	MAR 25	66.02	APR 30	63.14	MAY 28	61.56	JUL 08	71.89	JUL 29	64.27
WATER YEAR 2002		HIGHEST	61.56	MAY 28, 2002		LOWEST	71.89	JUL 08, 2002			



GROUND-WATER LEVELS

FREDERICK COUNTY

390226078170601. Local number, 44W 8.

LOCATION.--Lat 39°02'26.08", long 78°17'06.00", NAD83, Hydrologic Unit 02070006, 300 ft northwest of the intersection of Chapel Road and Veterans Road and 25 ft west of Chapel Road. Owner: Middletown Baptist Church.

AQUIFER.--Rockdale Run Formation of the Beekmantown Group of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 155 ft, cased to 81.5 ft, open hole 81.5 to 155 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 15-minute record interval.

DATUM.--Elevation of land-surface datum is 735 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

REMARKS.--Missing record due to recorder malfunction.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 50.34 ft below land-surface datum, May 29, 2001; lowest recorded, 68.93 ft below land-surface datum, Mar. 18, 2002.


EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 59.69 ft below land-surface datum, May 23, 24; lowest instantaneous water level, 68.93 ft below land-surface datum, Mar. 18.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	---	---	---	---	---	---	---	---	---	52.91	56.09	58.28
10	---	---	---	---	---	---	---	---	---	53.40	56.53	58.69
15	---	---	---	---	---	---	---	---	---	54.12	56.90	59.02
20	---	---	---	---	---	---	---	---	---	54.68	57.33	59.38
25	---	---	---	---	---	---	---	---	---	55.17	57.67	59.70
EOM	---	---	---	---	---	---	---	---	52.27	55.56	57.99	60.06

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	60.33	62.34	64.11	65.78	67.12	68.32	67.79	62.81	60.46	61.84	62.22	64.61
10	60.71	62.65	64.48	66.04	67.34	68.54	68.03	61.83	60.33	61.79	62.70	64.95
15	61.04	---	64.76	66.32	67.53	68.79	68.13	60.53	60.23	61.92	63.01	65.29
20	61.37	63.30	64.96	66.51	67.79	68.86	68.32	60.01	60.55	62.16	63.41	65.60
25	61.71	63.62	65.21	66.74	68.02	68.03	66.72	59.88	60.89	62.47	63.76	65.68
EOM	62.08	63.98	65.53	66.98	68.09	67.97	64.57	60.10	61.13	62.28	64.18	64.61



390228078170301. Local number, 44W 9.

LOCATION.--Lat 39°02'27.51", long 78°17'02.92", NAD83, Hydrologic Unit 02070006, 440 ft north of the intersection of Chapel Road and Veterans Road and 210 ft east of Chapel Road. Owner: Harold G. Nichols.

AQUIFER.--Rockdale Run Formation of the Beekmantown Group of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 730 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.35 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.98 ft below land-surface datum, May 29, 2001; lowest measured, 60.55 ft below land-surface datum, Mar. 25, 2002.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	42.98	JUN 25	44.29	AUG 06	48.73	SEP 06	51.03	SEP 25	52.33
WATER YEAR 2001		HIGHEST	42.98	MAY 29, 2001		LOWEST	52.33	SEP 25, 2001	

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	55.64	MAR 25	60.55	APR 30	57.15	MAY 28	52.73	JUL 08	54.31	JUL 29	54.74
WATER YEAR 2002		HIGHEST	52.73	MAY 28, 2002		LOWEST	60.55	MAR 25, 2002			



GROUND-WATER LEVELS

FREDERICK COUNTY

390359078163201. Local number, 44W 10.

LOCATION.--Lat 39°03'59.35", long 78°16'32.17", NAD83, Hydrologic Unit 02070006, 250 ft south of the intersection of Hités Road and Clark Road and 10 ft west of Hités Road. Owner: Eugene Snow.

AQUIFER.--Rockdale Run Formation of the Beekmantown Group of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 136 ft, cased to 45 ft, open hole 45 to 136 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 835 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum.

REMARKS.--Water level of Sept. 25, 2001 result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 75.30 ft below land-surface datum, May 29, 2001; lowest measured, 97.44 ft below land-surface datum, Mar. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	75.30	JUN 25	76.80	AUG 07	82.89	SEP 06	85.84	SEP 25	90.56
WATER YEAR 2001		HIGHEST	75.30	MAY 29, 2001		LOWEST	85.84	SEP 06, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	96.44	MAR 27	97.44	MAY 01	75.61	MAY 28	79.59	JUL 09	89.22	JUL 31	90.49
WATER YEAR 2002		HIGHEST	75.61	MAY 01, 2002		LOWEST	97.44	MAR 27, 2002			



FREDERICK COUNTY

390444078154601. Local number, 44W 11.

LOCATION.--Lat 39°04'44.01", long 78°15'46.37", NAD83, Hydrologic Unit 02070006, 0.26 mi.east of the intersection of Hités Road and Carson Lane and 60 ft south of Carson Lane. Owner: Najeeb Anwar.

AQUIFER.--Rockdale Run Formation of the Beekmantown Group of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 780 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.61 ft below land-surface datum, May 29, 2001; lowest measured, 39.49 ft below land-surface datum, Mar. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	22.61	JUN 25	24.27	AUG 07	27.77	SEP 06	29.75	SEP 25	30.87
WATER YEAR 2001		HIGHEST	22.61	MAY 29, 2001		LOWEST	30.87	SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	33.17	MAR 27	36.94	MAY 01	36.74	MAY 28	35.02	JUL 09	36.07	JUL 31	36.52
WATER YEAR 2002		HIGHEST	33.17	NOV 15, 2001		LOWEST	36.94	MAR 27, 2002			



GROUND-WATER LEVELS

FREDERICK COUNTY

390631078155301. Local number, 44W 12.

LOCATION.--Lat 39°06'30.90", long 78°15'52.87", NAD83, Hydrologic Unit 02070006, 280 ft southeast of the intersection of Middle Road and Carters Lane and 180 ft south of Carters Lane. Owner: Relief United Methodist Church.

AQUIFER.--Stonehenge Limestone of the Beekmantown Group of Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 835 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.8 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.62 ft below land-surface datum, May 29, 2001; lowest measured, 60.91 ft below land-surface datum, Mar. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	40.62	JUN 26	41.88	AUG 07	46.55	SEP 05	49.93	SEP 25	52.00
WATER YEAR 2001		HIGHEST	40.62	MAY 29, 2001		LOWEST	52.00	SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	56.58	MAR 27	60.91	APR 30	58.54	MAY 29	57.65	JUL 09	58.20	JUL 29	58.55
WATER YEAR 2002		HIGHEST	56.58	NOV 15, 2001		LOWEST	60.91	MAR 27, 2002			



FREDERICK COUNTY

390647078170201. Local number, 44W 13.

LOCATION.--Lat 39°06'46.73", long 78°17'02.08", NAD83, Hydrologic Unit 02070006, 1.0 mi. west of the intersection of Middle Road and Laurel Grove Road and 750 ft south of Laurel Grove Road. Owner: Alson H. Smith, Jr. Agricultural Research and Extension Center.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 285 ft, cased to 135 ft, open hole 135 to 285 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 930 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 122.29 ft below land-surface datum, May 29, 2001; lowest measured, 163.86 ft below land-surface datum, July 30, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	122.29	JUN 26	123.70	AUG 07	130.43	SEP 06	136.21	SEP 25	139.29
WATER YEAR 2001		HIGHEST	122.29	MAY 29, 2001		LOWEST	139.29	SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	146.87	MAR 27	161.59	MAY 01	163.75	MAY 30	160.00	JUL 10	161.87	JUL 30	163.86
WATER YEAR 2002		HIGHEST	146.87	NOV 15, 2001		LOWEST	163.86	JUL 30, 2002			



GROUND-WATER LEVELS
FREDERICK COUNTY

390101078174801. Local number, 44W 14.

LOCATION.--Lat 39°01'01.20", long 78°17'48.31", NAD83, Hydrologic Unit 02070006, 0.28 mi. northeast of the intersection of Belle Grove Road and U.S. Highway 11 and 30 ft east of U.S. Highway 11. Owner: Joyce Brinklow.

AQUIFER.--Stickley Run Member of the Martinsburg Formation of Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 515 ft, cased to 55 ft, open hole 55 to 515 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 730 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.7 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.92 ft below land-surface datum, Apr. 30, 2002; lowest measured, 60.82 ft below land-surface datum, July 29, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL			
AUG 06	22.62	SEP 06	28.56	SEP 25	27.83			
WATER YEAR 2001		HIGHEST	22.62	AUG 06, 2001		LOWEST	28.56	SEP 06, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	32.92	MAR 25	31.62	APR 30	21.92	MAY 28	22.63	JUL 08	50.89	JUL 29	60.82
WATER YEAR 2002		HIGHEST	21.92	APR 30, 2002	LOWEST	60.82	JUL 29, 2002				



FREDERICK COUNTY

390405078151101. Local number, 44W 16.

LOCATION.--Lat 39°04'05.23", long 78°15'10.68", NAD83, Hydrologic Unit 02070007, 0.75 mi. northwest of the intersection of Vaucluse Road and U.S. Highway 11 and 0.4 mi. north of Vaucluse Road. Owner: Jason McDonald.

AQUIFER.--Stonehenge Limestone of the Beekmantown Group of Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 240 ft, cased to 72 ft, open hole 72 to 240 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 765 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 50.95 ft below land-surface datum, Aug. 7, 2001; lowest measured, 59.20 ft below land-surface datum, Mar. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 07	50.95	SEP 06	52.28	SEP 25	53.44		
WATER YEAR 2001		HIGHEST	50.95	AUG 07, 2001	LOWEST	53.44	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	56.67	MAR 27	59.20	MAY 01	54.70	MAY 28	56.57	JUL 09	58.18	JUL 31	57.71
WATER YEAR 2002		HIGHEST	54.70	MAY 01, 2002	LOWEST	59.20	MAR 27, 2002				



GROUND-WATER LEVELS

FREDERICK COUNTY

390134078174701. Local number, 44W 17.

LOCATION.--Lat 39°01'33.95", long 78°17'47.13", NAD83, Hydrologic Unit 02070006, 600 ft southwest of the intersection of McCune Road and Meadow Mills Road and 200 ft southeast of Meadow Mills Road. Owner: George McFarland.

AQUIFER.--Pinesburg Station Dolomite of the Beekmantown Group of Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 145 ft, cased to 60 ft, open hole 60 to 145 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 645 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 18.30 ft below land-surface datum, Apr. 30, 2002; lowest measured, 22.24 ft below land-surface datum, Nov. 15, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 06	19.89	SEP 06	20.70	SEP 25	21.32		
WATER YEAR 2001		HIGHEST	19.89	AUG 06, 2001	LOWEST	21.32	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	22.24	MAR 25	21.78	APR 30	18.30	MAY 28	19.61	JUL 08	21.66	JUL 29	20.89
WATER YEAR 2002		HIGHEST	18.30	APR 30, 2002	LOWEST	22.24	NOV 15, 2001				



GROUND-WATER LEVELS

133

FREDERICK COUNTY

390551078155801. Local number, 44W 18.

LOCATION.--Lat 39°05'50.88", long 78°15'57.64", NAD83, Hydrologic Unit 02070006, 0.47 mi. north of the intersection of Germany Road and Marlboro Road and 0.16 mi. west of Germany Road. Owner: Michael Anderson.

AQUIFER.--Conococheague Limestone of Upper Cambrian and Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 140 ft, cased to 79 ft, open hole 79 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 875 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.45 ft above land-surface datum.

REMARKS.--Water level of July 9, 2002 result of well having been recently pumped.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 94.11 ft below land-surface datum, Aug. 7, 2001; lowest measured, 104.93 ft below land-surface datum, July 31, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 07	94.11	SEP 06	95.56	SEP 25	97.14		
WATER YEAR 2001		HIGHEST	94.11	AUG 07, 2001	LOWEST	97.14	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	99.73	MAR 27	103.66	MAY 01	104.35	MAY 29	104.62	JUL 09	114.92	JUL 31	104.93
WATER YEAR 2002		HIGHEST	99.73	NOV 15, 2001	LOWEST	104.93	JUL 31, 2002				



GROUND-WATER LEVELS

FREDERICK COUNTY

390422078191801. Local number, 44W 19.

LOCATION.--Lat 39°04'22.12", long 78°19'18.08", NAD83, Hydrologic Unit 02070006, 550 ft east of the intersection of Chapel Road and Minebank Road and 20 ft north of Chapel Road. Owner: Ray West.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 760 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

REMARKS.--Water levels of Nov. 14, 2001 and July 8, 2002 are the result of well having been recently pumped.

PERIOD OF RECORD.--September 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 53.36 ft below land-surface datum, May 28, 2002; lowest measured, 57.61 ft below land-surface datum, Mar. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL
SEP 06	56.94	SEP 25	55.10
WATER YEAR 2001		HIGHEST	55.10 SEP 25, 2001
		LOWEST	56.94 SEP 06, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	58.85	MAR 25	57.61	APR 30	57.32	MAY 28	53.36	JUL 08	66.94	JUL 29	55.64
WATER YEAR 2002		HIGHEST	53.36 MAY 28, 2002	LOWEST		57.61 MAR 25, 2002					



390730078160801. Local number, 44X 2.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 360 ft, cased to 99 ft, open hole 99 to 360 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 950 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.7 ft above land-surface datum.


REMARKS.--Water levels of Aug. 7, 2001 and July 31, 2002 are the result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 135.70 ft below land-surface datum, May 30, 2001; lowest measured, 152.72 ft below land-surface datum, May 29, 2002.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	135.70	JUN 26	136.21	AUG 07	141.00	SEP 06	139.07	SEP 25	139.98
WATER YEAR 2001		HIGHEST	135.70	MAY 30, 2001		LOWEST	139.98	SEP 25, 2001	

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	148.87	MAR 27	150.09	MAY 01	151.77	MAY 29	152.72	JUL 09	150.90	JUL 31	154.88
WATER YEAR 2002		HIGHEST	150.09	MAR 27, 2002		LOWEST	152.72	MAY 29, 2002			



GROUND-WATER LEVELS

FREDERICK COUNTY

390849078154201. Local number, 44X 5.

LOCATION.--Lat 39°08'49.11", long 78°15'42.36", NAD83, Hydrologic Unit 02070004, 850 ft southeast of the intersection of Cedar Creek Grade and Perry Road. Owner: Marker-Miller Orchards.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 1200 ft, cased to 40 ft, open hole 40 to 1200 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 920 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

REMARKS.--Water level of Sept. 25, 2001 result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 54.25 ft below land-surface datum, May 30, 2001; lowest measured, 59.97 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	54.25	JUN 26	54.89	AUG 07	57.74	SEP 05	57.46	SEP 25	57.92
WATER YEAR 2001		HIGHEST	54.25	MAY 30, 2001		LOWEST	57.74	AUG 07, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	57.86	MAR 26	57.86	MAY 02	57.76	MAY 30	57.66	JUL 10	59.97	JUL 30	58.13
WATER YEAR 2002		HIGHEST	57.66	MAY 30, 2002		LOWEST	59.97	JUL 10, 2002			



FREDERICK COUNTY

390846078164201. Local number, 44X 6.

LOCATION.--Lat 39°08'46.34", long 78°16'41.60", NAD83, Hydrologic Unit 02070006, 0.40 mi. northwest of the intersection of Cedar Creek Grade and West Oaks Lane and 0.18 mi. southwest of West Oaks Lane. Owner: Snapp Brothers Orchard.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 160 ft, cased to 99 ft, open hole 99 to 160 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 920 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

PERIOD OF RECORD.--September 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 36.46 ft below land-surface datum, Sept. 6, 2001; lowest measured, 46.99 ft below land-surface datum, July 30, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001


DATE	WATER LEVEL	DATE	WATER LEVEL
SEP 06	36.46	SEP 25	37.42

WATER YEAR 2001	HIGHEST	36.46	SEP 06, 2001	LOWEST	37.42	SEP 25, 2001
-----------------	---------	-------	--------------	--------	-------	--------------

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	40.09	MAR 26	45.51	MAY 02	46.68	MAY 30	45.83	JUL 30	46.99

WATER YEAR 2002	HIGHEST	40.09	NOV 14, 2001	LOWEST	46.99	JUL 30, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



FREDERICK COUNTY

390542078145901. Local number, 45W 16.

LOCATION.--Lat 39°05'42.07", long 78°14'59.01", NAD83, Hydrologic Unit 02070007, 0.20 mi. northwest of the intersection of Marlboro Road and Carters Lane and 0.14 mi. north of Marlboro Road. Owner: Harold G. Nichols.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 835 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.26 ft below land-surface datum, May 29, 2001; lowest measured, 77.39 ft below land-surface datum, May 1, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29	60.26	JUN 25	62.75	AUG 07	63.73	SEP 06	65.56	SEP 25	65.53
WATER YEAR 2001		HIGHEST	60.26	MAY 29, 2001		LOWEST	65.56	SEP 06, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	67.17	MAR 27	70.78	MAY 01	77.39	MAY 28	72.12	JUL 09	72.99	JUL 31	74.26
WATER YEAR 2002		HIGHEST	67.17	NOV 15, 2001		LOWEST	77.39	MAY 01, 2002			



FREDERICK COUNTY

390605078134701. Local number, 45W 17.

LOCATION.--Lat 39°06'04.78", long 78°13'47.19", NAD83, Hydrologic Unit 02070007, 1.18 mi. southwest of the intersection of Springdale Road and Baltimore & Ohio Railroad and 0.28 mi. southeast of Springdale Road. Owner: Long Creek Farm.

AQUIFER.--Pinesburg Station Dolomite and Rockdale Run Formation of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 400 ft, cased to 60 ft, open hole 60 to 400 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 785 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

REMARKS.--Water levels of Sept. 25, 2001, Mar. 27 and May 1, 2002 are the result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 63.79 ft below land-surface datum, Sept. 6, 2001; lowest measured, 67.11 ft below land-surface datum, July 31, 2002.


WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG 07	64.47	SEP 06	63.79	SEP 25	65.68

WATER YEAR 2001	HIGHEST	63.79	SEP 06, 2001	LOWEST	64.47	AUG 07, 2001
-----------------	---------	-------	--------------	--------	-------	--------------

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	65.74	MAR 27	68.24	MAY 01	67.32	MAY 29	66.40	JUL 09	66.77	JUL 31	67.11
WATER YEAR 2002	HIGHEST	65.74	NOV 15, 2001	LOWEST	67.11	JUL 31, 2002					



GROUND-WATER LEVELS

FREDERICK COUNTY

390927078144801. Local number, 45X 3.

LOCATION.--Lat 39°09'27.33", long 78°14'48.08", NAD83, Hydrologic Unit 02070004, 90 ft north of the intersection of Cedar Creek Grade and Miller Road and 20 ft west of Miller Road. Owner: Second Opequon Presbyterian Church.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 4 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 834.48 ft NGVD of 1929, NGVD 29. Measuring point: Top of 6 in. protector casing, 0.8 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.03 ft below land-surface datum, May 2, 2002; lowest measured, 8.35 ft below land-surface datum, Nov. 14, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	7.49	JUN 26	8.11	AUG 07	8.02	SEP 05	8.05	SEP 25	8.13
WATER YEAR 2001		HIGHEST	7.49	MAY 30, 2001		LOWEST	8.13	SEP 25, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	8.35	MAR 26	7.97	MAY 02	7.03	MAY 30	7.25	JUL 09	8.20	JUL 30	7.95
WATER YEAR 2002		HIGHEST	7.03	MAY 02, 2002		LOWEST	8.35	NOV 14, 2001			



FREDERICK COUNTY

391139078141501. Local number, 45X 4.

LOCATION.--Lat 39°11'38.62", long 78°14'14.74", NAD83, Hydrologic Unit 02070004, 0.33 mi. west of the intersection of U.S. Highway 50 and Poorhouse Road and 150 ft south of U.S. Highway 50. Owner: Round Hill United Methodist Church.

AQUIFER.--Martinsburg Formation of Middle to Upper Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 920 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

REMARKS.--Water levels of Sept. 24, 25, 2001 and May 2, 31, 2002 are the result of well having been recently pumped.

PERIOD OF RECORD.--June 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.47 ft below land-surface datum, Aug. 7, 2001; lowest measured, 24.17 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUN 27	12.40	AUG 07	10.47	SEP 05	11.58	SEP 24	30.68	SEP 25	30.01
WATER YEAR 2001		HIGHEST	10.47	AUG 07, 2001		LOWEST	12.40	JUN 27, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	11.93	MAR 27	17.95	MAY 02	25.60	MAY 31	43.24	JUL 10	24.17	JUL 31	13.97
WATER YEAR 2002		HIGHEST	11.93	NOV 14, 2001		LOWEST	24.17	JUL 10, 2002			



GROUND-WATER LEVELS
FREDERICK COUNTY

391339078120701. Local number, 45X 9.

LOCATION.--Lat 39°13'39.42", long 78°12'07.18", NAD83, Hydrologic Unit 02070004, 910 ft northwest of the intersection of Burnt Church Road and U.S. Highway 522 and 170 ft north of Burnt Church Road. Owner: Burnt Presbyterian Church.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 925 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.28 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.61 ft below land-surface datum, May 2, 2002; lowest measured, 43.56 ft below land-surface datum, Nov. 14, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	31.52	JUN 27	31.24	AUG 07	40.15	SEP 05	37.49	SEP 24	40.91
WATER YEAR 2001		HIGHEST	31.24	JUN 27, 2001		LOWEST	40.91	SEP 24, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	43.56	MAR 28	35.68	MAY 02	27.61	MAY 31	36.02	JUL 10	40.02	JUL 31	34.10
WATER YEAR 2002		HIGHEST	27.61	MAY 02, 2002		LOWEST	43.56	NOV 14, 2001			



391233078133801. Local number, 45X 11.

AQUIFER.--Martinsburg Formation of Middle to Upper Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 300 ft, cased to 59 ft, open hole 59 to 300 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 945 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 26.05 ft below land-surface datum, May 30, 2001; lowest measured, 34.04 ft below land-surface datum, Mar. 28, 2002.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	26.05	JUN 27	27.39	AUG 07	29.40	SEP 05	29.33	SEP 24	29.76
WATER YEAR 2001		HIGHEST	26.05	MAY 30, 2001		LOWEST	29.76	SEP 24, 2001	

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	31.30	MAR 28	34.04	MAY 02	33.74	MAY 31	32.28	JUL 10	33.58	JUL 31	32.82
WATER YEAR 2002		HIGHEST	31.30	NOV 14, 2001		LOWEST	34.04	MAR 28, 2002			



GROUND-WATER LEVELS

FREDERICK COUNTY

390754078133201. Local number, 45X 12.

LOCATION.--Lat 39°07'54.05", long 78°13'32.05", NAD83, Hydrologic Unit 02070004, 750 ft west of the northern intersection of Middle Road and Old Middle Road and 330 ft northwest of Middle Road. Owner: Terry Livermore.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 180 ft, cased to 59 ft, open hole 59 to 180 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 800 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 45.61 ft below land-surface datum, May 29, 2002; lowest measured, 46.61 ft below land-surface datum, Nov. 15, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL			
AUG 07	45.99	SEP 06	46.18	SEP 25	46.18			
WATER YEAR 2001		HIGHEST	45.99	AUG 07, 2001	LOWEST	46.18	SEP 06, 2001	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	46.61	MAR 27	46.44	MAY 01	45.82	MAY 29	45.61	JUL 09	46.21	JUL 30	46.10
WATER YEAR 2002		HIGHEST	45.61	MAY 29, 2002		LOWEST	46.61	NOV 15, 2001			



FREDERICK COUNTY

390748078143301. Local number, 45X 13.

LOCATION.--Lat 39°07'48.18", long 78°14'32.78", NAD83, Hydrologic Unit 02070004, 0.7 mi. west of the southern intersection of Middle Road and Old Middle Road and 0.3 mi. northwest of Middle Road. Owner: Scott Gregory.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 250 ft, cased to 30 ft, open hole 30 to 250 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 860 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 44.01 ft below land-surface datum, Aug. 7, 2001; lowest measured, 56.54 ft below land-surface datum, Mar. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 07	44.01	SEP 06	45.94	SEP 25	47.34		
WATER YEAR 2001		HIGHEST	44.01	AUG 07, 2001	LOWEST	47.34	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 15	50.25	MAR 27	56.54	MAY 01	55.49	MAY 29	52.19	JUL 09	51.90	JUL 29	52.27
WATER YEAR 2002		HIGHEST	50.25	NOV 15, 2001	LOWEST	56.54	MAR 27, 2002				



GROUND-WATER LEVELS

FREDERICK COUNTY

390930078134601. Local number, 45X 14.

LOCATION.--Lat 39°09'30.20", long 78°13'45.62", NAD83, Hydrologic Unit 02070004, 0.55 mi. west of the intersection of Cedar Creek Grade and Merriman Road and 280 ft southeast of Cedar Creek Grade. Owner: Ron Leffler.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 250 ft, cased to 84 ft, open hole 84 to 250 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 850 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 52.08 ft below land-surface datum, Aug. 7, 2001; lowest measured, 60.09 ft below land-surface datum, May 2, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 07	52.08	SEP 05	52.67	SEP 25	53.59		
WATER YEAR 2001		HIGHEST	52.08	AUG 07, 2001	LOWEST	53.59	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	55.89	MAR 26	59.64	MAY 02	60.09	MAY 30	59.00	JUL 09	59.13	JUL 30	59.36
WATER YEAR 2002		HIGHEST	55.89	NOV 14, 2001	LOWEST	60.09	MAY 02, 2002				



FREDERICK COUNTY

390928078140001. Local number, 45X 15.

LOCATION.--Lat 39°09'28.14", long 78°13'59.75", NAD83, Hydrologic Unit 02070004, 0.76 mi. west of the intersection of Cedar Creek Grade and Merriman Road and 325 ft south of Cedar Creek Grade. Owner: Edith B. Miller.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 120 ft, cased to 99 ft, open hole 99 to 120 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 865 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.6 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 66.19 ft below land-surface datum, Aug. 7, 2001; lowest measured, 75.38 ft below land-surface datum, May 2, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
AUG 07	66.19	SEP 05	66.88	SEP 25	67.88		
WATER YEAR 2001		HIGHEST	66.19	AUG 07, 2001	LOWEST	67.88	SEP 25, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	70.38	MAR 26	74.57	MAY 02	75.38	MAY 30	74.52	JUL 09	74.40	JUL 30	74.53
WATER YEAR 2002		HIGHEST	70.38	NOV 14, 2001	LOWEST	75.38	MAY 02, 2002				



FREDERICK COUNTY

391605078083601. Local number, 45Y 1.

LOCATION.--Lat 39°16'05.35", long 78°08'36.08", NAD83, Hydrologic Unit 02070004, 0.6 mi.northwest of the intersection of Branson Spring Road and Welltown Road. Owner: D.K. Russell & Sons, Inc.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Dug domestic water well, depth 24.22 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 820 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of concrete slab cover, 1.0 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.65 ft below land-surface datum, June 27, 2001; lowest measured, 18.24 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	17.67	JUN 27	17.65	AUG 08	18.12	SEP 05	17.98	SEP 24	18.10
WATER YEAR 2001		HIGHEST	17.65	JUN 27, 2001		LOWEST	18.12	AUG 08, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	18.19	MAR 28	18.07	MAY 03	17.82	MAY 31	18.04	JUL 11	18.24	AUG 01	17.98
WATER YEAR 2002		HIGHEST	17.82	MAY 03, 2002		LOWEST	18.24	JUL 11, 2002			



FREDERICK COUNTY

391524078080701. Local number, 45Y 2.

LOCATION.--Lat 39°15'24.46", long 78°08'07.07", NAD83, Hydrologic Unit 02070004, 0.23 mi. northwest of the intersection of Hiatt Road and Welltown Road and 370 ft west of Welltown Road. Owner: D.K. Russell & Sons, Inc.

AQUIFER.--Pinesburg Station Dolomite and Rockdale Run Formation of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 100 ft, cased to 19 ft, open hole 19 to 100 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 730 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.7 ft above land-surface datum.

REMARKS.--Water level of Aug. 8, 2001 result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 30.05 ft below land-surface datum, Sept. 5, 2001; lowest measured, 54.46 ft below land-surface datum, Mar. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	31.66	JUN 27	30.79	AUG 08	35.31	SEP 05	30.05	SEP 24	33.71
WATER YEAR 2001		HIGHEST	30.05	SEP 05, 2001	LOWEST	33.71	SEP 24, 2001		

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	42.33	MAR 28	54.46	MAY 03	53.50	MAY 31	49.17	JUL 11	48.62	AUG 01	42.11
WATER YEAR 2002		HIGHEST	42.33	NOV 13, 2001	LOWEST	54.46	MAR 28, 2002				



GROUND-WATER LEVELS

FREDERICK COUNTY

391550078080301. Local number, 45Y 3.

LOCATION.--Lat 39°15'50.47", long 78°08'03.46", NAD83, Hydrologic Unit 02070004, 150 ft northwest of the intersection of Branson Spring Road and Welltown Road and 40 ft north of Branson Spring Road. Owner: Galilee Christian Church.

AQUIFER.--Pinesburg Station Dolomite and Rockdale Run Formation of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 750 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 28.63 ft below land-surface datum, June 27, 2001; lowest measured, 53.26 ft below land-surface datum, Mar. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	33.96	JUN 27	28.63	AUG 08	30.97	SEP 05	29.27	SEP 24	31.47
WATER YEAR 2001		HIGHEST	28.63	JUN 27, 2001		LOWEST	33.96	MAY 31, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	38.43	MAR 28	53.26	MAY 03	51.80	MAY 31	48.09	JUL 11	47.73	AUG 01	42.72
WATER YEAR 2002		HIGHEST	38.43	NOV 13, 2001		LOWEST	53.26	MAR 28, 2002			



FREDERICK COUNTY

391757078095401. Local number, 45Y 4.

LOCATION.--Lat 39°17'57.22", long 78°09'53.97", NAD83, Hydrologic Unit 02070004, 0.39 mi. northwest of the intersection of White Hall Road and Warm Springs Road and 0.24 mi. southwest of White Hall Road, just north of driveway to Old Stone Church. Owner: Martha Wolfe and Bill Shabb.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Dug unused water well, diameter , depth 20.47 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 770 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of concrete slab at land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.10 ft below land-surface datum, June 27, 2001; well was observed to be dry on Nov. 13, 2001 and Feb. 27, 2002; lowest water level measured, 19.42 ft below land-surface datum, Mar. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	13.83	JUN 27	6.10	AUG 08	16.26	SEP 05	14.82	SEP 24	17.13
WATER YEAR 2001		HIGHEST	6.10	JUN 27, 2001		LOWEST	17.13	SEP 24, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	Dry	MAR 28	19.42	MAY 31	12.60	AUG 01	11.85				
FEB 27	Dry	MAY 03	12.74	JUL 11	19.00						
WATER YEAR 2002		HIGHEST	11.85	AUG 01, 2002		LOWEST	19.42	MAR 28, 2002			



FREDERICK COUNTY

391757078095402. Local number, 45Y 5.

LOCATION.--Lat 39°17'56.81", long 78°09'54.25", NAD83, Hydrologic Unit 02070004, 0.39 mi. northwest of the intersection of White Hall Road and Warm Springs Road and 0.24 mi. southwest of White Hall Road, just south of driveway to Old Stone Church. Owner: Martha Wolfe and Bill Shabb.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 200 ft, cased to 40 ft, open hole 40 to 200 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 15-minute record interval.

DATUM.--Elevation of land-surface datum is 770 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing 2.2 ft above land-surface datum.

REMARKS.--Missing record due to recorder malfunction.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 12.12 ft below land-surface datum, June 28, 2001; lowest recorded, 30.51 ft below land-surface datum, Mar, 2, 2002.


EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 16.91 ft, Aug. 1, may have been higher during period of missing record; lowest instantaneous water level, 30.51 ft, Mar. 2.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	---	---	---	---	---	---	---	---	---	14.27	19.74	18.70
10	---	---	---	---	---	---	---	---	---	15.28	19.93	20.37
15	---	---	---	---	---	---	---	---	---	16.62	16.48	19.83
20	---	---	---	---	---	---	---	---	---	17.59	16.17	20.63
25	---	---	---	---	---	---	---	---	---	18.49	17.45	20.51
EOM	---	---	---	---	---	---	---	---	12.94	19.23	17.93	21.30

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	21.63	23.77	24.50	25.83	26.18	27.02	21.87	18.87	18.75	22.43	---	---
10	22.39	24.03	25.92	25.53	26.23	27.06	22.00	18.28	20.83	26.86	---	---
15	22.18	26.01	27.39	25.92	26.84	27.03	21.93	18.14	19.75	22.05	---	---
20	24.15	23.90	27.78	26.12	26.58	26.72	21.93	17.92	20.96	22.60	---	---
25	22.43	23.92	25.35	26.31	26.54	24.66	21.36	17.87	24.60	21.44	---	---
EOM	23.00	24.81	25.54	26.16	26.73	23.97	20.17	19.59	21.00	17.43	---	---



FREDERICK COUNTY

391738078085501. Local number, 45Y 6.

LOCATION.--Lat 39°17'37.96", long 78°08'55.00", NAD83, Hydrologic Unit 02070004, 905 ft north of the intersection of White Hall Road and Apple Pie Ridge Road and 450 ft west of Apple Pie Ridge Road. Owner: White Hall United Methodist Church.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 905 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.55 ft above land-surface datum.

REMARKS.--Water level of Sept. 24, 2001 result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.48 ft below land-surface datum, June 28, 2001; lowest measured, 114.92 ft below land-surface datum, Mar. 28, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	90.89	JUN 28	62.48	AUG 08	88.15	SEP 05	96.50	SEP 24	104.95
WATER YEAR 2001		HIGHEST	62.48	JUN 28, 2001		LOWEST	96.50	SEP 05, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	113.73	MAR 28	114.92	MAY 03	91.45	MAY 31	76.90	JUL 11	102.37	AUG 01	84.91
WATER YEAR 2002		HIGHEST	76.90	MAY 31, 2002		LOWEST	114.92	MAR 28, 2002			



GROUND-WATER LEVELS
FREDERICK COUNTY

391858078075601. Local number, 45Y 8.

LOCATION.--Lat 39°18'58.11", long 78°07'55.50", NAD83, Hydrologic Unit 02070004, 350 ft southwest of the intersection of Winding Hill Road and Apple Pie Ridge Road and 90 ft northwest of Apple Pie Ridge Road. Owner: Todd Esparza.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth 220 ft, cased to 19 ft, open hole 19 to 220 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 845 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.

PERIOD OF RECORD.--August 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 30.60 ft below land-surface datum, Aug. 1, 2002; lowest measured, 30.92 ft below land-surface datum, Nov. 13, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL				
AUG 08	30.84	SEP 05	30.78	SEP 24	30.84				
WATER YEAR 2001		HIGHEST	30.78	SEP 05, 2001		LOWEST	30.84	AUG 08, 2001	SEP 24, 2001

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	30.92	MAR 28	30.83	MAY 03	30.71	MAY 31	30.78	JUL 11	30.85	AUG 01	30.60
WATER YEAR 2002		HIGHEST	30.60	AUG 01, 2002	LOWEST	30.92	NOV 13, 2001				



391413078063901. Local number, 46X108.

AQUIFER.--Pinesburg Station Dolomite and Rockdale Run Formation of Lower to Middle Ordovician age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 120 ft, cased to 20 ft, open hole 20 to 120 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 15-minute record interval.

DATUM.--Elevation of land-surface datum is 625 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

REMARKS.--Missing record due to recorder malfunction.


PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 7.29 ft below land-surface datum, Aug. 13, 2001; lowest recorded, 29.90 ft below land-surface datum, Sept. 21, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 10.29 ft, July 28; lowest instantaneous water level, 29.90 ft, Sept. 21.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	---	---	---	---	---	---	---	---	---	22.58	24.26	24.04
10	---	---	---	---	---	---	---	---	---	22.57	24.88	24.74
15	---	---	---	---	---	---	---	---	---	24.41	10.46	25.10
20	---	---	---	---	---	---	---	---	---	23.88	16.12	25.00
25	---	---	---	---	---	---	---	---	---	24.76	20.17	24.15
EOM	---	---	---	---	---	---	---	---	22.65	23.88	23.70	24.46

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	24.68	24.96	24.81	24.65	25.32	26.06	23.94	20.72	22.19	27.05	19.60	26.69
10	24.82	24.95	24.53	24.52	25.91	26.82	24.32	19.97	24.04	27.78	23.83	28.22
15	24.74	24.97	24.40	24.51	26.39	26.28	24.34	20.23	22.97	21.43	25.20	29.20
20	24.71	24.95	24.61	24.59	26.84	25.62	24.43	18.88	24.17	25.04	26.54	29.81
25	24.84	24.97	24.43	23.60	27.18	23.13	24.16	22.52	25.29	17.88	27.66	27.75
EOM	24.92	24.78	24.62	25.02	27.32	23.85	20.75	17.74	25.88	---	25.52	22.23



GROUND-WATER LEVELS

FREDERICK COUNTY

391716078070901. Local number, 46Y 1.

LOCATION.--Lat 39°17'16.31", long 78°07'09.34", NAD83, Hydrologic Unit 02070004, 210 ft east of the intersection of Welltown Road and Rest Church Road and 60 ft south of Rest Church Road. Owner: Woodbine Assembly of God.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 735 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 1.25 ft above land-surface datum.

REMARKS.--Water level of Mar. 28, 2002 result of well having been recently pumped.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 41.36 ft below land-surface datum, June 28, 2001; lowest measured, 45.13 ft below land-surface datum, May 3, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31	42.34	JUN 28	41.36	AUG 08	42.96	SEP 05	43.19	SEP 24	43.74
WATER YEAR 2001		HIGHEST	41.36	JUN 28, 2001		LOWEST	43.74	SEP 24, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 13	44.82	MAR 28	47.41	MAY 03	45.13	MAY 31	44.72	JUL 11	45.10	AUG 01	43.80
WATER YEAR 2002		HIGHEST	43.80	AUG 01, 2002		LOWEST	45.13	MAY 03, 2002			



GLOUCESTER COUNTY

372621076404201. Local number, 57H 20 SOW 192A.

LOCATION.--Lat 37°26'22", long 76°40'41", NAD83, Hydrologic Unit 02080107, 80 ft north of State Highway 684 (Starvation Road), 1.1 mi northeast of intersection of State Highways 617 and 684. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. 200 ft, diameter 2 in. 200 to 910 ft, depth 910 ft, screened 900 to 910 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of inner casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1994 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 80.59 ft below land-surface datum, June 24, 1994; lowest measured, 92.13 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	91.27	JAN 30	91.45	APR 22	91.42	JUL 11	92.13
WATER YEAR 2002 HIGHEST		91.27	OCT 17, 2001		LOWEST		92.13 JUL 11, 2002



GROUND-WATER LEVELS

GLOUCESTER COUNTY

372621076404202. Local number, 57H 21 SOW 192B.

LOCATION.--Lat 37°26'22", long 76°40'41", NAD83, Hydrologic Unit 02080107, 80 ft north of State Highway 684 (Starvation Road), 1.1 mi northeast of intersection of State Highways 617 and 684. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Upper Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. 200 ft, diameter 2 in. 200 to 480 ft, depth 480 ft, screened 470 to 480 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of inner casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1994 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 77.63 ft below land-surface datum, June 24, 1994; lowest measured, 88.72 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	87.43	JAN 30	87.69	APR 22	87.76	JUL 11	88.72
WATER YEAR 2002		HIGHEST	87.43	OCT 17, 2001	LOWEST	88.72	JUL 11, 2002



GLOUCESTER COUNTY

372621076404203. Local number, 57H 22 SOW 192C.

LOCATION.--Lat 37°26'22", long 76°40'41", NAD83, Hydrologic Unit 02080107, 80 ft north of State Highway 684 (Starvation Road), 1.1 mi northeast of intersection of State Highways 617 and 684. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Aquia aquifer of Pleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. 200 ft, diameter 2 in. 200 to 370 ft, depth 370 ft, screened 350 to 370 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 6 ft NGVD of 1929, from topographic map. Measuring point: Top of inner casing, 1.7 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1994 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 75.78 ft below land-surface datum, June 24, 1994; lowest measured, 87.05 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	85.77	JAN 30	86.14	APR 22	86.14	JUL 11	87.05
WATER YEAR 2002 HIGHEST		85.77	OCT 17, 2001		LOWEST		87.05 JUL 11, 2002



GROUND-WATER LEVELS

GLOUCESTER COUNTY

372331076312602. Local number, 58H 6 SOW 168A.

LOCATION.--Lat 37°23'32", long 76°31'25", NAD83, Hydrologic Unit 02080102, at entrance to Gloucester County landfill, 0.3 mi east of U.S. Highway 17, and 1.4 mi south of Gloucester. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,300 ft, screened 1,290 to 1,300 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Jun. 11, 1985, to Jul. 7, 1995, bimonthly measurement with chalked tape. Prior to Jun. 11, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 75 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--August 1982 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 125.26 ft below land-surface datum, Feb. 14, 1983; lowest measured, 150.43 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	149.08	JAN 30	149.41	APR 22	149.45	JUL 11	150.43
WATER YEAR 2002 HIGHEST 149.08		OCT 17, 2001		LOWEST 150.43		JUL 11, 2002	



GLOUCESTER COUNTY

372331076312603. Local number, 58H 7 SOW 168B.

LOCATION.--Lat 37°23'32", long 76°31'25", NAD83, Hydrologic Unit 02080102, at entrance to Gloucester County landfill, 0.3 mi east of U.S. Highway 17, and 1.4 mi south of Gloucester. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 186 ft, diameter 2 in. from 186 to 960 ft, depth 960 ft, screened 950 to 960 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 7, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 75 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Low water level in June 1996 is the result of the well being pumped for water-quality sampling.

PERIOD OF RECORD.--June 1985 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 33.55 ft below land-surface datum, Nov. 20, 1985; lowest measured, 158.32 ft below land-surface datum, July 8, 1996.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	124.99	JAN 30	122.86	APR 22	122.08	JUL 11	118.89
WATER YEAR 2002		HIGHEST	118.89	JUL 11, 2002	LOWEST	124.99	OCT 17, 2001



GROUND-WATER LEVELS

GLOUCESTER COUNTY

372331076312604. Local number, 58H 8 SOW 168C.

LOCATION.--Lat 37°23'32", long 76°31'25", NAD83, Hydrologic Unit 02080102, at entrance to Gloucester County landfill, 0.3 mi east of U.S. Highway 17, and 1.4 mi south of Gloucester. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 40 ft, screened 30 to 40 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 7, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 75 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1985 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.00 ft below land-surface datum, Apr. 20, 1993; lowest measured, 21.81 ft below land-surface datum, Sept. 23, 1985.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	21.02	JAN 30	21.33	APR 22	21.28	JUL 11	21.77
WATER YEAR 2002		HIGHEST	21.02	OCT 17, 2001	LOWEST	21.77	JUL 11, 2002




HANOVER COUNTY

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.17 ft below land-surface datum, Mar. 30, 1993; lowest measured, 28.46 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 26	25.39	FEB 04	24.38	MAY 16	28.37	JUL 24	28.46
WATER YEAR 2002		HIGHEST	24.38	FEB 04, 2002		LOWEST	28.46 JUL 24, 2002



GROUND-WATER LEVELS

HANOVER COUNTY

373506077171401. Local number, 52J 56.

LOCATION.--Lat 37°35'07", long 77°17'13", NAD83, Hydrologic Unit 02080206, 150 ft north of State Highway 156 at the Cold Harbor Visitor Center, 1.0 mi southwest of the intersection of State Highways 156 and 619, and 4.9 mi east of Mechanicsville. Owner: U.S. National Park Service.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled water well, diameter 4 in., depth 265 ft, screened 210 to 220 and 255 to 270 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 172 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.55 ft above land-surface datum.


REMARKS.--Well was published as 373507077171201, local number 52J 10, from 1988 to 1999. Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 177.20 ft below land-surface datum, Dec. 13, 1995; lowest measured, 209.44 ft below land-surface datum, Sep. 9, 1999.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	201.88	JAN 28	200.99	APR 08	200.57	JUL 29	202.39
WATER YEAR 2002		HIGHEST	200.57	APR 08, 2002	LOWEST	202.39	JUL 29, 2002



HANOVER COUNTY

373737077083201. Local number, 53K 19 SOW 080.

LOCATION.--Lat 37°37'38", long 77°08'31", NAD83, Hydrologic Unit 02080106, 500 ft northeast of State Highway 606, 0.15 mi west of intersection of State Highways 606 and 629, and 4.6 mi east of Old Church. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Dug unused water well, diameter 30 in., depth 35 ft, cased to 35 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 3, 1985 to July 11, 1995, bimonthly measurement with chalked tape. May 20, 1978, to Oct. 2, 1985, occasional measurement with chalked tape. Prior to May 20, 1978, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 130 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--January 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.05 ft below land-surface datum, Jan. 25, 1978; lowest measured, 22.85 ft below land-surface datum, Aug. 3, 1984.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	20.74	JAN 29	21.00	APR 16	20.21	JUL 09	20.87
WATER YEAR 2002		HIGHEST	20.21	APR 16, 2002	LOWEST	21.00	JAN 29, 2002



GROUND-WATER LEVELS

HENRICO COUNTY

373607077331401. Local number, 50J 1 SOW 023.

LOCATION.--Lat 37°36'08", long 77°33'13", NAD83, Hydrologic Unit 02080205, 200 ft north of Three Chopt Road, 1.0 mi southeast of intersection of Three Chopt Road and Parham Road in Richmond. Owner: E. L. Gilman.

AQUIFER.--Petersburg Granite of Mississippian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 10 in., depth 300 ft, cased to 68 ft, open hole 68 to 300 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 17, 1995, bimonthly measurement with chalked tape. Jun. 5, 1974, to Sep. 30, 1985, occasional measurement with chalked tape. Prior to Jun. 5, 1974, continuous strip-chart recorder.


DATUM.--Elevation of land-surface datum is 275 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.88 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--May 1969 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 1.48 ft below land-surface datum, Jun. 5, 1970; lowest recorded, 10.45 ft below land-surface datum, Oct. 15, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



HENRICO COUNTY

373817077282501. Local number, 51K 14 SOW 137.

LOCATION.--Lat 37°38'18", long 77°28'24", NAD83, Hydrologic Unit 02080206, 50 ft east of entrance to J. Sargeant Reynolds Community College, 0.9 mi west of intersection of Parham Road and U.S. Highway 1, and 0.9 mi west of Yellow Tavern. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Petersburg Granite of Mississippian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 280 ft, cased to 35 ft, open hole 35 to 280 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 17, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 180 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Sep. 9, 1980; 1.5 ft thereafter.


REMARKS.--Well was published as 373817077282501, local number 51K 4, from 1980 to 2000. Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.37 ft below land-surface datum, Apr. 30, 1987; lowest measured, 12.91 ft below land-surface datum, Oct. 27, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 15	12.90	JAN 29	11.44	APR 23	10.68	JUL 30	12.88
WATER YEAR 2002		HIGHEST	10.68	APR 23, 2002		LOWEST	12.90
							OCT 15, 2001



GROUND-WATER LEVELS

HENRICO COUNTY

372936077211101. Local number, 52H 3 SOW 136.

LOCATION.--Lat 37°29'37", long 77°21'10", NAD83, Hydrologic Unit 02080206, 100 ft west of Laburnum Avenue, 0.9 mi north of intersection of Laburnum Avenue and Darbytown Road, and 2.4 mi southwest of Sandston. Owner: Nabisco Incorporated.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 209 ft, screened 149 to 159 ft, 199 to 209 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 25, 1985, to Jul. 17, 1995, bimonthly measurement with chalked tape. Prior to Mar. 25, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 150 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1974 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 131.42 ft below land-surface datum, Dec. 2, 1974; lowest measured, 147.53 ft below land-surface datum, Apr. 29, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	145.61	JAN 17	145.80	APR 23	145.84	JUL 30	145.45
WATER YEAR 2002		HIGHEST	145.45	JUL 30, 2002	LOWEST	145.84	APR 23, 2002



HENRICO COUNTY

372538077221501. Local number, 52H 16.

LOCATION.--Lat 37°25'39", long 77°22'14", NAD83, Hydrologic Unit 02080206, at Richmond National Battlefields Park - Fort Harrison Unit, 800 ft east of visitors center. Owner: U.S. Geological Survey.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 34.25 ft, screened 24.25 ft to 34.25 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Unpublished digital recorder data November 13, 1995, to May 8, 1996.

DATUM.--Elevation of land-surface datum is 135 ft NGVD of 1929. Measuring point: Top of casing, 1.43 ft above land-surface datum.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--November 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 12.80 ft below land-surface datum, Jan. 17, 2000; lowest measured, 26.34 ft below land-surface datum, Jan. 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	25.32	JAN 24	26.34	APR 16	25.66	JUL 09	25.31
WATER YEAR 2002		HIGHEST	25.31	JUL 09, 2002	LOWEST	26.34	JAN 24, 2002



HENRICO COUNTY

372538077221502. Local number, 52H 17.

LOCATION.--Lat 37°25'39", long 77°22'14", NAD83, Hydrologic Unit 02080206, at Richmond National Battlefields Park - Fort Harrison Unit, 800 ft east of visitors center. Owner: U.S. Geological Survey.

AQUIFER.--*Aquila* aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 78.90 ft, screened 73.90 ft to 78.90 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Unpublished digital recorder data Apr. 3, 1996, to May 8, 1996.

DATUM.--Elevation of land-surface datum is 135 ft NGVD of 1929. Measuring point: Top of casing, 1.50 ft above land-surface datum.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--November 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 46.63 ft below land-surface datum, May 5, 1997; lowest measured, 54.44 ft below land-surface datum, Oct. 21 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	51.79	JAN 24	51.40	APR 16	52.47	JUL 09	53.00
WATER YEAR 2002		HIGHEST	51.40	JAN 24, 2002		LOWEST	53.00 JUL 09, 2002



364059076544901. Local number, 55B 16.

LOCATION.--Lat 36°41'00", long 76°54'48", NAD83, Hydrologic Unit 03010202, off U.S. Highways 258 and 58, 200 ft west of the intersection of U.S. Highways 258 and 58 and Lynn Road, and 0.3 mi east of Franklin. Owner: International Paper Company, formerly Union Camp Corporation.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 305 ft, screened 285 to 305 ft.

INSTRUMENTATION.--Electronic data logger, 60-minute record interval. May 27, 1988 to Nov. 3, 1999, digital recorder 60-minute punch. Prior to May 27, 1988, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 25 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.45 ft above land-surface datum.


REMARKS.--Missing record due to recorder malfunction. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--June 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 99.00 ft below land-surface datum, Dec. 27, 1960; lowest recorded, 216.72 ft below land-surface datum, May 23, 1992.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 192.85 ft below land-surface datum, Sept. 11; lowest instantaneous water level, 207.72 ft below land-surface datum, July 18.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	202.06	202.47	204.27	203.93	204.18	205.99	203.13	203.90	204.38	206.03	203.54	202.86
10	202.41	202.19	205.06	203.18	204.61	205.78	203.97	203.37	203.80	207.33	203.18	197.49
15	202.80	202.68	204.84	203.19	205.17	205.39	204.08	202.46	203.55	207.45	203.56	198.27
20	202.83	203.34	204.42	204.62	204.87	205.86	204.99	202.06	203.53	207.11	203.60	199.58
25	203.58	204.09	203.88	204.11	205.91	205.40	205.81	203.18	205.59	204.83	203.18	199.80
EOM	202.17	202.98	204.97	203.49	205.56	204.56	204.42	203.03	205.80	204.64	202.56	200.27



ISLE OF WIGHT COUNTY

364101076544803. Local number, 55B 62 SOW 096B.

LOCATION.--Lat 36°41'02", long 76°54'47", NAD83, Hydrologic Unit 03010202, 200 ft northwest of intersection of U.S. Highways 58 and 258 and Lynn Road, 0.3 mi east of Franklin. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 30.77 ft, screened 25 to 30 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1987 to Oct. 8, 1995, digital recorder 60-minute punch. Prior to Oct. 1, 1987, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 27 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.15 ft above land-surface datum.

PERIOD OF RECORD.--May 1979, October 1980 to September 1981, October 1982 to September 1983, October 1984 to current year. Unpublished records available prior to October 1985 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 7.98 ft below land-surface datum, Sept. 27, 1999; lowest measured, 15.38 ft below land-surface datum, Oct. 17, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	10.68	JAN 08	10.72	APR 24	10.13	JUL 30	10.58
WATER YEAR 2002		HIGHEST	10.13	APR 24, 2002		LOWEST	10.72
							JAN 08, 2002



GROUND-WATER LEVELS

ISLE OF WIGHT COUNTY

364814076440701. Local number, 57C 25 SOW 149A.

LOCATION.--Lat 36°48'15", long 76°44'06", NAD83, Hydrologic Unit 02080208, at Windsor Community Center in Windsor. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 26 ft, screened 16 to 26 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 19, 1985, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--March 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.43 ft above land-surface datum, Oct. 18, 1999; lowest measured, 3.51 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	3.11	JAN 30	1.15	APR 17	1.16	JUL 10	3.51	SEP 25	2.47
WATER YEAR 2002		HIGHEST	1.15	JAN 30, 2002		LOWEST	3.51	JUL 10, 2002	



ISLE OF WIGHT COUNTY

364814076440702. Local number, 57C 26 SOW 149B.

LOCATION.--Lat 36°48'15", long 76°44'06", NAD83, Hydrologic Unit 02080208, at Windsor Community Center in Windsor. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 380 ft, screened 370 to 380 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 19, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--March 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 144.42 ft below land-surface datum, Feb. 25, 1986; lowest measured, 171.08 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	161.58	JAN 30	164.73	APR 17	162.80	JUL 10	167.03	SEP 25	171.08
WATER YEAR 2002		HIGHEST 161.58		OCT 30, 2001		LOWEST 171.08		SEP 25, 2002	



GROUND-WATER LEVELS

ISLE OF WIGHT COUNTY

364814076440704. Local number, 57C 28 SOW 149D.

LOCATION.--Lat 36°48'15", long 76°44'06", NAD83, Hydrologic Unit 02080208, at Windsor Community Center in Windsor. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 807 ft, screened 797 to 807 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 19, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--March 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 142.80 ft below land-surface datum, Feb. 25, 1986; lowest measured, 168.82 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	159.54	JAN 30	162.70	APR 17	161.41	JUL 10	164.43	SEP 25	168.82
WATER YEAR 2002		HIGHEST 159.54		OCT 30, 2001		LOWEST 168.82		SEP 25, 2002	



ISLE OF WIGHT COUNTY

365751076433501. Local number, 57D 21 SOW 143A.

LOCATION.--Lat 36°57'52", long 76°43'34", NAD83, Hydrologic Unit 03010202, 50 ft west of State Highway 652, 0.5 mi south of State Highway 682, and 1.8 mi southwest of Magnet. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 650 ft, screened 640 to 650 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 73 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 122.60 ft below land-surface datum, Aug. 27, 1980; lowest measured, 151.39 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	149.83	JAN 14	150.90	APR 17	150.38	JUL 10	151.39
WATER YEAR 2002		HIGHEST	149.83	OCT 30, 2001	LOWEST	151.39	JUL 10, 2002



GROUND-WATER LEVELS

ISLE OF WIGHT COUNTY

365751076433502. Local number, 57D 22 SOW 143B.

LOCATION.--Lat 36°57'52", long 76°43'34", NAD83, Hydrologic Unit 03010202, 50 ft west of State Highway 652, 0.5 mi south of State Highway 682, and 1.8 mi southwest of Magnet. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 350 ft, screened 340 to 350 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 73 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 125.10 ft below land-surface datum, Apr. 24 and May 29, 1980; lowest measured, 151.87 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	150.19	JAN 14	151.37	APR 17	150.72	JUL 10	151.87
WATER YEAR 2002		HIGHEST	150.19	OCT 30, 2001	LOWEST	151.87	JUL 10, 2002



ISLE OF WIGHT COUNTY

365751076433503. Local number, 57D 23 SOW 143C.

LOCATION.--Lat 36°57'52", long 76°43'34", NAD83, Hydrologic Unit 03010202, 50 ft west of State Highway 652, 0.5 mi south of State Highway 682, and 1.8 mi southwest of Magnet. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 18 ft, screened 8 to 18 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 73 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.29 ft below land-surface datum, Feb. 23, 1987; lowest measured, 8.70 ft below land-surface datum, Aug. 11, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	7.36	JAN 14	5.71	APR 17	4.47	JUL 10	6.87
WATER YEAR 2002		HIGHEST	4.47	APR 17, 2002		LOWEST	7.36
							OCT 30, 2001



GROUND-WATER LEVELS

ISLE OF WIGHT COUNTY

370236076425901. Local number, 57E 10 SOW 144B.

LOCATION.--Lat 37°02'54", long 76°43'11", NAD83, Hydrologic Unit 02080206, 0.5 mi east of State Highway 627, 1.0 mi north of State Highway 621, and 2.5 mi southwest of Rushmere. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 440 ft, screened 430 to 440 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 85 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 139.90 ft below land-surface datum, Apr. 24, Jul. 24, 1980; lowest measured, 166.23 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	165.05	JAN 02	165.23	APR 17	165.15	JUL 10	166.23
WATER YEAR 2002		HIGHEST	165.05	OCT 30, 2001	LOWEST	166.23	JUL 10, 2002



ISLE OF WIGHT COUNTY

370253076431201. Local number, 57E 14 SOW 144A.

LOCATION.--Lat 37°02'54", long 76°43'11", NAD83, Hydrologic Unit 02080208, 0.5 mi east of State Highway 627, 1.0 mi north of State Highway 621, and 2.5 mi southwest of Rushmere. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 590 ft, diameter 3 in. from 590 to 600 ft, depth 600 ft, screened 590 to 600 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 86 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 139.49 ft below land-surface datum, Apr. 24, 1980; lowest measured, 165.75 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	164.62	JAN 02	164.74	APR 17	164.69	JUL 10	165.75
WATER YEAR 2002		HIGHEST	164.62	OCT 30, 2001	LOWEST	165.75	JUL 10, 2002



GROUND-WATER LEVELS

ISLE OF WIGHT COUNTY

370253076431202. Local number, 57E 15 SOW 144C.

LOCATION.--Lat 37°02'54", long 76°43'11", NAD83, Hydrologic Unit 02080208, 0.5 mi east of State Highway 627, 1.0 mi north of State Highway 621, and 2.5 mi southwest of Rushmere. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 86 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.88 ft below land-surface datum, Feb. 17, 1994; lowest measured, 14.66 ft below land-surface datum, Jan. 2, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	14.19	JAN 02	14.66	APR 17	4.06	JUL 10	13.07
WATER YEAR 2002		HIGHEST	4.06	APR 17, 2002		LOWEST	14.66
						JAN 02, 2002	



372546076532901. Local number, 55H 20.

AQUIFER.--Lower and middle Potomac aquifers of Cretaceous age.


INSTRUMENTATION.--Electronic data logger 60-minute record interval. Prior to Nov. 4, 1999, digital recorder 60-minute punch.

REMARKS.--Missing record due to recorder malfunction. Water level affected by regional drawdown.

PERIOD OF RECORD.--May 1988 to current year.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 111.57 ft below land-surface datum, Oct. 1; lowest instantaneous water level, 114.03 ft below land-surface datum, Sept. 24, 25.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	111.81	112.21	112.52	112.37	112.24	112.22	112.04	112.06	112.13	112.59	113.27	113.77
10	111.98	112.28	112.52	112.21	112.21	112.20	112.17	111.93	112.16	112.71	113.45	113.81
15	111.91	112.36	112.51	112.27	112.24	112.13	112.09	111.97	112.13	112.78	113.56	113.95
20	112.01	112.35	112.38	112.20	112.19	112.09	112.06	111.97	112.41	112.90	113.59	113.94
25	111.95	112.37	112.35	112.21	112.19	112.10	112.04	112.02	112.45	113.04	113.68	114.03
FROM	112.25	112.40	112.40	112.20	112.22	112.02	111.99	112.03	112.56	113.06	113.80	114.02



GROUND-WATER LEVELS

JAMES CITY COUNTY

371311076463601. Local number, 56F 1 SOW 018.

LOCATION.--Lat 37°13'12", long 76°46'35", NAD83, Hydrologic Unit 02080206, 1,100 ft southwest of Colonial Parkway, 0.5 mi west of State Highway 682, and 0.6 mi north of Jamestown. Owner: U.S. Department of Interior, Colonial National Historical Park.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 346 ft, screened 336 to 346 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 7, 1995, bimonthly measurement with chalked tape. Sep. 30, 1980, to Sep. 30, 1985, occasional measurement with chalked tape. Prior to Sep. 30, 1980, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top edge of recorder shelf, 3.15 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--May 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 43.29 ft below land-surface datum, May 8, 1969; lowest measured, 92.57 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	89.81	JAN 15	89.78	APR 09	89.73	JUL 18	92.57
WATER YEAR 2002		HIGHEST	89.73	APR 09, 2002	LOWEST	92.57	JUL 18, 2002



372145076493201. Local number, 56G 57.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

INSTRUMENTATION.--Electronic data logger 60-minute record interval. Prior to Nov.4, 1999, digital recorder 60-minute punch.

REMARKS.--Missing record due to recorder malfunction. Water level affected by regional drawdown.

PERIOD OF RECORD.--May 1988 to current year.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 176.31 ft below land-surface datum, Jan. 6; lowest instantaneous water level, 179.11 ft below land-surface datum, Aug. 25, 26.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	176.94	177.34	177.43	176.54	176.61	176.63	176.86	176.78	177.62	178.31	178.52	178.68
10	176.92	177.42	177.22	176.50	176.62	176.82	177.00	176.72	177.68	178.43	178.69	178.68
15	176.94	177.62	177.02	176.55	176.67	176.76	176.96	176.86	177.62	178.45	178.89	178.74
20	177.09	177.57	176.72	176.67	176.60	176.80	176.95	176.96	177.86	178.50	178.93	178.70
25	177.09	177.49	176.58	176.59	176.76	176.86	176.92	177.13	178.03	178.52	179.11	178.79
ROM	177.39	177.40	176.50	176.58	176.61	176.79	176.80	177.29	178.25	178.35	178.90	178.77



GROUND-WATER LEVELS
JAMES CITY COUNTY

372314076480401. Local number, 56H 22 SOW 135A.

LOCATION.--Lat 37°23'14", long 76°48'05", NAD83, Hydrologic Unit 02080107, 100 ft south of State Highway 754, 0.2 mi east of intersection of U.S. Highway 60 and State Highway 754, and 0.5 mi north of Toano. Owner: James City Service Authority.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 2 in., depth 645 ft, screened 625 to 645 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 105 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.50 ft above land-surface datum prior to Mar. 3, 1988; at land-surface datum Mar. 3, 1988, to Mar. 1, 1989; 0.50 ft below land-surface datum prior to May 5, 1997; 0.85 ft below land surface datum thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown and occasional local pumpage.

PERIOD OF RECORD.--March 1979 to October 1995, May 1997 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 154.85 ft below land-surface datum, Apr. 5, 1979; lowest measured, 210.88 ft below land-surface datum, Oct. 30, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



JAMES CITY COUNTY

372506076511701. Local number, 56H 25 SOW 177A.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, on the northwest side of State Highway 601 in James City County, 0.7 mi north of the intersection of State Highways 168 and 601, and 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 929 ft, screened 888 to 908 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 28, 1995 to Sep. 30, 1999, occasional measurement with chalked tape by USGS personnel. Sep. 25, 1991 to Sep. 28, 1995, monthly measurement with chalked tape. Apr. 20, 1988 to Sep. 25, 1991, occasional measurement with chalked tape. Prior to Apr. 20, 1988, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.15 ft above land-surface datum prior to Mar. 31, 1994; 1.00 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 158.21 ft below land-surface datum, Mar. 19, 20, 1986; lowest measured, 187.25 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	186.38	JAN 17	186.48	APR 30	186.57	JUL 11	187.25
WATER YEAR 2002		HIGHEST	186.38	OCT 17, 2001	LOWEST	187.25	JUL 11, 2002



GROUND-WATER LEVELS

JAMES CITY COUNTY

372506076511702. Local number, 56H 26 SOW 177B.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, on the northwest side of State Highway 601 in James City County, 0.7 mi north of the intersection of State Highways 168 and 601, and 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 581 ft, screened 550 to 560 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 28, 1995 to Sep. 30, 1999, occasional measurement with chalked tape by USGS personnel. Sep. 25, 1991 to Sep. 28, 1995, monthly measurement with chalked tape. Prior to Sep. 25, 1991, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.15 ft above land-surface datum prior to Mar. 31, 1994; 0.65 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records prior to October 1986 and fragmentary periods of continuous record for water years 1985-89 available in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 157.61 ft below land-surface datum, June 1, 2, 1985; lowest measured, 186.44 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	185.55	JAN 17	185.71	APR 30	185.51	JUL 11	186.44
WATER YEAR 2002		HIGHEST	185.51	APR 30, 2002	LOWEST	186.44	JUL 11, 2002



JAMES CITY COUNTY

372506076511703. Local number, 56H 27 SOW 177C.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, on the northwest side of State Highway 601 in James City County, 0.7 mi north of the intersection of State Highways 168 and 601, and 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 401 ft, screened 370 to 380 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 26, 1993 to Sep. 30, 1999, monthly measurement with chalked tape by USGS personnel. Prior to Aug. 26, 1993, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.95 ft above land-surface datum prior to Mar. 31, 1994; 1.35 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 153.47 ft below land-surface datum, June 1, 2, 1985; lowest measured, 178.88 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	177.25	JAN 17	177.74	APR 30	177.65	JUL 11	178.88
WATER YEAR 2002		HIGHEST	177.25	OCT 17, 2001	LOWEST	178.88	JUL 11, 2002



GROUND-WATER LEVELS

JAMES CITY COUNTY

372506076511704. Local number, 56H 28 SOW 177D.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168, 0.7 mi north of the intersection of State Highways 168 and 601, and on the northwest side of State Highway 601 in James City County. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 321 ft, screened 290 to 300 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 28, 1995 to Sep. 30, 1999, occasional measurement with chalked tape by USGS personnel. Sep. 25, 1991 to Sep. 28, 1995, monthly measurement with chalked tape. Sep. 16, 1989 to Sep. 25, 1991, occasional measurement with chalked tape. Prior to Sep. 16, 1989, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.9 ft above land-surface datum prior to Dec. 4, 1989; 0.9 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 153.20 ft below land-surface datum, May 31, 1985; lowest measured, 178.60 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	177.01	JAN 17	177.26	APR 30	177.47	JUL 11	178.60
WATER YEAR 2002		HIGHEST	177.01	OCT 17, 2001		LOWEST	178.60 JUL 11, 2002



JAMES CITY COUNTY

372506076511705. Local number, 56H 29 SOW 177E.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, on the northwest side of State Highway 601 in James City County, 0.7 mi north of the intersection of State Highways 168 and 601, and 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 235 ft, screened 204 to 214 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 28, 1995 to Sep. 30, 1999, occasional measurement with chalked tape by USGS personnel. Sep. 25, 1991 to Sep. 28, 1995, monthly measurement with chalked tape. Sep. 21, 1989 to Sep. 25, 1991, occasional measurement with chalked tape. Prior to Sep. 21, 1989, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.8 ft above land-surface datum prior to Dec. 4, 1989; 0.75 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 111.96 ft below land-surface datum, Feb. 27, 1986; lowest measured, 136.25 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	133.59	JAN 17	134.25	APR 30	132.44	JUL 11	136.25
WATER YEAR 2002		HIGHEST	132.44	APR 30, 2002		LOWEST	136.25 JUL 11, 2002



GROUND-WATER LEVELS

JAMES CITY COUNTY

372506076511706. Local number, 56H 30 SOW 177F.

LOCATION.--Lat 37°24'52", long 76°51'32", NAD83, Hydrologic Unit 02080206, on the northwest side of State Highway 601 in James City County, 0.7 mi north of the intersection of State Highways 168 and 601, and 3.15 mi west of the intersection of U.S. Highway 60 and State Highway 168. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 60 ft, screened 50 to 60 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 28, 1995 to Sep. 30, 1999, occasional measurement with chalked tape by USGS personnel. Sep. 25, 1991 to Sep. 28, 1995, monthly measurement with chalked tape. Sep. 20, 1989 to Sep. 25, 1991, occasional measurement with chalked tape. Prior to Sep. 20, 1989, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 103 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.9 ft above land-surface datum prior to Dec. 4, 1989; 1.1 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1985 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.73 ft below land-surface datum, Jun. 29, 1998; lowest measured, 26.09 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	23.72	JAN 17	24.90	APR 30	25.77	JUL 11	26.09
WATER YEAR 2002		HIGHEST	23.72	OCT 17, 2001	LOWEST	26.09	JUL 11, 2002



372314076480402. Local number, 56H 31 SOW 135B.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 30 ft, screened 20 to 30 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.---Elevation of land-surface datum is 95 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.3 ft above land-surface datum prior to Mar. 3, 1988; at land-surface datum Mar. 3, 1988, to Mar. 1, 1989; 0.2 ft below land-surface datum prior to May 5, 1997; 0.95 ft below land surface datum thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--August 1979 to October 1995, May 1997 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.28 ft below land-surface datum, June 8, 1984; lowest measured, 24.56 ft below land-surface datum, Apr. 30, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	22.78	JAN 17	23.85	APR 30	24.56	JUL 11	24.43
WATER YEAR 2002		HIGHEST	22.78	OCT 30, 2001		LOWEST	24.56
							APR 30, 2002



GROUND-WATER LEVELS

JAMES CITY COUNTY

372315076415001. Local number 57H 14 SOW 095.

LOCATION.--Lat 37°23'16", long 76°41'49", NAD83, Hydrologic Unit 02080107, 500 ft north of State Highway 606, 0.8 mi east of intersection of State Highway 606 and 646, and 3.3 mi east of Croaker. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 123 ft, screened 118 to 123 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 10, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 95 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Mar. 3, 1988; 1.4 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--September 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 45.00 ft below land-surface datum, Sep. 21, 1978; lowest measured, 54.64 ft below land-surface datum, Apr. 19, 1993.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 17	52.97	JAN 17	53.41	APR 30	53.96	JUL 11	54.50
WATER YEAR 2002		HIGHEST	52.97	OCT 17, 2001	LOWEST	54.50	JUL 11, 2002



KING AND QUEEN COUNTY

374328077012801. Local number, 54K 6 SOW 064.

LOCATION.--Lat 37°43'29", long 77°01'27", NAD83, Hydrologic Unit 02080105, 100 ft west of State Highway 629, 0.2 mi southeast of Walkerton, and 0.25 mi south of intersection of State Highways 629 and 634. Owner: C. L. Walker.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to 66 ft, diameter 4 in. from 66 to 390 ft, depth 390 ft, screened 341 to 372 ft, 376 to 387 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 3, 1985, to Jul. 11, 1995, bimonthly measurement with chalked tape. Apr. 30, 1979, to Oct. 2, 1985, occasional measurement with chalked tape. Jan. 5, 1974, to Apr. 30, 1979, continuous strip-chart recorder. Prior to Jan. 5, 1974, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.17 ft above land-surface datum prior to Nov. 18, 1985; 1.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--August 1972 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 12.82 ft below land-surface datum, Aug. 1, 1972; lowest measured, 56.57 ft below land-surface datum, July 16 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	51.82	JAN 29	51.00	APR 16	51.85	JUL 16	56.57
WATER YEAR 2002		HIGHEST	51.00	JAN 29, 2002	LOWEST	56.57	JUL 16, 2002



GROUND-WATER LEVELS

KING AND QUEEN COUNTY

374739077052701. Local number, 54L 10.

LOCATION.--Lat 37°47'40", long 77°05'26", NAD83, Hydrologic Unit 02080105, at Virginia Department of Transportation wayside picnic table, 50 ft north of U.S. Highway 360 and 1 mi. east of Mattaponi River. Owner: U.S. Geological Survey.

AQUIFER.--Chickhominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 96.21 ft, screened 86.21 ft to 96.21 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to October 1998, monthly measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 52 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 3.06 ft above land-surface datum.

PERIOD OF RECORD.--May 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.89 ft below land-surface datum, Apr. 23, 1998; lowest measured, 11.35 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	9.98	JAN 15	10.41	APR 09	10.83	JUL 09	11.25				
25	9.96	24	10.40	16	10.83	18	11.35				
WATER YEAR 2002		HIGHEST	9.96	OCT 25, 2001	LOWEST	11.35	JUL 18, 2002				



KING AND QUEEN COUNTY

373126076454101. Local number, 56J 11 SOW 073.

LOCATION.--Lat 37°31'27", long 76°45'40", NAD83, Hydrologic Unit 02080105, at West Point Airport, 1.7 mi southeast of West Point. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 1,254 ft, screened 1,233 to 1,248 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.5 ft above land-surface datum; prior to Mar. 15, 1993, top of casing, 0.6 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--November 1974 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 73.08 ft below land-surface datum, Apr. 25, 1975; lowest measured, 119.68 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	119.29	JAN 28	116.44	APR 11	116.17	JUL 18	119.68
WATER YEAR 2002		HIGHEST	116.17	APR 11, 2002	LOWEST	119.68	JUL 18, 2002



GROUND-WATER LEVELS

KING AND QUEEN COUNTY

373008076425601. Local number, 57J 3 SOW 074.

LOCATION.--Lat 37°30'09", long 76°42'55", NAD83, Hydrologic Unit 02080107, off State Highway 606, 0.4 mi northeast of intersection of State Highways 606 and 605, and 2.8 mi south of Shackelfords. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to 200 ft, diameter 4 in. from 200 to 760 ft, depth 760 ft, screened 741 to 756 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 51 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.60 ft above land-surface datum; prior to Mar. 15, 1993, top of casing, 0.20 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1974 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 109.90 ft below land-surface datum, Jan. 26, 1975; lowest measured, 149.52 ft below land-surface datum, Apr. 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	146.77	JAN 28	149.26	APR 11	149.52	JUL 18	149.08
WATER YEAR 2002		HIGHEST	146.77	OCT 23, 2001		LOWEST	149.52
				APR 11, 2002			



KING GEORGE COUNTY

382129077005801. Local number, 54Q 21.

LOCATION.--Lat 38°21'29", long 77°00'57", NAD83, Hydrologic Unit 02070011, 200 ft west of the Potomac River, 400 ft south of U.S. Highway 301, 750 ft east of Blandy Boulevard, and at the Naval Surface Warfare Center, Dahlgren Laboratory, in Dahlgren. Owner: U.S. Department of the Navy.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 10 in. from 0 to 25 ft, diameter 4 in. from 0 to 197 ft, 217 to 219.25 ft, depth 219.25 ft, screened 197 to 217 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Oct. 26, 1994, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 20.46 ft NGVD of 1929. Measuring point: Top of recorder shelf, 2.65 ft above land-surface datum prior to Nov. 4, 1994; top of casing, 2.10 ft thereafter.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--September 1992 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 29.00 ft below land-surface datum, Mar. 4, 1993; lowest measured, 37.94 ft below land-surface datum, Jan. 16, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	37.34	JAN 16	37.94	APR 30	37.40	JUL 22	37.60
WATER YEAR 2002		HIGHEST	37.34	OCT 10, 2001	LOWEST	37.94	JAN 16, 2002



GROUND-WATER LEVELS
KING GEORGE COUNTY

382341077032401. Local number, 54R 2.

LOCATION.--Lat 38°23'41", long 77°03'23", NAD83, Hydrologic Unit 02070011, 50 ft southeast of steep bank of the Potomac River, 150 ft west of State Highway 687, 1.5 mi west of the intersection of U.S. Highway 301 and State Highway 614, 1.9 mi north of the intersection of State Highways 629 and 687, and near Dahlgren. Owner: E. V. Bruchez.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in. to 210 ft, diameter 2 in. from 210 to 806 ft, depth 806 ft, screened 781 to 801 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 70 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--October 1969 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 70.00 ft below land-surface datum, Oct. 15, 1969; lowest measured, 139.12 ft below land-surface datum, July 22, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



GROUND-WATER LEVELS

201

KING WILLIAM COUNTY

373226076481201. Local number, 56J 2.

LOCATION.--Lat 37°32'27", long 76°48'11", NAD83, Hydrologic Unit 02080106, 0.1 mi west of State Highway 30, 0.3 mi north of State Highway 33, and in West Point. Owner: St. Laurent Paper Products Corporation (formerly Chesapeake Corporation).

AQUIFER.--Brightseat-upper and middle Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused withdrawal water well, diameter 18 in. to 300 ft, diameter 8 in. from 300 to 600 ft, depth 600 ft, screened 390 to 400 ft, 550 to 570 ft, 580 to 600 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 25 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--November 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 141.48 ft below land-surface datum, Feb. 15, 1983; lowest measured, 185.01 ft below land-surface datum, Sept. 11, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	178.85	JAN 28	184.41	APR 11	175.92	JUL 18	177.68
WATER YEAR 2002		HIGHEST	175.92	APR 11, 2002	LOWEST	184.41	JAN 28, 2002



GROUND-WATER LEVELS
KING WILLIAM COUNTY

373459076510201. Local number, 56J 10.

LOCATION.--Lat 37°35'00", long 76°51'01", NAD83, Hydrologic Unit 02080105, 100 ft northeast of State Highway 30 at the Virginia State Police office, 4.2 mi west of the intersection of State Highways 30 and 33 in West Point. Owner: Virginia Department of State Police.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in., depth 437 ft, screened 417 to 437 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 101 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft below land-surface datum.

REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1972, December 1974, October 1983 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 176.00 ft below land-surface datum, Dec. 8, 1972; lowest measured, 227.60 ft below land-surface datum, Feb. 4, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



LANCASTER COUNTY

374249076230101. Local number, 59K 1 SOW 015.

LOCATION.--Lat 37°42'49", long 76°23'00", NAD83, Hydrologic Unit 02080104, at Lancaster County High School in Kilmarnock. Owner: Lancaster County Public Schools.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in. to 163 ft, diameter 2 in. from 163 to 716 ft, depth 716 ft, screened 706 to 716 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 2, 1985, to Jul. 11, 1995, bimonthly measurement with chalked tape. Sep. 30, 1976, to Oct. 1, 1985, occasional measurement with chalked tape. Prior to Sep. 30, 1976, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 85 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum prior to Jul. 29, 1991; 0.75 ft above land-surface datum thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--October 1967 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 95.89 ft below land-surface datum, Feb. 20, 1968; lowest measured, 140.28 ft below land-surface datum, July 16, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 30	136.92	JAN 29	136.02	APR 22	136.39	JUL 16	140.28
WATER YEAR 2002		HIGHEST	136.02	JAN 29, 2002	LOWEST	140.28	JUL 16, 2002



GROUND-WATER LEVELS

LANCASTER COUNTY

374142076272701. Local number, 59K 9.

LOCATION.--Lat 37°41'42", long 76°27'26", NAD83, Hydrologic Unit 02080104, on the south bank of Moran Creek, 1,000 ft northwest of the intersection of State Highway 630 and a private dirt drive, 0.8 mi west of Wesley Church, 3.0 mi north of Weems, 4.0 mi west of Kilmarnock and the intersection of State Highways 629 and 630, and near Weems. Owner: Fred Hansen.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in. to 147 ft, diameter 2 in. from 147 to 585 ft, depth 585 ft, screened 565 to 580 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--September 1969 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.00 ft below land-surface datum, Sep. 16, 1969; lowest measured, 80.18 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	76.26	JAN 15	75.52	APR 09	74.91	JUL 18	80.18
WATER YEAR 2002		HIGHEST	74.91	APR 09, 2002	LOWEST	80.18	JUL 18, 2002



LOUDOUN COUNTY

391542077423801. Local number, 49Y 1 SOW 022.

LOCATION.--Lat 39°15'42", long 77°42'37", NAD83, Hydrologic Unit 02070008, 4.2 mi southeast of Harpers Ferry. Owner: American Telephone and Telegraph Company.

AQUIFER.--Bedrock of Precambrian or Cambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6.5 in., depth 516 ft, cased to 45 ft, open hole 45 to 516 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Sep. 30, 1974, to Sep. 30, 1985, occasional measurement with chalked tape. Prior to Sep. 30, 1974, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 1,100 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--August 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 48.00 ft below land-surface datum, June 22, 1972; lowest measured, 61.97 ft below land-surface datum, Jan. 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	60.45	MAY 14	60.07	JUL 26	60.48	AUG 27	60.71				
JAN 23	61.97	JUL 26	60.48	AUG 20	60.88	SEP 25	61.32				
WATER YEAR 2002		HIGHEST	60.07	MAY 14, 2002		LOWEST	61.97	JAN 23, 2002			



GROUND-WATER LEVELS

LOUDOUN COUNTY

390623077314201. Local number, 50W 4C.

LOCATION.--Lat 39°06'23", long 77°31'41", NAD83, Hydrologic Unit 02070008, under water tower 500 ft east of State Highway 7, 0.75 mi east of Leesburg. Owner: Town of Leesburg.

AQUIFER.--Slightly metamorphosed Balls Bluff Formation of Late Triassic age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 535 ft, cased to 6 ft, open hole 6 to 535 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 400 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--October 1977 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 28.13 ft below land-surface datum, Apr. 3, 1997; lowest measured, 49.06 ft below land-surface datum, Nov. 27, 1985.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 03	40.12	DEC 20	41.82	MAR 26	40.45	JUN 18	37.04	SEP 25	42.27		
30	40.85	JAN 31	41.45	APR 25	38.07	JUL 25	39.13				
NOV 27	41.87	FEB 26	41.31	MAY 29	36.86	AUG 27	41.06				
WATER YEAR 2002		HIGHEST	36.86	MAY 29, 2002	LOWEST	42.27	SEP 25, 2002				



380217078133701. Local number. 45N 1.

AQUIFER.--Metagraywacke, quartzose schist, and melange of Cambrian age.

INSTRUMENTATION.--Continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 500 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.95 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction.

PERIOD OF RECORD.--July 1952 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 10.63 ft below land-surface datum, Apr. 18, 19, 1993; well dry June to September 2002; lowest measured water level, 39.96 ft below land-surface datum, May 29, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 36.88 ft below land-surface datum, Oct. 12; well dry June to September; lowest measured water level, 39.96 ft below land-surface datum, May 29.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	36.90	37.41	37.75	38.16	38.60	---	39.34	39.62	---	---	---	---
10	37.00	37.32	37.82	38.27	38.67	39.05	39.40	39.68	---	---	---	---
15	37.11	37.41	37.88	38.37	38.77	39.09	39.45	39.72	---	---	---	---
20	37.20	37.50	37.98	38.38	38.80	39.12	39.50	---	---	---	---	---
25	37.24	37.56	38.05	38.47	38.85	39.24	39.55	---	---	---	---	---
EOM	37.32	37.62	38.12	38.62	38.91	39.28	39.60	---	---	---	---	---

WATER YEAR 2002 HIGHEST 36.75 OCT 03, 2001 LOWEST 39.96 MAY 29, 2002



GROUND-WATER LEVELS

LOUISA COUNTY

380043078111301. Local number, 45N 4.

LOCATION.--Lat 38°00'46", long 78°11'13", NAD83, Hydrologic Unit 02080106, 0.25 mi east of U.S. Highway 15, 4.1 mi south of Boswells Tavern. Owner: Virginia Department of Corrections.

AQUIFER.--Metamorphosed sedimentary and volcanic rocks of unknown age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 200 ft, cased to 42 ft, open hole 42 to 200 ft.


INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 415 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.3 ft above land-surface datum.

PERIOD OF RECORD.--February 1977 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.33 ft below land-surface datum, Jun. 26, 2000; lowest measured, 14.43 ft below land-surface datum, Aug. 26, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



LOUISA COUNTY

380131078001001. Local number, 46N 1 SOW 056.

LOCATION.--Lat 38°01'32", long 78°00'09", NAD83, Hydrologic Unit 02080106, 200 ft northeast of intersection of U.S. Highway 33 and State Highway 208 in Louisa. Owner: Town of Louisa.

AQUIFER.--Metamorphosed sedimentary and volcanic rocks of unknown age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 132 ft, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 4, 1985, to Sep. 30, 1993, bimonthly measurement with chalked tape. Mar. 31, 1979, to Oct. 4, 1985, occasional measurement with chalked tape. Prior to Mar. 31, 1979, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 455 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--March 1972 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 24.65 ft below land-surface datum, May 21, 1998; lowest measured, 34.78 ft below land-surface datum, Dec. 8, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 12	31.85	JAN 14	33.22	MAY 15	33.70	AUG 27	34.17
WATER YEAR 2002		HIGHEST	31.85	OCT 12, 2001	LOWEST	34.17	AUG 27, 2002



GROUND-WATER LEVELS

MATHEWS COUNTY

372545076240101. Local number, 59H 1.

LOCATION.--Lat 37°25'45", long 76°24'00", NAD83, Hydrologic Unit 02080102, 0.5 mi south of the intersection of State Highway 617 and private dirt road at the shore line of Greenmansion Cove at North and 0.7 mi southeast of the intersection of State Highways 14 and 617. Owner: G. T. Abernathy.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled flowing water well, diameter 4 in., depth 568 ft, depth of screen unknown.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--January 1950 to December 1995, September 1997 to current year. Unpublished records available prior to October 1988 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.70 ft above land-surface datum, Feb. 12, 1980; lowest measured, 0.93 ft above land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
(READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	+1.59	JAN 15	+1.81	APR 09	+2.01	JUL 18	+0.93
WATER YEAR 2002		HIGHEST	+2.01	APR 09, 2002		LOWEST	+0.93 JUL 18, 2002



373630076312601. Local number, 58J 5.

LOCATION.--Lat 37°36'31", long 76°31'25", NAD83, Hydrologic unit 02080104, 1100 ft west of State Highway 619, 3 mi north of State Highway 33. Owner: Robert Bunch.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 14 in., 0 to 400 ft, 8 in., 400 to 730 ft, depth 730 ft, screened 507 to 522 ft, 527 to 542 ft, 550 to 560 ft, 578 to 588 ft, 650 to 660 ft, 669 to 679 ft, 688 to 703 ft, 710 to 730 ft.

INSTRUMENTATION.--Occasional measurement with chalk tape by USGS personnel.

DATUM.--Elevation of land surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Bottom of pump motor mount flange, 1.17 ft above land surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1974, January 2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured 85.54 ft below land-surface datum, June 3, 1974; lowest measured, 106.13 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	104.32	JAN 15	104.41	APR 09	105.08	JUL 18	106.13
WATER YEAR 2002		HIGHEST	104.32	OCT 22, 2001		LOWEST	106.13 JUL 18, 2002



GROUND-WATER LEVELS

MIDDLESEX COUNTY

373149076251501. Local number, 59J 16.

LOCATION.--Lat 37°31'45", long 76°25'15", NAD83, Hydrologic unit 02080102, 20 ft southwest of 59J 25, 165 ft east of State Highway 3, 350 ft north of Coves of Wilton Creek entrance road, 1.25 mi north of Piankatank Creek. Owner: CWWD Development Co. LLC.

AQUIFER.--Yorktown-Eastover aquifer of Miocene to Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 100 ft, casing 0 to 80 ft, 90 to 100 ft, screened 80 to 90 ft.

INSTRUMENTATION.--Occasional measurement with chalk tape by USGS personnel.


DATUM.--Elevation of land surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.05 ft above land surface datum prior to July 18, 2002; 0.75 ft thereafter.

PERIOD OF RECORD.--December 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 36.81 ft below land-surface datum, Apr. 17, 2001; lowest measured, 41.42 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	37.98	JAN 15	39.67	APR 09	40.17	JUL 18	41.42
WATER YEAR 2002		HIGHEST	37.98	OCT 22, 2001	LOWEST	41.42	JUL 18, 2002



MIDDLESEX COUNTY

373145076251601. Local number, 59J 25.

LOCATION.--Lat 37°31'45", long 76°25'15", NAD83, Hydrologic unit 02080102, 20 ft northeast of 59J 16, 165 ft east of State Highway 3, 350 ft north of Coves of Wilton Creek entrance road, 1.25 mi north of Piankatank Creek. Owner: CWWD Development Co. LLC.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 43 ft, casing depth unknown, screened depth unknown.

INSTRUMENTATION.--Occasional measurement with chalk tape by USGS personnel.


DATUM.--Elevation of land surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.87 ft above-land surface datum.

PERIOD OF RECORD.--September 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 25.55 ft below land-surface datum, Oct. 6, 2000; lowest measured, 33.08 ft below land-surface datum July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	30.68	JAN 15	31.87	APR 09	32.73	JUL 18	33.08
WATER YEAR 2002		HIGHEST	30.68	OCT 22, 2001	LOWEST	33.08	JUL 18, 2002



GROUND-WATER LEVELS

MIDDLESEX COUNTY

373125076251501. Local number, 59J 27.

LOCATION.--Lat 37°31'25", long 76°25'14", NAD83, Hydrologic unit 02080102, 1000 ft east of State Highway 3, 0.9 mi north of Piankatank Creek. Owner: Carolyn Wuyts.

AQUIFER.--Upper Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1001 ft, casing 0 to 981 ft, screened 981 to 1001 ft.

INSTRUMENTATION.--Occasional measurement with chalk tape by USGS personnel.

DATUM.--Elevation of land surface datum is 30 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.28 ft above land surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--May 2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 89.13 ft below land-surface datum, May 18, 2000; lowest measured, 91.80 ft below land-surface datum July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	91.32	JAN 15	91.24	APR 09	91.16	JUL 18	91.80
WATER YEAR 2002		HIGHEST	91.16	APR 09, 2002		LOWEST	91.80 JUL 18, 2002



370812080261901. Local number. 27F 2 SOW 019.

AQUIFER.--Beekmantown Formation of Early Ordovician age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 10 in., depth 450 ft, length of casing unknown.

DATUM.--Elevation of land-surface datum is 1,970 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft below land-surface datum prior to May 1, 1990; 0.43 ft above land-surface datum thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Lowest recorded water level, 7.39 ft, is a result of the Mexico earthquake of Sep. 19, 1985, but is not shown as the minimum of record since it is an earthquake affected measurement. Prior to May 1, 1990, brief periods when water flowed over top of casing. Missing record due to recorder malfunction.

PERIOD OF RECORD.--July 1953, April 1969 to current year. Unpublished record available July 1953 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.02 ft above land-surface datum, Mar. 28, 1993; lowest recorded, 7.30 ft below land-surface datum, Dec. 5, 1969.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 3.23 ft below land-surface datum, May 18; lowest instantaneous water level, 7.28 ft below land-surface datum, Sept. 27.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	5.76	5.99	6.22	6.14	5.77	5.97	4.25	3.37	4.57	5.50	5.77	6.51
10	5.87	6.05	6.19	6.14	5.53	6.09	4.53	3.43	4.81	5.71	5.99	6.69
15	5.77	6.14	5.97	6.27	5.72	5.82	4.47	3.50	5.04	5.48	6.07	6.76
20	5.85	6.03	5.85	6.13	5.74	3.62	4.77	3.52	5.19	5.60	6.17	6.59
25	5.92	6.09	5.92	4.88	5.87	4.24	5.06	3.97	5.40	5.38	6.89	6.53
EOM	6.04	6.12	6.17	5.50	6.11	4.26	5.03	4.25	5.37	5.44	6.70	7.21

WATER YEAR 2002	HIGHEST	3.37	MAY 05, 2002	LOWEST	7.21	SEP 30, 2002
-----------------	---------	------	--------------	--------	------	--------------



GROUND-WATER LEVELS

NEW KENT COUNTY

373111077104601. Local number, 53J 6.

LOCATION.--Lat 37°31'12", long 77°10'45", NAD83, Hydrologic Unit 02080206, 0.18 mi south of State Highway 249 in Brookwood Manor Subdivision, 0.7 mi northeast of the intersection of Interstate Highway 64 and State Highway 249, and 2.95 mi southwest of Quinton. Owner: Thomas M. Brooks.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 6 in., depth 305 ft, screened 285 to 305 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 115 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.

REMARKS.--Water level affected by regional drawdown.


PERIOD OF RECORD.--November 1983 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 129.91 ft below land-surface datum, Feb. 3, 1984; lowest measured, 160.20 ft below land-surface datum, Dec. 20, 1999.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	154.60	JAN 28	152.64	APR 08	153.99	JUL 18	157.90

WATER YEAR 2002	HIGHEST	152.64	JAN 28, 2002	LOWEST	157.90	JUL 18, 2002
-----------------	---------	--------	--------------	--------	--------	--------------



NEW KENT COUNTY

373024076542201. Local number, 55J 6.

LOCATION.--Lat 37°30'24", long 76°54'21", NAD83, Hydrologic Unit 02080106, 0.25 mi north of State Highway 249, 4.3 mi east of New Kent Courthouse. Owner: Chad Brunskole.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in., depth 275 ft, screened 265 to 275 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 110 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.38 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1972, April 1984 to March 1986, March 1988 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 114.10 ft below land-surface datum, Dec. 7, 1972; lowest measured, 131.04 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	130.38	JAN 28	130.60	APR 11	130.58	JUL 18	131.04
WATER YEAR 2002		HIGHEST	130.38	OCT 23, 2001	LOWEST	131.04	JUL 18, 2002



GROUND-WATER LEVELS

CITY OF NEWPORT NEWS

371027076335601. Local number, 58F 1 SOW 002.

LOCATION.--Lat 37°10'28", long 76°33'55", NAD83, Hydrologic Unit 02080206, on shore of Lee Hall Reservoir, 0.15 mi north of intersection of State Highway 105 and U.S. Highway 60, and 0.65 mi northeast of Fort Eustis in Newport News. Owner: City of Newport News.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 10 in. to 431.3 ft, diameter 8 in. from 431.3 to 443 ft, diameter 6 in. from 443 to 497 ft, depth 497 ft, screened 476 to 493 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 20 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 2.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--January 1968 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 54.76 ft below land-surface datum, May 10, 1969; lowest measured, 140.75 ft below land-surface datum, Jan. 6, 1999.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	104.80	JAN 15	105.66	APR 09	105.55	JUL 16	117.61
WATER YEAR 2002		HIGHEST	104.80	OCT 16, 2001	LOWEST	117.61	JUL 16, 2002



CITY OF NEWPORT NEWS

371208076341101. Local number, 58F 50 SOW 171A.

LOCATION.--Lat 37°12'09", long 76°34'10", NAD83, Hydrologic Unit 02080206, 0.4 mi southeast of the intersection of State Highways 143 and 238 and 150 ft north of State Highway 143 in the city of Newport News. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,236 ft, screened 1,205 to 1,215 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 60-minute record interval. Prior to May 8, 1997, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Apr. 14, 1993; 1.85 ft thereafter.

REMARKS.--Missing record due to recorder malfunction. Water level affected by regional drawdown, nearby pumpage, and occasional pumpage for water-quality sampling. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD.--July 1984 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 106.32 ft below land-surface datum, May 23-27, 1996; lowest recorded, 146.42 ft below land-surface datum, May 21, 1999.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 133.60 ft below land-surface datum, Mar. 14; lowest instantaneous water level, 142.96 ft below land-surface datum, Sept. 30.

DEPTH BELOW LAND S. TROLL DATA-LOGGER, in FT, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	134.61	134.87	135.31	134.50	135.09	134.00	133.84	134.63	135.41	---	---	138.71
10	134.89	135.04	135.21	134.58	134.96	134.06	134.10	134.55	135.78	---	---	140.26
15	134.72	135.44	134.88	134.68	134.80	133.65	133.87	134.48	135.61	---	---	141.11
20	134.42	135.43	134.48	134.89	134.51	133.85	133.80	134.42	135.58	---	---	141.77
25	134.41	135.31	134.19	134.86	133.74	133.87	134.36	134.86	---	---	136.23	142.53
EOM	134.93	135.31	134.12	135.02	133.91	134.06	134.40	135.11	---	---	137.12	142.96



GROUND-WATER LEVELS

CITY OF NEWPORT NEWS

371208076341102. Local number, 58F 51 SOW 171B.

LOCATION.--Lat 37°12'09", long 76°34'10", NAD83, Hydrologic Unit 02080206, 0.4 mi southeast of the intersection of State Highways 143 and 238 and 150 ft north of State Highway 143 in the city of Newport News. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 851 ft, screened 820 to 830 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 60-minute record interval. Prior to Apr. 24, 1996, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Apr. 14, 1993; 1.80 ft thereafter.

REMARKS.--Missing record due to recorder malfunction, except for periods in November and December 1998, January 1999, and September 2002, due to water level below transducer, result of nearby pumpage. Water level affected by regional drawdown, nearby pumpage, and occasional pumpage for water-quality sampling. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD.--July 1984 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 126.35 ft below land-surface datum, Mar. 23-25, 1985; lowest recorded, not determined, greater than 161.99 ft, occurred during September 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 142.68 ft below land-surface datum, Feb. 27; lowest instantaneous water level, not determined, greater than 161.99 ft, occurred during September.

DEPTH BELOW LAND S., in FT, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	143.22	144.22	145.87	142.97	143.20	142.99	143.10	144.98	148.10	144.59	148.66	158.61
10	143.40	145.37	145.26	142.91	142.99	143.13	143.03	143.82	148.53	144.46	149.67	160.46
15	143.01	144.49	143.80	143.04	142.91	143.21	143.10	143.47	146.99	146.10	---	161.15
20	142.99	143.87	143.00	143.00	142.89	143.24	144.49	145.48	145.65	147.91	---	161.59
25	143.29	143.70	142.85	143.55	142.91	143.26	145.92	146.38	144.84	148.96	151.07	---
EOM	143.44	144.21	142.93	143.33	142.91	143.20	146.27	147.42	144.61	148.48	155.76	---



CITY OF NEWPORT NEWS

371208076341103. Local number, 58F 52 SOW 171C.

LOCATION.--Lat 37°12'09", long 76°34'10", NAD83, Hydrologic Unit 02080206, 0.4 mi southeast of the intersection of State Highways 143 and 238 and 150 ft north of State Highway 143 in the city of Newport News. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 537 ft, screened 527 to 537 ft.

INSTRUMENTATION.--Electronic pressure transducer data logger 60-minute record interval. Prior to April 24, 1996, digital recorder 60-minute punch. October 1993 to June 1994, occasional measurement with chalked tape by USGS personnel. Prior to October 1993, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Apr. 14, 1993; 3.1 ft thereafter.

REMARKS.--Missing record due to water level below transducer, result of nearby pumpage. Water level affected by regional drawdown, nearby pumpage, and occasional pumpage for water-quality sampling. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD.--June 1984 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 128.12 ft below land-surface datum, Mar. 23, 1985; lowest recorded, not determined, greater than 161.42 ft, occurred during September 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 142.88 ft below land-surface datum, Feb. 27; lowest instantaneous water level, not determined, greater than 161.42 ft, occurred during September.

DEPTH BELOW LAND S., in FT, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	143.60	146.42	147.84	143.23	143.39	143.17	143.34	145.44	150.76	145.23	151.18	159.15
10	143.74	146.18	145.79	143.13	143.14	143.39	143.25	144.16	151.14	145.09	152.50	160.93
15	143.28	144.88	144.06	143.23	143.06	143.56	143.52	144.24	147.85	148.26	152.24	---
20	143.28	144.17	143.20	143.21	143.04	143.60	146.58	147.72	146.25	150.74	153.20	---
25	143.70	143.95	143.10	144.07	143.05	143.57	147.86	148.60	145.37	151.46	154.09	---
EOM	143.81	145.22	143.18	143.51	143.06	143.48	148.10	149.92	145.19	150.35	156.56	---



GROUND-WATER LEVELS

CITY OF NEWPORT NEWS

371208076341104. Local number, 58F 53 SOW 171D.

LOCATION.--Lat 37°12'09", long 76°34'10", NAD83, Hydrologic Unit 02080206, 0.4 mi southeast of the intersection of State Highways 143 and 238 and 150 ft north of State Highway 143 in the city of Newport News. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 343 ft, screened 333 to 343 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1999, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Apr. 14, 1993; 2.9 ft thereafter.


REMARKS.--Missing record due to recorder malfunction. Water level affected by regional drawdown and occasional pumpage for water-quality sampling. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--July 1984 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 55.18 ft below land-surface datum, Feb. 2, 1985; lowest recorded, 66.45 ft below land-surface datum, Aug. 19, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	65.87	FEB 19	66.00	JUN 21	66.30	AUG 19	66.45				
DEC 13	66.14	APR 09	65.82	JUL 01	66.40						
WATER YEAR 2002		HIGHEST	65.82	APR 09, 2002	LOWEST	66.45	AUG 19, 2002				



371208076341105. Local number, 58F 54 SOW 171E.

AQUIFER.--Yorktown confining unit of Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 88 ft, screened 78 to 88 ft.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Jul. 8, 1992; 1.6 ft thereafter.


REMARKS.--Missing record due to recorder malfunction. Water level affected by occasional pumpage for water-quality sampling. Occasional stepping in hydrograph due to well not being plum and float rubbing the side of the casing.

PERIOD OF RECORD.--June 1984 to October 1991, July 1992 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 22.05 ft below land-surface datum, May 20, 21, 1993; lowest recorded, 27.34 ft below land-surface datum, Nov. 1, 1990.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	25.47	FEB 19	26.24	JUN 21	26.28	AUG 19	26.79				
DEC 13	26.23	APR 09	25.88	JUL 01	26.47						
WATER YEAR 2002		HIGHEST	25.88	APR 09, 2002		LOWEST	26.79	AUG 19, 2002			



GROUND-WATER LEVELS

CITY OF NEWPORT NEWS

371208076341106. Local number, 58F 55 SOW 171F.

LOCATION.--Lat 37°12'09", long 76°34'10", NAD83, Hydrologic Unit 02080206, 0.4 mi southeast of the intersection of State Highways 143 and 238 and 150 ft north of State Highway 143 in the city of Newport News. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Cornwallis Cave aquifer of Pliocene-Pleistocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 60 ft, screened 50 to 60 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1999, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.9 ft above land-surface datum.


REMARKS.--Missing record due to recorder malfunction. Water level affected by occasional pumpage for water-quality sampling.

PERIOD OF RECORD.--June 1984 to current year. Unpublished records available prior to October 1986 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 23.04 ft below land-surface datum, May 21-24, 1993; lowest recorded, 29.65 ft below land-surface datum, Aug. 19, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	27.87	FEB 19	28.60	JUN 21	28.67	AUG 19	29.65				
DEC 13	28.60	APR 09	27.98	JUL 01	28.86						
WATER YEAR 2002		HIGHEST	27.87	OCT 02, 2001	LOWEST	29.65	AUG 19, 2002				



CITY OF NORFOLK

365223076122101. Local number, 61C 1.

LOCATION.--Lat 36°52'24", long 76°12'20", NAD83, Hydrologic Unit 02080108, at Moores Bridge Filter Plant, 0.3 mi east of intersection of State Highway 165 and U.S. Highway 13 in Norfolk. Owner: City of Norfolk.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 970 ft, screened 900 to 960 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 10.80 ft NGVD of 1929. Measuring point: Inner edge of manhole at land-surface datum. Prior to Oct. 29, 1987, measuring point at top of casing, 3.15 ft above land-surface datum.


REMARKS.--Water level affected by local pumpage, regional drawdown, and recharge operations in nearby wells May 18, 1971, to Nov. 5, 1973.

PERIOD OF RECORD.--January 1968 to June 1990, September 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.70 ft below land-surface datum, Feb. 17, 1968; lowest measured, 75.89 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	74.67	JAN 18	75.21	APR 26	75.45	JUL 23	75.89
WATER YEAR 2002		HIGHEST	74.67	OCT 24, 2001	LOWEST	75.89	JUL 23, 2002



NORTHAMPTON COUNTY

371543076003401. Local number, 62G 15 SOW 121.

LOCATION.--Lat 37°15'43", long 76°00'33", NAD83, Hydrologic Unit 02080110, 100 ft southwest of State Highway 642, 0.5 mi south of intersection of State Highways 184 and 642, and 0.7 mi southeast of Cape Charles. Owner: Brown and Root Corporation.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 190 ft, screened 180 to 190 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to July 15, 1985, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 12 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.5 ft above land-surface datum.

REMARKS.---Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction. Table below includes previously unpublished data for April to September 2001. Water level affected by local pumpage.

PERIOD OF RECORD.--November 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 8.37 ft below land-surface datum, May 11, 12, 13, 1998; lowest recorded, 14.31 ft below land-surface datum, Jan. 16, 17, 1986.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 10.57 ft below land-surface datum, Feb. 27, Mar. 21; lowest instantaneous water level, 12.55 ft below land-surface datum, Aug. 23.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	10.67	10.96	11.08	11.23	11.72	11.34	11.24	11.38	11.17	11.49	11.57	11.14
10	10.73	10.92	11.23	11.50	11.60	11.55	11.32	11.39	11.13	11.62	11.60	11.33
15	10.78	10.87	11.36	11.76	11.47	11.47	11.24	11.39	11.30	11.83	11.34	11.26
20	10.85	11.00	11.32	11.64	11.40	11.54	---	11.42	11.30	11.84	11.35	11.15
25	10.84	11.17	11.44	11.56	11.46	11.34	11.24	11.33	11.37	11.84	11.34	10.88
EOM	10.78	10.94	11.25	11.58	11.34	11.25	11.32	11.22	11.40	11.53	11.16	10.88

WATER YEAR 2001	HIGHEST	10.67	OCT 05, 2000	LOWEST	11.84	JUL 20, 2001	JUL 25, 2001
-----------------	---------	-------	--------------	--------	-------	--------------	--------------

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	10.84	10.95	11.03	10.66	10.80	10.85	10.67	10.84	11.12	11.65	11.97	12.05
10	10.89	11.10	11.08	10.65	10.75	11.09	10.76	10.66	11.16	11.64	12.13	11.94
15	10.83	11.13	10.98	10.74	10.75	11.00	10.74	10.71	11.14	11.60	12.32	12.23
20	10.87	11.14	11.03	10.73	10.78	10.73	10.73	10.77	11.32	11.71	12.37	12.14
25	10.85	11.15	10.94	10.74	10.77	10.81	10.70	10.88	11.44	11.80	12.48	12.14
EOM	10.97	11.03	10.78	10.74	10.71	10.75	10.70	10.89	11.53	11.81	12.25	12.04

WATER YEAR 2002	HIGHEST	10.65	JAN 10, 2002	LOWEST	12.48	AUG 25, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



NORTHAMPTON COUNTY

371307075583501. Local number, 63F 15 SOW 105A.

LOCATION.--Lat 37°13'08", long 75°58'34", NAD83, Hydrologic Unit 02080109, 50 ft south of State Highway 644, 0.3 mi west of intersection of State Highway 644 and U.S. Highway 13, and 1.3 mi north of Cheapside. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 130 ft, screened 120 to 130 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 5, 1985 to Oct. 24, 1995, continuous strip-chart recorder. Prior to Oct. 5, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 31.97 ft NGVD of 1929. Measuring point: Top of recorder shelf, 1.1 ft above land-surface datum prior to Jul. 21, 1987; 1.4 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.44 ft below land-surface datum, Apr. 12, 1982; lowest recorded, 24.62 ft below land-surface datum, Jun. 15, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	19.03	JAN 22	19.52	MAY 01	19.05	JUL 24	19.96
WATER YEAR 2002		HIGHEST	19.03	OCT 10, 2001	LOWEST	19.96	JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

371307075583502. Local number, 63F 16 SOW 105C.

LOCATION.--Lat 37°13'08", long 75°58'34", NAD83, Hydrologic Unit 02080109, 50 ft south of State Highway 644, 0.3 mi west of intersection of State Highway 644 and U.S. Highway 13, and 1.3 mi north of Cheapside. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 285 ft, screened 275 to 285 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 31.16 ft NGVD of 1929. Measuring point: Top of casing, 0.1 ft above land-surface datum prior to Mar. 1, 1994; 0.6 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 23.90 ft below land-surface datum, Jul. 7, 1998; lowest measured, 29.58 ft below land-surface datum, May 23, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	24.94	JAN 22	24.99	MAY 01	25.02	JUL 24	25.38
WATER YEAR 2002 HIGHEST		24.94	OCT 10, 2001		LOWEST		25.38 JUL 24, 2002



NORTHAMPTON COUNTY

371307075583503. Local number, 63F 17 SOW 105B.

LOCATION.--Lat 37°13'08", long 75°58'34", NAD83, Hydrologic Unit 02080109, 50 ft south of State Highway 644, 0.3 mi west of intersection of State Highway 644 and U.S. Highway 13, and 1.3 mi north of Cheapside. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 196 ft, screened 186 to 196 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 31.50 ft NGVD of 1929. Measuring point: Top of casing, 0.5 ft above land-surface datum, prior to Jul. 22, 1996. 1.0 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--June 1978 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.72 ft below land-surface datum, Oct. 21, 1999; lowest measured, 21.68 ft below land-surface datum, Feb. 11, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	18.63	JAN 22	19.13	MAY 01	18.63	JUL 24	19.57
WATER YEAR 2002		HIGHEST	18.63	OCT 10, 2001		MAY 01, 2002	LOWEST
							19.57 JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

371307075583601. Local number, 63F 34.

LOCATION.--Lat 37°13'08", long 75°58'35", NAD83, Hydrologic Unit 02080109, 50 ft south of State Highway 644, 0.35 mi west of intersection of U.S. Highway 13 and State Highway 644, and 1.55 mi northwest of Capeville. Owner: U.S. Geological Survey.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Driven observation water well, diameter 2 in., depth 13 ft, screened 10 to 13 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 16 to Sep. 30, 1989, bimonthly measurement with chalked tape by USGS personnel. Jan. 22, 1988, to Aug. 16, 1989, digital recorder 60-minute punch. Prior to Jan. 22, 1988, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 31.15 ft NGVD of 1929. Measuring point: Top of casing, 1.85 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1987 to current year. Unpublished records available prior to October 1987 in files of the U.S. Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.05 ft below land-surface datum, Oct. 21, 1999; lowest measured, 9.08 ft below land-surface datum, Feb. 4, 5, 1989.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	7.35	JAN 22	8.05	MAY 01	8.27	JUL 24	8.93
WATER YEAR 2002		HIGHEST	7.35	OCT 10, 2001	LOWEST	8.93	JUL 24, 2002



370807075570802. Local number, 63F 51 SOW 182A

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,730 ft, screened 1,720 to 1,730 ft.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by occasional pumpage for water-quality sampling. Cause of nonrecovery to pre-pumpage level after November 1997 unknown.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.35 ft above land-surface datum, May 7, 1990; lowest measured, 8.76 ft below land-surface datum, Nov. 12, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	7.71	JAN 22	7.86	APR 24	7.78	JUL 23	8.10
WATER YEAR 2002	HIGHEST	7.71	OCT 10, 2001	LOWEST	8.10	JUL 23, 2002	



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

370807075570803. Local number, 63F 52 SOW 182B.

LOCATION.--Lat 37°08'08", long 75°57'07", NAD83, Hydrologic Unit 02080110, at Kiptopeke Wildlife Refuge, 0.6 mi southeast of State Highway 600, 0.8 mi southeast of Kiptopeke, and 0.9 mi southeast of intersection of State Highway 600 and U.S. Highway 13. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 1,040 ft, diameter 2 in. from 1,040 to 1,320 ft, depth 1,320 ft, screened 1,300 to 1,320 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to July 24, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by occasional pumpage for water-quality sampling. Cause of nonrecovery to pre-pumpage level after November 1997 unknown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 26.12 ft below land-surface datum, Dec. 3, 1990; lowest measured, 33.76 ft below land-surface datum, Jan. 22, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	33.73	JAN 22	33.76	APR 24	33.40	JUL 23	33.74
WATER YEAR 2002		HIGHEST	33.40	APR 24, 2002	LOWEST	33.76	JAN 22, 2002



NORTHAMPTON COUNTY

370807075570804. Local number, 63F 53 SOW 182C.

LOCATION.--Lat 37°08'08", long 75°57'07", NAD83, Hydrologic Unit 02080110, at Kiptopeke Wildlife Refuge, 0.6 mi southeast of State Highway 600, 0.8 mi southeast of Kiptopeke, and 0.9 mi southeast of intersection of State Highway 600 and U.S. Highway 13. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 188 ft, diameter 2 in. from 188 to 220 ft, depth 220 ft, screened 210 to 220 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.90 ft below land-surface datum, Jan. 22, 1991; lowest measured, 13.80 ft below land-surface datum, Apr. 11, 1996.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	8.93	JAN 22	7.93	APR 24	6.88	JUL 23	8.80
WATER YEAR 2002		HIGHEST	6.88	APR 24, 2002	LOWEST	8.93	OCT 10, 2001



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

370807075570805. Local number, 63F 54 SOW 182D.

LOCATION.--Lat 37°08'08", long 75°57'07", NAD83, Hydrologic Unit 02080110, at Kiptopeke Wildlife Refuge, 0.6 mi southeast of State Highway 600, 0.8 mi southeast of Kiptopeke, and 0.9 mi southeast of intersection of State Highway 600 and U.S. Highway 13. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 55 ft, screened 45 to 55 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 24, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.77 ft below land-surface datum, Oct. 21, 1999; lowest measured, 7.90 ft below land-surface datum, Jul. 8, 1993.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	6.45	JAN 22	6.18	APR 24	5.85	JUL 23	6.82
WATER YEAR 2002		HIGHEST	5.85	APR 24, 2002		LOWEST	6.82 JUL 23, 2002



NORTHAMPTON COUNTY

370807075570806. Local number, 63F 55 SOW 182E.

LOCATION.--Lat 37°08'08", long 75°57'07", NAD83, Hydrologic Unit 02080110, at Kiptopeke Wildlife Refuge, 0.6 mi southeast of State Highway 600, 0.8 mi southeast of Kiptopeke, and 0.9 mi southeast of intersection of State Highway 600 and U.S. Highway 13. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 24, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--May 1990 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.31 ft below land-surface datum, Oct. 21, 1999; lowest measured, 6.47 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	5.77	JAN 22	5.19	APR 24	5.54	JUL 23	6.47
WATER YEAR 2002		HIGHEST	5.19	JAN 22, 2002	LOWEST	6.47	JUL 23, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

371709075560801. Local number, 63G 15 SOW 104C.

LOCATION.--Lat 37°17'09", long 75°56'06", NAD83, Hydrologic Unit 02080110, 50 ft north of State Highway 639, 0.1 mi east of intersection of State Highways 600 and 639, and 0.7 mi west of Oyster. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 310 ft, screened 300 to 310 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Jul. 15, 1985 to Oct. 23, 1995, continuous strip-chart recorder. Prior to Jul. 15, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 28 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.24 ft above land-surface datum prior to Nov. 10, 1986; 1.75 ft prior to Jun. 4, 1996. Top of casing, 1.50 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 16.11 ft below land-surface datum, Apr. 21, 1998; lowest measured, 27.96 ft below land-surface datum, Oct. 8, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	18.99	JAN 22	18.69	MAY 01	17.68	JUL 24	18.92
WATER YEAR 2002		HIGHEST	17.68	MAY 01, 2002	LOWEST	18.99	OCT 10, 2001



NORTHAMPTON COUNTY

371709075560802. Local number, 63G 16 SOW 104B.

LOCATION.--Lat 37°17'09", long 75°56'07", NAD83, Hydrologic Unit 02080110, 50 ft north of State Highway 639, 0.1 mi east of intersection of State Highways 600 and 639, and 0.7 mi west of Oyster. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 240 ft, screened 230 to 240 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 28 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.4 ft above land-surface datum prior to Feb. 29, 1988; 0.9 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.54 ft below land-surface datum, Apr. 21, 1998; lowest measured, 23.47 ft below land-surface datum, Oct. 8, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	16.74	JAN 22	16.39	MAY 01	15.68	JUL 24	16.96
WATER YEAR 2002		HIGHEST	15.68	MAY 01, 2002	LOWEST	16.96	JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

371709075560803. Local number, 63G 17 SOW 104A.

LOCATION.--Lat 37°17'09", long 75°56'07", NAD83, Hydrologic Unit 02080110, 50 ft north of State Highway 639, 0.1 mi east of intersection of State Highways 600 and 639, and 0.7 mi west of Oyster. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 140 ft, screened 130 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 28 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.05 ft above land-surface datum prior to Feb. 29, 1988; 0.5 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 12.62 ft below land-surface datum, Apr. 21, 1998; lowest measured, 21.99 ft below land-surface datum, Oct. 8, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	15.44	JAN 22	15.27	MAY 01	14.73	JUL 24	15.85
WATER YEAR 2002		HIGHEST	14.73	MAY 01, 2002		LOWEST	15.85
							JUL 24, 2002



NORTHAMPTON COUNTY

371653075584801. Local number, 63G 22 SOW 111A.

LOCATION.--Lat 37°16'53", long 75°58'47", NAD83, Hydrologic Unit 02080109, 50 ft west of U.S. Highway 13, 0.4 mi north of intersection of U.S. Highway 13 and State Highway 641, and 0.7 mi southwest of Cheriton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 150 ft, screened 140 to 150 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sept. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum prior to Apr. 27, 1987; 1.60 ft Apr. 27, 1987, to Feb. 29, 1988; 1.1 ft Mar. 1, 1988, to Jun. 19, 1989; 0.80 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.60 ft below land-surface datum, Apr. 21, 1998; lowest measured, 14.51 ft below land-surface datum, Feb. 17, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	11.13	JAN 22	11.19	MAY 01	10.77	JUL 24	14.11
WATER YEAR 2002		HIGHEST	10.77	MAY 01, 2002		LOWEST	14.11
							JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

371653075584802. Local number, 63G 23 SOW 111B.

LOCATION.--Lat 37°16'53", long 75°58'47", NAD83, Hydrologic Unit 02080109, 50 ft west of U.S. Highway 13, 0.4 mi north of intersection of U.S. Highway 13 and State Highway 641, and 0.7 mi southwest of Cheriton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 280 ft, screened 270 to 280 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Jul. 20, 1985 to Oct 24, 1995, continuous strip chart recorder. Prior to Jul. 20, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.42 ft above land-surface datum prior to Jul. 20, 1987; 1.56 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.01 ft below land-surface datum, Dec. 30, 1982; lowest measured, 22.47 ft below land-surface datum, Sep. 15, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	13.42	JAN 22	13.39	MAY 01	12.99	JUL 24	15.24
WATER YEAR 2002		HIGHEST	12.99	MAY 01, 2002		LOWEST	15.24
							JUL 24, 2002



NORTHAMPTON COUNTY

371653075584804. Local number, 63G 25 SOW 111S.

LOCATION.--Lat 37°16'53", long 75°58'47", NAD83, Hydrologic Unit 02080109, 50 ft west of U.S. Highway 13, 0.4 mi north of intersection of U.S. Highway 13 and State Highway 641, and 0.7 mi southwest of Cheriton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 1.25 in., depth 70 ft, screened 60 to 70 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.64 ft above land-surface datum prior to Oct. 10, 1996; 0.60 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.64 ft below land-surface datum, Apr. 21, 1998; lowest measured, 15.48 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	9.42	JAN 22	9.71	MAY 01	9.30	JUL 24	15.48
WATER YEAR 2002		HIGHEST	9.30	MAY 01, 2002	LOWEST	15.48	JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

372705075555901. Local number, 63H 4 SOW 103C.

LOCATION.--Lat 37°27'06", long 75°55'58", NAD83, Hydrologic Unit 02080109, 0.2 mi north of State Highway 619, 0.5 mi northwest of intersection of State Highways 619 and 622, and 0.5 mi northwest of Bridgetown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 235 ft, screened 225 to 235 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum prior to Mar 1, 1988; 0.8 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in file of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.15 ft below land-surface datum, May 1, 1979; lowest measured, 12.56 ft below land-surface datum, Nov. 11, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	12.17	JAN 22	12.23	MAY 01	11.98	JUL 24	12.43
WATER YEAR 2002		HIGHEST	11.98	MAY 01, 2002	LOWEST	12.43	JUL 24, 2002



NORTHAMPTON COUNTY

372705075555902. Local number, 63H 5 SOW 103B.

LOCATION.--Lat 37°27'05", long 75°55'58", NAD83, Hydrologic Unit 02080109, 0.2 mi north of State Highway 619, 0.5 mi northwest of intersection of State Highways 619 and 622, and 0.5 mi northwest of Bridgetown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 132 ft, screened 122 to 132 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.55 ft above land-surface datum prior to Mar. 1, 1988; 1.25 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.81 ft below land-surface datum, Oct. 21, 1999; lowest measured, 12.04 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	11.44	JAN 22	11.15	MAY 01	10.75	JUL 24	12.04
WATER YEAR 2002		HIGHEST	10.75	MAY 01, 2002	LOWEST	12.04	JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

372705075555903. Local number, 63H 6 SOW 103A.

LOCATION.--Lat 37°27'05", long 75°55'58", NAD83, Hydrologic Unit 02080109, 0.2 mi north of State Highway 619, 0.5 mi northwest of intersection of State Highways 619 and 622, and 0.5 mi northwest of Bridgetown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 37 ft, screened 27 to 37 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--October 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.88 ft below land-surface datum, Oct. 21, 1999; lowest measured, 9.93 ft below land-surface datum, Jan. 9, 1989.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	7.38	JAN 22	8.69	MAY 01	8.53	JUL 24	9.31
WATER YEAR 2002 HIGHEST		7.38	OCT 10, 2001 LOWEST		9.31	JUL 24, 2002	



NORTHAMPTON COUNTY

373230075541001. Local number, 63J 1 SOW 113A.

LOCATION.--Lat 37°32'16", long 75°54'06", NAD83, Hydrologic Unit 02080109, 0.15 mi north of State Highway 183, 0.4 mi east of intersection of State Highways 183 and 611, and 1.3 mi west of Wardtown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 120 ft, screened 110 to 120 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 22 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.32 ft above land-surface datum prior to Oct. 6, 1988; 1.5 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--July 1981 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.79 ft below land-surface datum, Apr. 21, 1983; lowest measured, 38.98 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	24.67	JAN 22	20.79	MAY 01	23.49	JUL 24	38.98
WATER YEAR 2002		HIGHEST	20.79	JAN 22, 2002	LOWEST	38.98	JUL 24, 2002



NORTHAMPTON COUNTY

373230075541003. Local number, 63J 3 SOW 113C.

LOCATION.--Lat 37°32'16", long 75°54'06", NAD83, Hydrologic Unit 02080109, 0.15 mi north of State Highway 183, 0.4 mi east of intersection of State Highways 183 and 611, and 1.3 mi west of Wardtown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 290 ft, screened 280 to 290 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Jul. 20, 1995, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 22 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.44 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--July 1981 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 19.26 ft below land-surface datum, Apr. 21, 1983; lowest measured, 30.52 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	26.53	JAN 22	23.68	MAY 01	23.46	JUL 24	30.52
WATER YEAR 2002		HIGHEST	23.46	MAY 01, 2002	LOWEST	30.52	JUL 24, 2002



GROUND-WATER LEVELS

NORTHAMPTON COUNTY

373059075484501. Local number, 64J 9 SOW 112A.

LOCATION.--Lat 37°30'59", long 75°48'44", NAD83, Hydrologic Unit 02080109, 100 ft northeast of State Highway 660, 0.3 mi southeast of intersection of State Highways 660 and 600, and 0.3 mi west of Willis Wharf. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 135 ft, screened 125 to 135 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 30 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum prior to Feb. 29, 1988; 0.7 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.19 ft below land-surface datum, Feb. 22, 1993; lowest measured, 33.57 ft below land-surface datum, Jul. 18, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	32.03	JAN 22	26.22	APR 24	24.36	JUL 24	32.83
WATER YEAR 2002		HIGHEST	24.36	APR 24, 2002	LOWEST	32.83	JUL 24, 2002



NORTHAMPTON COUNTY

373059075484502. Local number, 64J 10 SOW 112B.

LOCATION.--Lat 37°30'59", long 75°48'44", NAD83, Hydrologic Unit 02080109, 100 ft northeast of State Highway 660, 0.3 mi southeast of intersection of State Highways 600 and 660, and 0.3 mi west of Willis Wharf. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 210 ft, screened 200 to 210 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 5, 1985 to Oct. 23, 1995, continuous strip-chart recorder. Prior to Oct. 5, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 30 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.5 ft above land-surface datum prior to Aug. 12, 1987; 1.6 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by tidal effects and local pumpage.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 20.42 ft below land-surface datum, Mar. 13, 1993; lowest measured, 31.55 ft below land-surface datum, July 24, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 10	31.26	JAN 22	26.07	APR 24	24.20	JUL 24	31.55
WATER YEAR 2002		HIGHEST	24.20	APR 24, 2002		LOWEST	31.55
							JUL 24, 2002



GROUND-WATER LEVELS
NORTHAMPTON COUNTY

373059075484503. Local number, 64J 11 SOW 112C.

LOCATION.--Lat 37°30'59", long 75°48'44", NAD83, Hydrologic Unit 02080109, 100 ft northeast of State Highway 660, 0.3 mi southeast of intersection of State Highways 600 and 660, and 0.3 mi west of Willis Wharf. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 313 ft, screened 303 to 313 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sep. 30, 1985, to Jul. 24, 1995, bimonthly measurement with chalked tape. Prior to Sep. 30, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 30 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.4 ft above land-surface datum prior to Apr. 27, 1987; 0.65 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by tidal effects and local pumpage.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 20.78 ft below land-surface datum, Mar. 29, 1984; lowest measured, 35.70 ft below land-surface datum, Dec. 5, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



ORANGE COUNTY

381002078094201. Local number, 45P 1 SOW 030.

LOCATION.--Lat 38°10'02", long 78°09'41", NAD83, Hydrologic Unit 02080106, off U.S. Highway 15, 2.3 mi north of Gordonsville.
Owner: M. L. Johnson.

AQUIFER.--Phyllite of Evington Group of Cambrian or Precambrian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 98 ft, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked taped by Virginia Department of Environmental Quality - Water Division personnel. Prior to Oct. 31, 1995, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 480 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.40 ft above land-surface datum prior to Jun. 27, 1996; 1.90 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1965 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 11.83 ft below land-surface datum, Apr. 10, 1973; lowest recorded, 38.97 ft below land-surface datum, Aug. 27, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 12	34.32	JAN 14	37.34	MAY 15	37.05	AUG 27	38.97
WATER YEAR 2002		HIGHEST	34.32	OCT 12, 2001	LOWEST	38.97	AUG 27, 2002



GROUND-WATER LEVELS

PATRICK COUNTY

364732080070301. Local number, 30C 1 SOW 010.

LOCATION.--Lat 36°47'32", long 80°07'02", NAD83, Hydrologic Unit 03010103, 300 ft west of State Highway 623, 1.0 mi northeast of intersection of State Highways 57 and 623, and 6.2 mi west of Philpott. Owner: Commonwealth of Virginia.

AQUIFER.--Lynchburg Group of Late Proterozoic age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6.25 in., depth 250 ft, cased to 9 ft, open hole 9 to 250 ft.


INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1996 to Oct. 1, 1999, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 1,060 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum.

PERIOD OF RECORD.--May 1966 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.98 ft below land-surface datum, Mar. 23, 1993; lowest measured, 25.68 ft below land-surface datum, Jan. 8, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



CITY OF PORTSMOUTH

364823076181501. Local number, 60C 27.

LOCATION.--Lat 36°48'24", long 76°18'14", NAD83, Hydrologic Unit 02080208, 100 ft east of State Highway 239 (Victory Boulevard), 0.1 mi south of the intersection of State Highway 239 (Victory Boulevard) and State Highway 337 (Elem Avenue) in the city of Portsmouth. Owner: U.S. Department of the Navy.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 908 ft, screened 903 to 908 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 18 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.5 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1985 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 63.65 ft below land-surface datum, June 19, 1985; lowest measured, 87.08 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	85.36	JAN 18	86.59	APR 26	85.75	JUL 23	87.08
WATER YEAR 2002 HIGHEST 85.36		OCT 24, 2001		LOWEST 87.08		JUL 23, 2002	



GROUND-WATER LEVELS

CITY OF PORTSMOUTH

365313076215101. Local number, 60D 2.

LOCATION.--Lat 36°53'14", long 76°21'50", NAD83, Hydrologic Unit 02080208, 1.1 mi east of the main gate of the U.S. Naval Supply Center on Main Street in Building 285, 2.0 mi northwest of West Norfolk in the city of Portsmouth, and 2.25 mi north of the intersection of U.S. Highway 17 and Cedar Lane (Craney Island Road). Owner: U.S. Department of the Navy.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 8 in. to 170 ft, diameter 4 in. from 170 to 565 ft, depth 565 ft, screened 545 to 565 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 12 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.6 ft above land-surface datum.

PERIOD OF RECORD.--January 1984 to current year. Unpublished records available prior to October 1987 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.01 ft below land-surface datum, Sept. 18, 1985; lowest measured, 6.40 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	6.18	JAN 18	6.28	APR 26	6.12	JUL 23	6.40
WATER YEAR 2002	HIGHEST	6.12	APR 26, 2002	LOWEST	6.40	JUL 23, 2002	



PRINCE GEORGE COUNTY

370501077214401. Local number, 52E 2.

LOCATION.--Lat 37°05'02", long 77°21'43", NAD83, Hydrologic Unit 03010201, at Virginia Department of Transportation - Carson Area Headquarters, 1500 ft west of intersection of State Highway 35 and Interstate 95. Owner: U.S. Geological Survey.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 69.47 ft, screened 64.47 ft to 69.47 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1998 to Oct. 1, 1999, occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1998, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 140 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum prior to Dec. 23, 1998; 1.08 ft thereafter.

REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division.


PERIOD OF RECORD.--May 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.54 ft below land-surface datum, Apr. 23, 1998; lowest measured, 23.26 ft below land-surface datum, Dec. 23, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	20.90	JAN 24	22.46	APR 16	19.20	JUL 09	21.97

WATER YEAR 2002	HIGHEST	19.20	APR 16, 2002	LOWEST	22.46	JAN 24, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



GROUND-WATER LEVELS
PRINCE GEORGE COUNTY

371315077171901. Local number, 52F 1 SOW 038.

LOCATION.--Lat 37°13'16", long 77°17'18", NAD83, Hydrologic Unit 03010202, 0.1 mi north of State Highway 106 in Prince George.
Owner: Prince George County.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 180 ft, cased to 170 ft, open hole 170 to 180 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 10, 1995, bimonthly measurement with chalked tape. May 25, 1974, to Oct. 9, 1985, occasional measurement with chalked tape. Jan. 31, 1971, to May 25, 1974, continuous strip-chart recorder. Prior to Jan. 31, 1971, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 132 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 3.4 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1970 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 69.32 ft below land-surface datum, Feb. 4, 1980; lowest measured, 80.28 ft below land-surface datum, July 11, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



PRINCE WILLIAM COUNTY

384931077420301. Local number, 49U 1.

LOCATION.--Lat 38°49'30", long 77°42'07", NAD83, Hydrologic Unit 02070010, 500 ft north of State Highway 55, 0.8 mi east of Thoroughfare Gap, and 3.7 mi west of Haymarket. Owner: Virginia Department of Transportation.

AQUIFER.--Waterfall Formation of Early Jurassic age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 7 in., depth 345 ft, cased to 20 ft, open hole 20 to 345 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to February 1980, continuous strip-chart recorder.


DATUM.--Elevation of land-surface datum is 383 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--October 1968 to current year. Unpublished records available prior to May 1969 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 2.59 ft below land-surface datum, Mar. 19, 1975; lowest measured, 10.33 ft below land-surface datum, Oct. 14, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 03	8.86	APR 25	5.97	JUL 25	8.44	SEP 25	10.09				
JAN 31	9.28	JUN 20	5.02	AUG 27	9.75						
WATER YEAR 2002		HIGHEST	5.02	JUN 20, 2002	LOWEST	10.09	SEP 25, 2002				



PRINCE WILLIAM COUNTY

385607077381101. Local number, 49V 1.

LOCATION.--Lat 38°56'07", long 77°38'10", NAD83, Hydrologic Unit 02070010, near intersection of State Highways 600 and 615, 2.8 mi south of Aldie. Owner: J. H. Hutchison.

AQUIFER.--Turkey Run Formation of Early Jurassic age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 7 in., depth 165 ft, cased to 10 ft, open hole 10 to 165 ft.

INSTRUMENTATION.--Occasional measurements with chalked tape by USGS personnel. June 19, 1979 to Oct. 1, 1995, digital recorder 60-minute punch. Prior to June 19, 1979, continuous strip-chart recorder.


DATUM.--Elevation of land-surface datum is 420 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum. Readings from 1979 to 1981 should be 0.7 ft lower than previously published.

PERIOD OF RECORD.--November 1968 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 6.85 ft below land-surface datum, Oct. 12, 1979; lowest recorded, 13.09 ft below land-surface datum, Sept. 16, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 03	9.47	APR 25	9.53	JUL 25	10.36	SEP 25	11.16				
JAN 31	9.70	JUN 20	9.17	AUG 27	11.08						
WATER YEAR 2002		HIGHEST	9.17	JUN 20, 2002		LOWEST	11.16	SEP 25, 2002			



PRINCE WILLIAM COUNTY

383423077245901. Local number, 51S 7.

LOCATION.--Lat 38°34'23", long 77°24'58", NAD83, Hydrologic Unit 02070011, in Prince William Forest Park, 700 ft north of State Highway 619, 0.7 mi southeast of Belfair Crossroads, and 4.6 mi south of Independent Hill. Owner: National Park Service.

AQUIFER.--Lunga Reservoir Formation of Cambrian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6 in., depth 490 ft, cased to 50 ft, open hole 50 to 490 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Dec. 21, 1982 to Feb. 1, 1996, digital recorder 60-minute punch. Prior to Dec. 21, 1982, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 295 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


PERIOD OF RECORD.--September 1973 to November 1975, December 1977 to current year. Unpublished records available prior to December 1977 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 1.00 ft above land-surface datum, Mar. 29, 1994; lowest recorded, 16.41 ft below land-surface datum, Sept. 26, 2002.

CORRECTION.--Highest water level for period of record, as published in the 1997-99 reports, was in error.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	11.67	APR 10	12.27	JUL 25	14.56	SEP 26	16.41				
JAN 17	12.96	JUN 20	13.19	AUG 28	15.77						
WATER YEAR 2002		HIGHEST	11.67	OCT 11, 2001	LOWEST	16.41	SEP 26, 2002				



GROUND-WATER LEVELS

PRINCE WILLIAM COUNTY

383634077151301. Local number, 52S 4.

LOCATION.--Lat 38°36'34", long 77°15'12", NAD83, Hydrologic Unit 02070010, 193 ft east of Richmond, Fredericksburg, and Potomac (RFP) railroad tracks, 1.1 mi southeast of the intersection of U.S. Highway 1 and State Highway 636 (Featherstone Road), 1.4 mi south of the intersection of State Highway 636 (Featherstone Road) and RFP railroad tracks, and near Woodbridge. Owner: District of Columbia Department of Sanitary Engineering.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 10 in., depth 186 ft, screened 156 to 176 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Aug. 1, 1971, to July 10, 1978, continuous strip-chart recorder. Prior to Aug. 1, 1971, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 28 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 3.3 ft above land-surface datum prior to Aug. 28, 1978; 1.9 ft thereafter.

PERIOD OF RECORD.--June 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 17.17 ft below land-surface datum, Apr. 28, 1973; lowest measured, 22.17 ft below land-surface datum, July 1, 1969.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	18.91	JAN 17	19.23	APR 10	19.03	JUL 25	19.18
WATER YEAR 2002		HIGHEST	18.91	OCT 11, 2001	LOWEST	19.23	JAN 17, 2002



PRINCE WILLIAM COUNTY

383830077135502. Local number, 53T 2 SOW 029.

LOCATION.--Lat 38°38'30", long 77°13'54", NAD83, Hydrologic Unit 02070010, at U.S. Army Woodbridge Research Facility, 1.5 mi east of Woodbridge. Owner: U.S. Department of the Army.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 10 in., depth 162 ft, screened 130 to 156 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 1, 1996 to Sept. 30, 1999, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 25, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Prior to Sept. 25, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--March 1970 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.60 ft below land-surface datum, Apr. 4, 1973; lowest measured, 10.35 ft below land-surface datum, Oct. 12, 1977.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	2.50	JAN 17	3.04	APR 10	2.68	JUL 25	2.72
WATER YEAR 2002		HIGHEST	2.50	OCT 11, 2001	LOWEST	3.04	JAN 17, 2002



GROUND-WATER LEVELS

PULASKI COUNTY

370254080374401. Local number, 25E 1 SOW 009.

LOCATION.--Lat 37°02'54", long 80°37'43", NAD83, Hydrologic Unit 05050001, 300 ft east of State Highway 100, 0.3 mi south of intersection of State Highways 682 and 700, and 1.1 mi south of Dublin. Owner: Commonwealth of Virginia.

AQUIFER.--Elbrook Formation of Middle to Late Cambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 318 ft, cased to 56 ft, open hole 56 to 318 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Prior to Oct. 1, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 1,880 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1969 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 19.15 ft below land-surface datum, Mar. 31, Apr. 30, 1975; lowest measured, 27.25 ft below land-surface datum, Dec. 13, 1976.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02	22.64	JAN 30	22.86	MAY 15	22.45	AUG 21	24.52
WATER YEAR 2002		HIGHEST	22.45	MAY 15, 2002	LOWEST	24.52	AUG 21, 2002



PULASKI COUNTY

370516080411501. Local number, 25E 2 SOW 059.

LOCATION.--Lat 37°05'16", long 80°41'14", NAD83, Hydrologic Unit 05050001, 400 ft east of State Highway 100, 0.5 mi south of Dublin. Owner: Town of Dublin.

AQUIFER.--Conococheague Formation of Late Cambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 370 ft, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Jul. 20, 1974, to Oct. 1, 1985, occasional measurement with chalked tape. Prior to Jul. 20, 1974, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 2,170 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, at land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1972 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 60.00 ft below land-surface datum, Mar. 18, 1973; lowest measured, 82.50 ft below land-surface datum, Oct. 5, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 03	77.82	JAN 30	76.04	MAY 15	72.42	AUG 21	79.35
WATER YEAR 2002		HIGHEST	72.42	MAY 15, 2002	LOWEST	79.35	AUG 21, 2002



GROUND-WATER LEVELS
RICHMOND COUNTY

375523076431801. Local number, 57M 4.

LOCATION.--Lat 37°55'23", long 76°43'17", NAD83, Hydrologic Unit 02080104, 50 ft west of Totuskey Creek, off of State Highway 3 at Totuskey Creek Brige, near Warsaw.

AQUIFER.--Chickahominy-Pine Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Jettied unused water well, diameter 2 in, depth 180 ft, screened 177 to 180 ft.


INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 3 ft, NGVD of 1929, from topographic map. Measuring point: Top of casing at land-surface.

PERIOD OF RECORD.--1906, February 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.35 ft below land-surface datum, Apr. 17, 2001 ; lowest measured, 4.41 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



CITY OF ROANOKE

371653079552101. Local number, 31G 1 SOW 008.

LOCATION.--Lat 37°16'53", long 79°55'20", NAD83, Hydrologic Unit 03010101, 700 ft south of intersection of 10th Street and Orange Avenue in Roanoke. Owner: Nelson-Roanoke Corporation.

AQUIFER.--Rome Formation of Cambrian age. Prior to 1974, reported as Elbrook Formation.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 48 ft, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to Oct. 1, 1996, bimonthly measurement with chalked tape. Jul. 20, 1974, to Sep. 30, 1985, occasional measurement with chalked tape. Prior to Jul. 20, 1974, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 930 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.94 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--August 1966 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 12.36 ft below land-surface datum, Feb. 18, 1986; lowest measured, 19.29 ft below land-surface datum, Jun. 23, 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 01	18.78	JAN 28	17.55	MAY 13	18.80	AUG 19	18.90
WATER YEAR 2002		HIGHEST	17.55	JAN 28, 2002	LOWEST	18.90	AUG 19, 2002



GROUND-WATER LEVELS

ROCKBRIDGE COUNTY

373758079271601. Local number, 35K 1 SOW 063.

LOCATION.--Lat 37°37'58", long 79°27'15", NAD83, Hydrologic Unit 02080202, 0.35 mi northwest of intersection of State Highways 130 and 684 in Glasgow. Owner: Town of Glasgow.

AQUIFER.--Rome Formation of Cambrian age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in., depth 695 ft, cased to 101 ft, open hole from 101 to 695 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel, prior to Oct. 1, 1995 continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 745 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1972 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 14.27 ft below land-surface datum, Apr. 29, 1987; lowest recorded, 30.44 ft below land-surface datum, Sept. 4, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 09	28.35	JAN 31	29.73	MAY 17	28.42	SEP 04	30.44
WATER YEAR 2002		HIGHEST	28.35	OCT 09, 2001	LOWEST	30.44	SEP 04, 2002



382150078424001. Local number, 410 1.

AQUIFER.--Conococheague Formation of Late Cambrian age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 6.25 in., depth 310 ft, cased to 131 ft, open hole 131 to 310 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. June 27, 1979 to Oct. 1, 1995, digital recorder 60-minute punch. Prior to June 27, 1979, continuous strip-chart recorder.


DATUM.--Elevation of land-surface datum is 1,105 ft NGVD of 1929, from topographic map. Measuring point: Top of casing 2.4 ft above land-surface datum. Prior to Feb. 27, 1996, top edge of recorder shelf, 3.5 ft above land-surface datum.

PERIOD OF RECORD.--August 1970 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.73 ft below land-surface datum, Feb. 27, 1998; lowest measured, 98.47 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 03 30	78.34 82.21	NOV 27 DEC 20	86.03 88.76	FEB 26 MAR 26	96.61 97.28	APR 22 MAY 29	95.02 79.06	JUN 18 JUL 26	80.27 87.15	AUG 27 SEP 25	93.19 98.47
WATER YEAR 2002		HIGHEST	78.34	OCT 03, 2001	LOWEST	98.47	SEP 25, 2002				



GROUND-WATER LEVELS
SOUTHAMPTON COUNTY

364109077230701. Local number, 51B 3.

LOCATION.--Lat 36°41'10", long 77°23'06", NAD83, Hydrologic Unit 03010201, 150 ft, west of the intersection of U.S. Highway 58 and State Highway 615, and 0.5mi south of Adams Grove. Owner: U.S. Geological Survey.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 175 ft, screened 165 to 175 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. July 1977 to September 1995, digital recorder 60-minute punch. July 1975 to July 1977 continuous strip-chart recorder. Prior to July 1975 occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 126 ft, NGVD of 1929, from topographic map. Measuring point: top of recorder shelf, 3.12 ft above land-surface datum.


REMARKS.--Water level may be affected by regional drawdown. The depth of the well was reported incorrectly as 253 ft, for the period October 1981 to September 1993.

PERIOD OF RECORD.--October 1974 to September 1995. March 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 54.21 ft, below land-surface datum, Apr. 30, 1978; lowest recorded, 60.03 ft below land-surface datum, Oct. 24, 25, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	57.58	JAN 14	57.35	APR 23	56.34	JUL 15	58.56
WATER YEAR 2002		HIGHEST	56.34	APR 23, 2002	LOWEST	58.56	JUL 15, 2002



SOUTHAMPTON COUNTY

363410077150801. Local number, 52A 1.

LOCATION.--Lat 36°34'11", long 77°15'07", NAD83, Hydrologic Unit 03010204, along Seaboard Coastline railroad, 0.15 mi northwest of intersection of State Highways 195 and 701 in Branchville. Owner: L. W. Grizzard.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in., depth 217 ft, screened 204 to 217 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 44 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--September 1970 to December 1975, January 1978 to current year. Unpublished records available prior to October 1985 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 32.85 ft below land-surface datum, Sep. 9, 1970; lowest measured, 53.70 ft below land-surface datum, Sep. 20, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	53.23	JAN 14	53.07	APR 24	52.35	JUL 16	53.16
WATER YEAR 2002		HIGHEST	52.35	APR 24, 2002		LOWEST	53.23
							OCT 25, 2001



GROUND-WATER LEVELS

SOUTHAMPTON COUNTY

363916077201001. Local number, 52B 8 SOW 178A.

LOCATION.--Lat 36°39'17", long 77°20'09", NAD83, Hydrologic Unit 03010204, 0.25 mi northeast of State Highway 661, 0.6 mi south of the intersection of State Highways 652 and 661, and 4.5 mi southeast of Drewryville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Newark Supergroup sandstone of Jurassic and Triassic age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 316 ft, screened 285 to 295 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 120 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Water level may be affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--March 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 69.30 ft below land-surface datum, Mar. 15, 1990; lowest measured, 71.39 ft below land-surface datum, Sep. 20, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	70.19	JAN 14	70.23	APR 23	70.24	JUL 16	70.64
WATER YEAR 2002		HIGHEST	70.19	OCT 25, 2001	LOWEST	70.64	JUL 16, 2002



SOUTHAMPTON COUNTY

363916077201004. Local number, 52B 11 SOW 178D.

LOCATION.--Lat 36°39'17", long 77°20'09", NAD83, Hydrologic Unit 03010204, 0.25 mi northeast of State Highway 661, 0.6 mi south of intersection of State Highways 652 and 661, and 4.5 mi southeast of Drewryville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 190 ft, screened 160 to 170 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to November 1987, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 120 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.1 ft above land-surface datum.


REMARKS.--Water level may be affected by regional drawdown.

PERIOD OF RECORD.--December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 69.81 ft below land-surface datum, Apr. 16, 1987; lowest recorded, 73.89 ft below land-surface datum, Sep. 20, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	72.63	JAN 14	72.88	APR 23	71.85	JUL 16	72.88
WATER YEAR 2002		HIGHEST	71.85	APR 23, 2002	LOWEST	72.88	JAN 14, 2002 JUL 16, 2002



GROUND-WATER LEVELS

SOUTHAMPTON COUNTY

363916077201005. Local number, 52B 12 SOW 178E.

LOCATION.--Lat 36°39'17", long 77°20'09", NAD83, Hydrologic Unit 03010204, 0.25 mi northeast of State Highway 661, 0.6 mi south of intersection of State Highways 652 and 661, and 4.5 mi southeast of Drewryville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 135 ft, screened 120 to 130 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to November 1987, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 120 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.2 ft above land-surface datum.

REMARKS.--Water level may be affected by regional drawdown.


PERIOD OF RECORD.--December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 68.75 ft below land-surface datum, Apr. 16, 1987; lowest recorded, 72.86 ft below land-surface datum, Sep. 20, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	71.55	JAN 14	71.82	APR 23	70.76	JUL 15	71.78

WATER YEAR 2002	HIGHEST	70.76	APR 23, 2002	LOWEST	71.82	JAN 14, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



SOUTHAMPTON COUNTY

363916077201006. Local number, 52B 13 SOW 178F.

LOCATION.--Lat 36°39'17", long 77°20'09", NAD83, Hydrologic Unit 03010204, 0.25 mi northeast of State Highway 661, 0.6 mi south of intersection of State Highways 652 and 661, and 4.5 mi southeast of Drewryville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 65 ft, screened 40 to 50 ft.

INSTRUMENTATION.--Occasional measurements with chalked tape by USGS personnel. Prior to November 1987, digital recorder 60-minute punch.


DATUM.--Elevation of land-surface datum is 120 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.9 ft above land-surface datum.

PERIOD OF RECORD.--December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 37.90 ft below land-surface datum, Apr. 29, 1987; lowest recorded, 43.77 ft below land-surface datum, Oct. 6-9, 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	38.90	JAN 14	38.89	APR 23	38.73	JUL 16	38.88
WATER YEAR 2002		HIGHEST	38.73	APR 23, 2002	LOWEST	38.90	OCT 25, 2001



GROUND-WATER LEVELS

SOUTHAMPTON COUNTY

364242077121501. Local number, 53B 6.

LOCATION.--Lat 36°42'43", long 77°12'14", NAD83, Hydrologic Unit 03010201, at Virginia Department of Transportation - Capron Area Headquarters, 50 ft east of State Highway 654 and 2000 ft north of U.S. Highway 58. Owner: U.S. Geological Survey.

AQUIFER.--Brighseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 115.65 ft, screened 110.65 ft to 115.65 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1998 to Oct. 1, 1999, occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1998, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 95 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.88 ft above land-surface datum prior to Dec. 23, 1998; 1.16 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Well drilled as part of Fall Zone ground-water study.

PERIOD OF RECORD.--May 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 54.18 ft below land-surface datum, May 8, 2000; lowest measured, 56.14 ft below land-surface datum, Dec. 23, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	55.31	JAN 24	55.51	APR 16	54.85	JUL 09	55.60
WATER YEAR 2002		HIGHEST	54.85	APR 16, 2002	LOWEST	55.60	JUL 09, 2002



SOUTHAMPTON COUNTY

364242077121502. Local number, 53B 7.

LOCATION.--Lat 36°42'43", long 77°12'14", NAD83, Hydrologic Unit 03010201, at Virginia Department of Transportation - Capron Area Headquarters, 50 ft east of State Highway 654 and 2000 ft north of U.S. Highway 58. Owner: U.S. Geological Survey.

AQUIFER.--Brighseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 80.77 ft, screened 75.77 ft to 80.77 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1998 to Oct. 1, 1999, occasional measurement with chalked tape by USGS personnel. Prior to Oct. 1, 1998, monthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 95 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.82 ft above land-surface datum prior to Dec. 23, 1998; 1.09 ft thereafter.


REMARKS.--Records provided by Virginia Department of Environmental Quality - Water Division. Well drilled as part of Fall Zone ground-water study.

PERIOD OF RECORD.--May 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 53.29 ft below land-surface datum, May 7, 1997; lowest measured, 55.91 ft below land-surface datum, Dec. 23, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	55.05	JAN 24	55.28	APR 16	55.10	JUL 09	55.29
WATER YEAR 2002		HIGHEST	55.05	OCT 25, 2001	LOWEST	55.29	JUL 09, 2002



GROUND-WATER LEVELS

SOUTHAMPTON COUNTY

363722077014601. Local number, 54A 1.

LOCATION.--Lat 36°37'23", long 77°01'45", NAD83, Hydrologic Unit 03010201, 100 ft west of State Highway 681, 0.5 mi north of intersection of State Highways 672 and 681, and 2.4 mi north of Sunbeam. Owner: William Britt.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in., depth 254 ft, screened 244 to 254 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.03 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--August 1970 to December 1975, January 1978 to current year. Unpublished records available prior to October 1985 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 113.40 ft below land-surface datum, Aug. 17, 1970; lowest measured, 154.68 ft below land-surface datum, Dec. 18, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	148.82	JAN 14	149.72	APR 24	150.41	JUL 16	151.97
WATER YEAR 2002		HIGHEST	148.82	OCT 25, 2001	LOWEST	151.97	JUL 16, 2002



SOUTHAMPTON COUNTY

363632076580101. Local number, 55A 3 SOW 086.

LOCATION.--Lat 36°36'33", long 76°58'00", NAD83, Hydrologic Unit 03010201, 0.1 mi southeast of intersection of State Highways 687 and 689, 4.0 mi southwest of Franklin. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 745 ft, screened 714 to 724 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 16, 1992, to Jul. 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 15, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 16, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 18 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Jan. 11, 1988; 1.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 7, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--March 1977, October 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 125.00 ft below land-surface datum, Mar. 18, 1977; lowest measured, 159.67 ft below land-surface datum, Oct 11, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	155.89	JAN 23	156.06	APR 12	156.84	JUL 10	157.89
WATER YEAR 2002		HIGHEST	155.89	OCT 29, 2001	LOWEST	157.89	JUL 10, 2002



SOUTHAMPTON COUNTY

365120076585101. Local number, 55C 10.

LOCATION.--Lat 36°51'21", long 76°58'50", NAD83, Hydrologic Unit 03010202, 100 ft west of State Highway 616, 0.3 mi south of Berlin. Owner: R. L. Harrup.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled withdrawal water well, diameter 4 in., depth 326 ft, screened 316 to 326 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 65 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Water level affected by regional drawdown.

PERIOD OF RECORD.--August 1970 to December 1975, January 1978 to current year. Unpublished records available prior to October 1985 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 94.62 ft below land-surface datum, Aug. 21, 1970; lowest measured, 132.10 ft below land-surface datum, Apr. 2, 1996.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	129.48	JAN 14	129.58	APR 24	130.24	JUL 16	130.88
WATER YEAR 2002		HIGHEST	129.48	OCT 25, 2001	LOWEST	130.24	APR 24, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

363345076470201. Local number, 56A 10 SOW 088A.

LOCATION.--Lat 36°33'46", long 76°47'01", NAD83, Hydrologic Unit 03010203, 0.1 mi north of intersection of State Highways 668 and 669, 1.9 mi west of Somerton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,060 ft, screened 1,050 to 1,060 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 16, 1992, to Jul. 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 15, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 16, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Jan. 12, 1988; 1.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 15, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1977 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 104.70 ft below land-surface datum, June 30, 1980; lowest measured, 134.99 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	133.52	JAN 23	133.45	APR 12	134.09	JUL 10	134.99
WATER YEAR 2002		HIGHEST	133.45	JAN 23, 2002	LOWEST	134.99	JUL 10, 2002



CITY OF SUFFOLK

363653076455401. Local number, 56A 11 SOW 089.

LOCATION.--Lat 36°36'54", long 76°45'53", NAD83, Hydrologic Unit 03010203, off State Highway 616, 1.1 mi east of Holy Neck Church, and 3.4 mi north of Somerton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 861 ft, screened 830 to 840 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 16, 1992, to Jul. 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 15, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 16, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 79 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Nov. 18, 1987; 0.6 ft Nov. 18, 1987, to Jan. 12, 1988; 1.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 15, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--August 1977 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 154.00 ft below land-surface datum, Aug. 9, 1977; lowest measured, 187.89 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	185.37	JAN 23	186.48	APR 12	187.62	JUL 10	187.89
WATER YEAR 2002		HIGHEST	185.37	OCT 29, 2001	LOWEST	187.89	JUL 10, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

363345076470202. Local number, 56A 12 SOW 088B.

LOCATION.--Lat 36°33'46", long 76°47'01", NAD83, Hydrologic Unit 03010203, 0.1 mi north of intersection of State Highways 668 and 669, 1.9 mi west of Somerton. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 580 ft, screened 570 to 580 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 8, 1992, to July 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 7, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 8, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Jan. 12, 1988; 1.3 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 7, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1977 to November 1982, June 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 103.00 ft below land-surface datum, June 30, 1977; lowest measured, 144.05 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	141.59	JAN 23	142.73	APR 12	143.59	JUL 10	144.05
WATER YEAR 2002		HIGHEST	141.59	OCT 29, 2001	LOWEST	144.05	JUL 10, 2002



CITY OF SUFFOLK

363625076522602. Local number, 56A 13 SOW 076B.

LOCATION.--Lat 36°36'26", long 76°52'25", NAD83, Hydrologic Unit 03010203, 700 ft west of State Highway 615, 0.5 mi southwest of Olive Branch Church, and 8.1 mi south of Holland. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 807 ft, screened 797 to 802 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 16, 1992, to July 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 15, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 16, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 75 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum prior to Jan. 12, 1988; 0.8 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 15, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--May 1979 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 204.34 ft below land-surface datum, Oct. 26, 1982; lowest measured, 228.29 ft below land-surface datum, May 5, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	219.39	JAN 23	220.63	APR 12	221.76	JUL 10	221.91
WATER YEAR 2002		HIGHEST	219.39	OCT 29, 2001	LOWEST	221.91	JUL 10, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

363625076522603. Local number, 56A 14 SOW 076C.

LOCATION.--Lat 36°36'26", long 76°52'25", NAD83, Hydrologic Unit 03010203, 700 ft west of State Highway 615, 0.5 mi southwest of Olive Branch Church, and 8.1 mi south of Holland. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 735 ft, screened 730 to 735 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 16, 1992, to July 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 15, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 16, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 75 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum prior to Jan. 12, 1988; 1.2 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 15, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--March 1979 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 205.62 ft below land-surface datum, Mar. 7, 1979; lowest measured, 224.05 ft below land-surface datum, Oct. 29, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	220.67	JAN 23	220.90	APR 12	221.25	JUL 10	221.54
WATER YEAR 2002		HIGHEST	220.67	OCT 29, 2001	LOWEST	221.54	JUL 10, 2002



CITY OF SUFFOLK

363834076382301. Local number, 57B 8.

LOCATION.--Lat 36°38'28", long 76°38'04", NAD83, Hydrologic Unit 03010205, 0.3 mi southwest of State Highway 664, 0.8 mi southeast of U.S. Highway 13, and 1.1 mi south of Nurneysville. Owner: Russ Family.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled flowing water well, diameter 2 in., depth 65 ft, screened 50 to 65 ft.

INSTRUMENTATION.--Occasional measurement with manometer by USGS personnel. Dec. 1, 1988, to June 1, 1990, quarterly measurement with a manometer. Prior to Dec. 1, 1988, bimonthly measurement with a manometer.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: At land-surface datum.


REMARKS.--Capped flowing well; readings are above land-surface datum. Occasional small withdrawals that supply nearby cabin can effect water levels.

PERIOD OF RECORD.--March 1975, November 1977 to current year. Unpublished records available March 1975 in files of the Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.70 ft above land-surface datum, Dec. 11, 1996; lowest measured, at land-surface datum, Sept. 26, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
(READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	+2.14	JAN 18	+3.45	APR 26	+5.79	JUL 23	+2.10
WATER YEAR 2002		HIGHEST	+5.97	APR 26, 2002		LOWEST	+2.10 JUL 23, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

364703076383701. Local number, 57C 21 SOW 099A.

LOCATION.--Lat 36°47'04", long 76°38'36", NAD83, Hydrologic Unit 02080208, 700 ft south of U.S. Highway 460, 0.5 mi west of Providence Church, and 1.0 mi west of Kings Fork. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 248 ft, screened 238 to 248 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to Jul. 19, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 72 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum prior to Jan. 12, 1988; 1.1 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--September 1983 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 46.32 ft below land-surface datum, Apr. 19, 1984; lowest measured, 54.47 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	54.20	JAN 14	54.38	APR 17	54.31	JUL 18	54.47	SEP 25	54.40
WATER YEAR 2002		HIGHEST	54.20	OCT 11, 2001		LOWEST	54.47	JUL 18, 2002	



287

364703076383702. Local number, 57C 22 SOW 099B.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 694 ft, screened 684 to 694 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to Aug. 5, 1981, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 72 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 2.0 ft above land-surface datum prior to July 14, 1987; 1.7 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown. Missing record due to recorder malfunction.


PERIOD OF RECORD.--February 1980 to current year. Unpublished records available prior to August 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 128.24 ft below land-surface datum, Feb. 18, 1980; lowest recorded, 192.37 ft below land-surface datum, Sept. 24, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 168.80 ft below land-surface datum, Oct. 11; lowest instantaneous water level, 192.37 ft below land-surface datum, Sept. 24.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	168.20	170.47	184.80	---	174.04	172.00	170.82	169.96	169.82	182.23	177.94	187.35
10	168.75	170.68	185.83	---	173.83	172.00	170.53	169.70	169.75	184.53	177.87	189.26
15	169.16	174.08	186.69	176.96	173.40	171.70	170.32	169.54	170.08	185.45	177.70	190.74
20	169.53	178.87	---	176.37	172.89	171.56	170.18	169.39	170.82	181.02	177.50	191.74
25	169.70	181.49	---	175.59	172.52	171.31	170.17	169.38	177.18	179.36	177.71	191.62
EOM	170.13	183.37	---	174.75	172.28	170.93	170.33	169.34	180.79	178.29	184.68	186.87

WATER YEAR 2002 HIGHEST 168.20 OCT 05, 2001 LOWEST 192.31 SEP 23, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

364703076383704. Local number, 57C 24 SOW 099D.

LOCATION.--Lat 36°47'04", long 76°38'36", NAD83, Hydrologic Unit 02080208, 700 ft south of U.S. Highway 460, 0.5 mi west of Providence Church, and 1.0 mi west of Kings Fork. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 25 ft, screened 20 to 25 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 19, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 72 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum prior to Mar. 25, 1987; 2.0 ft Mar. 25, 1987, to Jan. 12, 1988; 1.3 ft Jan. 13, 1988, to June 24, 1990; 0.3 ft June 25 to Aug. 15, 1990; 1.8 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1983 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.90 ft below land-surface datum, Mar. 14, 1989; lowest measured, 16.38 ft below land-surface datum, Oct. 15, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	14.99	JAN 14	15.45	APR 17	7.41	JUL 18	12.68	SEP 25	15.70
WATER YEAR 2002		HIGHEST	7.41	APR 17, 2002		LOWEST	15.70	SEP 25, 2002	



CITY OF SUFFOLK

363303076330201. Local number, 58A 75 SOW 170.

LOCATION.--Lat 36°33'04", long 76°33'01", NAD83, Hydrologic Unit 03010205, 100 ft north of North Carolina State line, 0.4 mi east of Desert Road, and 5.0 mi southeast of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 535 ft, screened 525 to 535 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 15, 1992, to July 19, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Mar. 2, 1989, to Oct. 14, 1992, occasional measurement with chalked tape by USGS. Prior to Oct. 15, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division prior to Mar. 1, 1989; U.S. Geological Survey Mar. 2, 1989, to Oct. 14, 1992; Virginia Department of Environmental Quality - Water Division thereafter. Water level affected by regional drawdown.

PERIOD OF RECORD.--July 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 25.52 ft below land-surface datum, July 11, 1985; lowest measured, 37.52 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	37.36	JAN 23	37.09	APR 29	36.86	JUL 10	37.52
WATER YEAR 2002		HIGHEST	36.86	APR 29, 2002	LOWEST	37.52	JUL 10, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

363655076332002. Local number, 58A 77 SOW 180A.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 1,158 ft, diameter 3 in. from 1,136 to 1,209 ft, depth 1,209 ft, screened 1,199 to 1,209 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Apr. 15, 1992, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 34.02 ft NGVD of 1929. Measuring point: Top of casing, 2.5 ft above land-surface datum prior to Apr. 15, 1992; 1.5 ft thereafter.

REMARKS.--Water level affected by regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD.--February 1987 to current year.

REVISED RECORDS.--WDR VA-89-1: 1987.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 96.83 ft below land-surface datum, Sept. 30, 1987; lowest measured, 113.87 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	111.32	JAN 18	113.06	APR 26	113.37	JUL 23	113.87
WATER YEAR 2002		HIGHEST	111.32	OCT 24, 2001	LOWEST	113.87	JUL 23, 2002



CITY OF SUFFOLK

363655076332003. Local number, 58A 78 SOW 180B.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 811 ft, diameter 2 in. from 766 to 880 ft, depth 880 ft, screened 850 to 860 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Apr. 15, 1992, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 34.02 ft NGVD of 1929. Measuring point: Top of casing, 2.5 ft above land-surface datum prior to Apr. 15, 1992; 1.4 ft thereafter.

REMARKS.--Water level affected by regional drawdown and occasional pumpage for water-quality sampling.


PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 102.14 ft below land-surface datum, June 5, 27, 1987; lowest measured, 120.43 ft below land-surface datum, Jan. 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	117.30	JAN 18	120.43	APR 26	118.94	JUL 22	120.36

WATER YEAR 2002	HIGHEST	117.30	OCT 24, 2001	LOWEST	120.43	JAN 18, 2002
-----------------	---------	--------	--------------	--------	--------	--------------



GROUND-WATER LEVELS

CITY OF SUFFOLK

363655076332004. Local number, 58A 79 SOW 180C.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 670 ft, diameter 2 in. from 657 to 710 ft, depth 710 ft, screened 700 to 710 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Apr. 15, 1992, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 33.97 ft NGVD of 1929. Measuring point: Top of casing, 2.4 ft above land-surface datum prior to Apr. 15, 1992; 1.3 ft thereafter.

REMARKS.--Water level affected by regional drawdown and occasional pumpage from water-quality sampling.


PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 102.72 ft below land-surface datum, May 11, 1987; lowest measured, 121.22 ft below land-surface datum, Jan. 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	117.92	JAN 18	121.22	APR 26	119.68	JUL 23	121.04

WATER YEAR 2002	HIGHEST	117.92	OCT 24, 2001	LOWEST	121.22	JAN 18, 2002
-----------------	---------	--------	--------------	--------	--------	--------------



CITY OF SUFFOLK

363655076332005. Local number, 58A 80 SOW 180D.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 397 ft, diameter 2 in. from 388 to 440 ft, depth 440 ft, screened 430 to 440 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Oct. 29, 1987 to Sept. 30, 1990, digital recorder 60-minute punch. Prior to Oct. 29, 1987, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 34.26 ft NGVD of 1929. Measuring point: Top of casing, 2.3 ft above land-surface datum prior to Apr. 15, 1992; 1.9 ft thereafter.

REMARKS.--Water level affected by regional drawdown.


PERIOD OF RECORD.--June 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.55 ft below land-surface datum, June 17, 1987; lowest measured, 32.70 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	32.17	JAN 18	32.23	APR 26	32.02	JUL 23	32.70

WATER YEAR 2002	HIGHEST	32.02	APR 26, 2002	LOWEST	32.70	JUL 23, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



GROUND-WATER LEVELS

CITY OF SUFFOLK

363655076332006. Local number, 58A 81 SOW 180E.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 309 ft, diameter 2 in. from 298 to 329 ft, depth 329 ft, screened 319 to 329 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Apr. 15, 1992, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 34.00 ft NGVD of 1929. Measuring point: Top of casing, 2.4 ft above land-surface datum prior to Apr. 15, 1992; 1.4 ft thereafter.


REMARKS.--Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L. Water level affected by pumpage for water-quality sampling on Mar. 31, 2000. Cause of nonrecovery to pre-pumpage level unknown.

PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 15.07 ft below land-surface datum, Feb. 23, 1987; lowest measured, 24.45 ft below land-surface datum, July 23, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	24.00	JAN 18	24.12	APR 26	23.94	JUL 23	24.45
WATER YEAR 2002		HIGHEST	23.94	APR 26, 2002		LOWEST	24.45
							JUL 23, 2002



CITY OF SUFFOLK

363655076332008. Local number, 58A 83 SOW 180G.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 145 ft, diameter 2 in. from 135 to 165 ft, depth 165 ft, screened 155 to 165 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Feb. 15, 1996, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 33.84 ft NGVD of 1929. Measuring point: Top of casing, 2.5 ft above land-surface datum.


REMARKS.--Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 6.09 ft below land-surface datum, May 29, 1990; lowest recorded, 9.20 ft below land-surface datum, Dec. 29, 30, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 24	7.91	JAN 18	8.69	APR 26	8.54	JUL 23	8.69
WATER YEAR 2002		HIGHEST	7.91	OCT 24, 2001	LOWEST	8.69	JAN 18, 2002



GROUND-WATER LEVELS
CITY OF SUFFOLK

363655076332009. Local number, 58A 84 SOW 180H.

LOCATION.--Lat 36°36'56", long 76°33'19", NAD83, Hydrologic Unit 03010205, 0.3 mi north of Great Dismal Swamp Wildlife Refuge Headquarters on Desert Road, 2.0 mi east of Cypress Chapel. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 20 ft, screened 10 to 20 ft.


INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Feb. 15, 1996, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 33.87 ft NGVD of 1929. Measuring point: Top of casing, 2.5 ft above land-surface datum.

PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 1.47 ft below land-surface datum, Mar. 24, 1989; lowest recorded, 10.37 ft below land-surface datum, Jan. 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



363928076332901. Local number, 58B 13.

LOCATION.--Lat 36°39'29", long 76°33'28", NAD83, Hydrologic Unit 03010205, 700 ft east of State Highway 642, 4.0 mi south of Suffolk. Owner: Melvin Brinkley.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Dug unused water well, diameter 22 in., depth 15 ft.

INSTRUMENTATION.--Electronic data logger 60 minute record interval. Mar. 2, 1994 to May 28, 1999, digital recorder 60-minute punch. Sept. 20, 1993 to Mar. 2, 1994, occasional measurement with chalked tape by USGS personnel. Jan. 24, 1981, to Sept. 20, 1993, digital recorder 60-minute punch. Prior to Jan. 24, 1981, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 1.9 ft above land-surface datum.


REMARKS.--Missing record due to recorder malfunction.

PERIOD OF RECORD.--March 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.59 ft below land-surface datum, Sept. 16, 1999; lowest recorded, 13.44 ft below land-surface datum, Jan. 23-26, 1981.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 8.79 ft below land-surface datum, May. 13, 14; lowest instantaneous water level, 12.87 ft below land-surface datum, Jan. 26 and Feb. 21.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	11.20	11.87	12.30	12.65	12.80	12.11	10.69	9.70	9.87	10.57	11.34	12.10
10	11.31	11.97	12.35	12.73	12.68	12.04	10.24	9.09	9.78	10.79	11.50	12.18
15	11.41	12.05	12.41	12.78	12.50	11.98	10.05	8.93	9.79	10.86	11.66	12.27
20	11.53	12.12	12.46	12.83	12.36	11.90	10.00	9.06	10.03	10.97	11.80	12.34
25	11.63	12.18	12.53	12.86	12.25	11.64	9.98	9.24	10.18	11.07	11.94	12.42
EOM	11.77	12.24	12.60	12.87	12.18	11.30	9.97	9.54	10.35	11.20	12.03	12.55



GROUND-WATER LEVELS

CITY OF SUFFOLK

364318076365501. Local number, 58B268 SOW 169A.

LOCATION.--Lat 36°43'19", long 76°36'54", NAD83, Hydrologic Unit 02080208, 500 ft north of Norfolk and Western Railroad near Lake Kilby, 0.5 mi west of Suffolk. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quarternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 20 ft, screened 12 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to July 19, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1987 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.20 ft below land-surface datum, Oct. 18, 1999; lowest measured, 11.86 ft below land-surface datum, Oct. 11, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	11.33	JAN 30	10.62	APR 29	8.59	JUL 22	11.01	SEP 25	11.80
WATER YEAR 2002		HIGHEST	8.59	APR 29, 2002		LOWEST	11.80	SEP 25, 2002	



CITY OF SUFFOLK

364318076365502. Local number, 58B269 SOW 169B.

LOCATION.--Lat 36°43'19", long 76°36'54", NAD83, Hydrologic Unit 02080202, 500 ft north of Norfolk and Western Railroad near Lake Kilby, 0.5 mi west of Suffolk. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 360 ft, screened 350 to 360 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to July 19, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--July 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 43.06 ft below land-surface datum, July 8, 1985; lowest measured, 65.32 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	63.54	JAN 30	64.70	APR 29	64.32	JUL 22	64.79	SEP 25	65.32
WATER YEAR 2002		HIGHEST	63.54	OCT 22, 2001	LOWEST	65.32	SEP 25, 2002		



GROUND-WATER LEVELS

CITY OF SUFFOLK

364318076365503. Local number, 58B270 SOW 169C.

LOCATION.--Lat 36°43'19", long 76°36'54", NAD83, Hydrologic Unit 02080208, 500 ft north of Norfolk and Western Railroad near Lake Kilby, 0.5 mi west of Suffolk. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 500 ft, screened 490 to 500 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to July 19, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 35 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--July 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 112.59 ft below land-surface datum, Feb. 25, 1986; lowest measured, 169.80 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	151.02	JAN 30	137.10	APR 29	136.99	JUL 22	150.16	SEP 25	169.80
WATER YEAR 2002		HIGHEST 136.99		APR 29, 2002		LOWEST 169.80		SEP 25, 2002	



CITY OF SUFFOLK

364348076363201. Local number, 58B273 SOW 169F.

LOCATION.--Lat 36°43'49", long 76°36'31", NAD83, Hydrologic Unit 02080208, 100 ft south of U.S. Highway 58 near Lake Kilby, 0.2 mi west of Suffolk. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 661 ft, screened 541 to 546 ft, 567 to 572 ft, 635 to 640 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 2, 1992, to July 19, 1995, bimonthly measurement with chalked tape. Nov. 5, 1986, to Oct. 1, 1992, continuous strip-chart recorder. Prior to Nov. 5, 1986, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 26 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--July 1985 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 111.00 ft below land-surface datum, July 18, 1991; lowest recorded, 180.43 ft below land-surface datum, Sept. 25, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	146.22	JAN 30	140.14	APR 30	137.99	JUL 22	137.99	SEP 25	180.43
WATER YEAR 2002		HIGHEST	137.99	APR 30, 2002		JUL 22, 2002	LOWEST	180.43	SEP 25, 2002



GROUND-WATER LEVELS

CITY OF SUFFOLK

365133076351201. Local number, 58C 57 SOW 141A.

LOCATION.--Lat 36°51'34", long 76°35'11", NAD83, Hydrologic Unit 02080208, 500 ft west of old Chuckatuck High School in Chuckatuck. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 122 ft, screened 112 to 122 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 8, 1985, to July 19, 1995, bimonthly measurement with chalked tape. Prior to Oct. 8, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 52 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum prior to Jan. 12, 1988; 1.0 ft Jan. 12, 1988, to Nov. 12, 1991; 2.4 ft Nov. 13, 1991 to July 9, 1998; 1.80 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.90 ft below land-surface datum, Jan. 21, 1998; lowest measured, 12.32 ft below land-surface datum, Jan. 14, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	11.76	JAN 14	12.32	APR 17	10.34	JUL 18	10.43	SEP 25	10.74
WATER YEAR 2002		HIGHEST	10.34	APR 17, 2002		LOWEST	12.32	JAN 14, 2002	



365133076351202. Local number. 58C 58 SOW 141B.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 605 ft, screened 595 to 605 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. July 20, 1995 to Mar. 12, 1997, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 8, 1985, to July 19, 1995, bimonthly measurement with chalked tape. Prior to Oct. 8, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 52 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.5 ft above land-surface datum prior to Jan. 12, 1988; 1.5 ft Jan. 12, 1988, to Mar. 12, 1997; 2.38 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown. Missing record due to recorder malfunction.

PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 108.60 ft below land-surface datum, Apr. 24, 1980; lowest measured, 155.22 ft below land-surface datum, Sept. 24, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 138.30 ft below land-surface datum, Oct. 16; lowest instantaneous water level, 155.22 ft below land-surface datum, Sept. 24.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	140.56	140.29	---	---	144.58	142.42	139.16	139.16	141.36	148.26	148.83	151.05
10	140.38	141.95	---	---	144.12	143.71	140.79	138.58	142.23	149.87	150.12	152.80
15	140.28	142.72	---	146.17	143.00	140.62	142.55	138.23	142.86	150.82	149.74	153.98
20	140.18	---	---	145.13	142.83	140.04	140.77	138.14	143.41	150.56	149.55	154.44
25	139.42	---	---	145.11	143.53	139.69	140.71	140.73	145.58	149.12	149.72	154.55
EOM	139.63	---	---	143.69	142.21	139.49	140.36	139.54	146.97	148.82	149.76	154.13

WATER YEAR 2002 HIGHEST 138.14 MAY 20, 2002 LOWEST 154.55 SEP 25, 2002



365133076351203. Local number, 58C 59 SOW 141C.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 447 ft, screened 437 to 447 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Prior to May 5, 1981, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 52 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Missing record due to recorder malfunction. Water level affected by local pumpage and regional drawdown.


PERIOD OF RECORD.--April 1980 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 108.80 ft below land-surface datum, June 30, 1980; lowest recorded, 155.84 ft below land-surface datum, Sept. 27, 2002.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 139.46 ft below land-surface datum, Oct. 16; lowest instantaneous water level, 155.84 ft below land-surface datum, Sept. 27.

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	140.75	141.73	147.86	147.97	144.60	---	---	142.37	144.19	149.84	---	151.50
10	140.72	142.86	148.45	147.41	144.00	---	---	141.46	143.38	151.82	152.35	152.61
15	140.40	142.59	149.09	146.43	144.40	---	---	140.97	---	---	---	154.38
20	140.43	143.63	150.65	145.87	144.57	---	143.62	141.19	---	153.45	---	154.62
25	141.04	145.48	149.42	145.38	145.17	---	142.31	143.02	145.83	---	---	155.13
EOM	141.40	146.52	149.21	144.68	---	---	142.60	142.61	148.38	---	---	---

WATER YEAR 2002	HIGHEST	140.40	OCT 15, 2001	LOWEST	155.13	SEP 25, 2002
-----------------	---------	--------	--------------	--------	--------	--------------



CITY OF SUFFOLK

365133076351204. Local number, 58C 60 SOW 141D.

LOCATION.--Lat 36°51'34", long 76°35'11", NAD83, Hydrologic Unit 02080208, 500 ft west of old Chuckatuck High School in Chuckatuck. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 8, 1985, to July 19, 1995, bimonthly measurement with chalked tape. Prior to Oct. 8, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 50 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum prior to Jan. 12, 1988; 1.0 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.37 ft above land-surface datum, July 25, 2000; lowest measured, 4.20 ft below land-surface datum, Oct. 15, 1993.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	3.43	JAN 14	1.98	APR 17	.38	JUL 18	1.97	SEP 25	2.22
WATER YEAR 2002		HIGHEST	.38	APR 17, 2002		LOWEST	3.43	OCT 11, 2001	



GROUND-WATER LEVELS

CITY OF SUFFOLK

364731076355501. Local number, 58C 61 SOW 159A.

LOCATION.--Lat 36°47'32", long 76°35'54", NAD83, Hydrologic Unit 02080208, 0.5 mi northwest of intersection of State Highways 622 and 634, 2.3 mi northwest of Elephant Fork. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 25 ft, screened 20 to 25 ft, sounded to 17.50 ft on Jul. 8, 1985, redrilled to 25 ft on May 15, 1990.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 26, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum prior to June 25, 1990; 1.55 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Well reported dry several days in 1985-1990.

PERIOD OF RECORD.--June 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.95 ft below land-surface datum, Apr. 19, 1984; lowest measured, 18.70 ft below land-surface datum, Oct. 11, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	18.37	JAN 30	18.35	APR 17	18.18	JUL 18	18.46	SEP 25	18.65
WATER YEAR 2002		HIGHEST	18.18	APR 17, 2002		LOWEST	18.65	SEP 25, 2002	



CITY OF SUFFOLK

364731076355502. Local number, 58C 62 SOW 159B.

LOCATION.--at 36°47'32", long 76°35'54", NAD83, Hydrologic Unit 02080208, 0.5 mi northwest of intersection of State Highways 622 and 634, 2.3 mi northwest of Elephant Fork. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 575 ft, screened 555 to 575 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 26, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 40 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level may be affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--June 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 110.94 ft below land-surface datum, Apr. 27, 2001; lowest measured, 169.26 ft below land-surface datum, Jan. 11, 1994.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	112.00	JAN 30	115.75	APR 17	110.95	JUL 18	119.96	SEP 25	125.65
WATER YEAR 2002		HIGHEST	110.95	APR 17, 2002		LOWEST	125.65	SEP 25, 2002	



GROUND-WATER LEVELS

SURRY COUNTY

370800076500701. Local number, 56F 2 SOW 039.

LOCATION.--Lat 37°08'01", long 76°50'06", NAD83, Hydrologic Unit 02080206, off State Highway 10, at Surry County Administration building in Surry. Owner: Town of Surry.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 367 ft, screened 350 to 362 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 8, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Jan. 10, 1976, to Oct. 7, 1985, occasional measurement with chalked tape. Mar. 15, 1971, to Jan. 10, 1976, continuous strip-chart recorder. Prior to Mar. 15, 1971, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 122 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1970 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 146.43 ft below land-surface datum, Mar. 25, 1971; lowest measured, 189.24 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	188.10	JAN 15	188.28	APR 09	188.29	JUL 10	189.24
WATER YEAR 2002		HIGHEST	188.10	OCT 16, 2001	LOWEST	189.24	JUL 10, 2002



SURRY COUNTY

370712076413201. Local number, 57E 11 SOW 094A.

LOCATION.--Lat 37°07'13", long 76°41'31", NAD83, Hydrologic Unit 02080206, 0.5 mi east of State Highway 690, 2.5 mi northwest of Bacons Castle. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 605 ft, screened 595 to 605 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 92.19 ft below land-surface datum, July 24, 1980; lowest measured, 119.07 ft below land-surface datum, July. 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	117.68	JAN 25	117.87	APR 17	118.06	JUL 10	119.07
WATER YEAR 2002		HIGHEST	117.68	OCT 16, 2001	LOWEST	119.07	JUL 10, 2002



GROUND-WATER LEVELS

SURRY COUNTY

370712076413203. Local number, 57E 13 SOW 094C.

LOCATION.--Lat 37°07'13", long 76°41'31", NAD83, Hydrologic Unit 02080206, 0.5 mi east of State Highway 690, 2.5 mi northwest of Bacons Castle. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 41 ft, diameter 3 in. from 41 to 46 ft, depth 46 ft, screened 41 to 46 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 45 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.90 ft below land-surface datum, May 29, 1980; lowest measured, 11.17 ft below land-surface datum, Dec. 13, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	9.91	JAN 25	10.39	APR 17	9.77	JUL 10	10.15
WATER YEAR 2002		HIGHEST	9.77	APR 17, 2002	LOWEST	10.39	JAN 25, 2002



SURRY COUNTY

371132076405501. Local number, 57F 16 SOW 087A.

LOCATION.--Lat 37°11'33", long 76°40'54", NAD83, Hydrologic Unit 02080206, at the end of State Highway 650 in Homewood, 7.6 mi northeast of Bacons Castle. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 1,206 ft, screened 1,170 to 1,185 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 53.22 ft below land-surface datum, July 20, 1978; lowest measured, 84.58 ft below land-surface datum, Apr. 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	83.74	JAN 25	83.80	APR 17	84.58	JUL 10	84.55
WATER YEAR 2002		HIGHEST	83.74	OCT 16, 2001	LOWEST	84.58	APR 17, 2002



GROUND-WATER LEVELS

SURRY COUNTY

371132076405502. Local number, 57F 24 SOW 087B.

LOCATION.--Lat 37°11'33", long 76°40'54", NAD83, Hydrologic Unit 02080206, at the end of State Highway 650 in Homewood, 7.6 mi northeast of Bacons Castle. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 520 ft, screened 510 to 520 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 7, 1985, to July 10, 1995, bimonthly measurement with chalked tape. Prior to Oct. 7, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 5 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.0 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.17 ft below land-surface datum, Aug. 17, 1982; lowest measured, 86.91 ft below land-surface datum, July 10, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



SUSSEX COUNTY

365530077104002. Local number, 53D 6 SOW 179A.

LOCATION.--Lat 36°55'31", long 77°10'39", NAD83, Hydrologic Unit 03010201, off State Highway 634, 1.4 mi south of State Highway 35, and 1.7 mi southeast of Homeville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 460 ft, diameter 2 in., 439 ft to 460 ft, depth 470 ft, screened 460 to 470 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Mar. 1, 1988, digital recorder 60-minute punch.


DATUM.--Elevation of land-surface datum is 90 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

PERIOD OF RECORD.--November 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 78.50 ft below land-surface datum, Feb. 12, 1988; lowest measured, 87.89 ft below land-surface datum, Dec. 22, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	86.93	JAN 14	87.45	APR 23	86.70	JUL 16	87.64
WATER YEAR 2002		HIGHEST	86.70	APR 23, 2002	LOWEST	87.64	JUL 16, 2002



GROUND-WATER LEVELS

SUSSEX COUNTY

365530077104006. Local number, 53D 10 SOW 179E.

LOCATION.--Lat 36°55'31", long 77°10'39", NAD83, Hydrologic Unit 03010201, off State Highway 634, 1.4 mi south of State Highway 35, and 1.7 mi southeast of Homeville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 130 ft, diameter 4 in. from 140 to 145 ft, depth 145 ft, screened 130 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Mar. 1, 1988, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 90 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.


REMARKS.--Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 73.31 ft below land-surface datum, Apr. 26, 2001; lowest measured, 82.50 ft below land-surface datum, Sept. 12, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	76.06	JAN 14	76.81	APR 23	75.13	JUL 16	76.64
WATER YEAR 2002		HIGHEST	75.13	APR 23, 2002	LOWEST	76.81	JAN 14, 2002



SUSSEX COUNTY

365530077104007. Local number, 53D 11 SOW 179F.

LOCATION.--Lat 36°55'31", long 77°10'39", NAD83, Hydrologic Unit 03010201, off State Highway 634, 1.4 mi south of State Highway 35, and 1.7 mi southeast of Homeville. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 82 ft, diameter 4 in. from 92 to 97 ft, depth 97 ft, screened 82 to 92 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Mar. 1, 1988, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 90 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

REMARKS.--Water level affected by local pumpage.


PERIOD OF RECORD.--December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.17 ft below land-surface datum, Mar. 11, 1997; lowest recorded, 77.16 ft below land-surface datum, Nov. 28 to Dec. 1, 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	67.19	JAN 14	68.60	APR 23	66.63	JUL 16	68.33

WATER YEAR 2002	HIGHEST	66.63	APR 23, 2002	LOWEST	68.60	JAN 14, 2002
-----------------	---------	-------	--------------	--------	-------	--------------



SUSSEX COUNTY

365235077150501. Local number, 53E 5 SOW 045.

LOCATION.--Lat 37°02'38", long 77°11'29", NAD83, Hydrologic Unit 03010201, 400 ft northeast of State Highway 625, 2.5 mi north of Newville. Owner: Butler Lumber Company.

AQUIFER.--Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in., depth 172 ft, screened 162 to 172 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel. Prior to Mar. 1, 1989, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 126.65 ft NGVD of 1929. Measuring point: Top of casing, 0.3 ft above land-surface datum prior to Mar. 8, 1988; 1.2 ft thereafter.


REMARKS.--Water level affected by local pumpage and regional drawdown.

PERIOD OF RECORD.--September 1971, October 1974 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 81.90 ft below land-surface datum, Mar. 16, 1976; lowest measured, 95.82 ft below land-surface datum, Dec. 22, 1998.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	95.11	JAN 14	95.72	APR 23	94.30	JUL 16	95.47
WATER YEAR 2002		HIGHEST	94.30	APR 23, 2002		LOWEST	95.72
						JAN 14, 2002	



CITY OF VIRGINIA BEACH

364920076093201. Local number, 61C 27 SOW 174A.

LOCATION.--Lat 36°49'21", long 76°09'28", NAD83, Hydrologic Unit 02080208, at Kempsville High School in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 175 ft, screened 160 to 170 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1984 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.09 ft below land-surface datum, Apr. 25, 1984; lowest measured, 11.73 ft below land-surface datum, Aug. 6, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	9.69	NOV 08	9.93	JAN 28	8.62	APR 29	7.86	MAY 01	7.87	JUL 17	10.58
WATER YEAR 2002		HIGHEST	7.86	APR 29, 2002	LOWEST	10.58	JUL 17, 2002				



GROUND-WATER LEVELS
CITY OF VIRGINIA BEACH

364920076093202. Local number, 61C 28 SOW 174B.

LOCATION.--Lat 36°49'14", long 76°09'18", NAD83, Hydrologic Unit 02080208, at Kempsville High School in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 80 ft, screened 65 to 75 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985 to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum prior to Jan. 28, 2002; 1.72 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1984 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.51 ft below land-surface datum, Apr. 25, 1984; lowest measured, 17.99 ft below land-surface datum, July 18, 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	11.58	NOV 08	12.07	JAN 28	9.05	APR 29	9.03	MAY 01	9.23	JUL 17	14.34
WATER YEAR 2002		HIGHEST	9.03	APR 29, 2002		LOWEST	14.34	JUL 17, 2002			



CITY OF VIRGINIA BEACH

365425076105001. Local number, 61D 5 SOW 155.

LOCATION.--Lat 36°54'26", long 76°10'49", NAD83, Hydrologic Unit 02080108, 100 ft east of Ferry Road, 0.3 mi northwest of Diamond Springs Road in Virginia Beach. Owner: City of Virginia Beach.

AQUIFER.--Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 12 in. to 102 ft, diameter 6 in. from 102 to 150 ft, diameter 4 in. from 150 to 1,380 ft, depth 1,380 ft, screened 1,207 to 1,229 ft, 1,250 to 1,264 ft, 1,286 to 1,306 ft, 1,345 to 1,367 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 11 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.8 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--December 1980 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 49.75 ft below land-surface datum, Dec. 17, 1980; lowest measured, 78.17 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	76.87	JAN 28	77.53	APR 29	77.50	JUL 17	78.17
WATER YEAR 2002 HIGHEST		76.87	OCT 29, 2001		LOWEST		78.17 JUL 17, 2002



GROUND-WATER LEVELS

CITY OF VIRGINIA BEACH

363537076061001. Local number, 62A 2 SOW 097A.

LOCATION.--Lat 36°33'56", long 76°06'15", NAD83, Hydrologic Unit 03010205, 0.2 mi south of Baum Road, 0.25 mi west of Crags Causeway in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 76 ft, screened 66 to 76 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum prior to Aug. 3, 1988; at land-surface datum Aug. 3, 1988, to Mar. 13, 1989; 0.65 ft Mar. 13, 1989, to Apr. 1, 1991; 1.65 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.18 ft below land-surface datum, Apr. 30, 1980; lowest measured, 6.68 ft below land-surface datum, Nov. 28, 1983.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 11	5.69	NOV 08	6.09	JAN 14	6.51	APR 15	4.03	APR 30	3.69	JUL 08	4.98
WATER YEAR 2002		HIGHEST	3.69	APR 30, 2002	LOWEST	6.51	JAN 14, 2002				



CITY OF VIRGINIA BEACH

364126076003501. Local number, 62B 1 SOW 098A.

LOCATION.--Lat 36°41'28", long 76°00'34", NAD83, Hydrologic Unit 03010205, on north side of Pleasant Ridge Road at the Virginia Beach Mosquito Control shop, 0.9 mi east of Pleasant Ridge in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 24 ft, screened 20 to 24 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum prior to Mar. 2, 1988; 1.05 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1979 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.02 ft below land-surface datum, Apr. 1, 1991; lowest measured, 11.95 ft below land-surface datum, Sept. 16, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	6.04	NOV 16	6.28	APR 15	1.95	JUL 08	5.43				
NOV 07	6.49	JAN 14	4.33	30	2.45						
WATER YEAR 2002		HIGHEST	1.95	APR 15, 2002		LOWEST	6.49	NOV 07, 2001			



GROUND-WATER LEVELS

CITY OF VIRGINIA BEACH

364126076003502. Local number, 62B 2 SOW 098B.

LOCATION.--Lat 36°41'27", long 76°00'34", NAD83, Hydrologic Unit 03010205, on north side of Pleasant Ridge Road at the Virginia Beach Mosquito Control shop, 0.9 mi east of Pleasant Ridge in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 98 ft, screened 88 to 98 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 10 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum prior to Mar. 2, 1988; 1.2 ft above land-surface datum Mar. 2, 1988, to Dec. 9, 1994; 0.8 ft Dec. 9, 1994 to Nov. 16, 2001; 1.15 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--June 1979 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.70 ft below land-surface datum, Mar. 13, 1989, Jan. 10, 1990; lowest measured, 11.76 ft below land-surface datum, Sept. 16, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	6.00	NOV 07	6.61	JAN 14	5.34	APR 15	2.28	APR 30	2.38	JUL 08	5.05
WATER YEAR 2002		HIGHEST	2.28	APR 15, 2002		LOWEST	6.61	NOV 07, 2001			



CITY OF VIRGINIA BEACH

364713076030701. Local number, 62C 2 SOW 092A.

LOCATION.--Lat 36°47'15", long 76°03'06", NAD83, Hydrologic Unit 03010205, at entrance to Oceana Naval Air Station on London Bridge Road in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 102 ft, screened 97 to 102 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 10, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.08 ft above land-surface datum prior to Mar. 2, 1988; 0.7 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--December 1977 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.00 ft below land-surface datum, Dec. 1, 1977; lowest measured, 19.26 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	16.95	NOV 07	17.27	JAN 28	14.10	APR 19	12.95	APR 30	12.87	JUL 17	19.26
WATER YEAR 2002		HIGHEST	12.87	APR 30, 2002	LOWEST	19.26	JUL 17, 2002				



GROUND-WATER LEVELS

CITY OF VIRGINIA BEACH

364715076030801. Local number, 62C 3 SOW 092B.

LOCATION.--Lat 36°47'15", long 76°03'06", NAD83, Hydrologic Unit 03010205, at entrance to Oceana Naval Air Station on London Bridge Road in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 58 ft, screened 53 to 58 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 10, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.05 ft above land-surface datum prior to Mar. 2, 1988; 0.9 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--February 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.36 ft below land-surface datum, Feb. 16, 1983; lowest measured, 11.55 ft below land-surface datum, July 14, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	11.03	NOV 07	11.33	JAN 28	10.26	APR 19	7.74	APR 30	8.25	JUL 17	10.53
WATER YEAR 2002		HIGHEST	7.74	APR 19, 2002		LOWEST	11.33	NOV 07, 2001			



364745076004302. Local number, 62C 10 SOW 172B.

LOCATION.--Lat 36°47'46", long 76°00'42", NAD83, Hydrologic Unit 03010205, at the end of Phantom Boulevard, 0.25 mi south of Harpers Road and Oceana Naval Air Station in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 280 ft, screened 270 to 280 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 10, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.8 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1984 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.10 ft below land-surface datum, Jan. 30, 1991; lowest measured, 17.80 ft below land-surface datum, July 14, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	14.13	JAN 28	11.74	APR 19	10.67	JUL 17	16.26
WATER YEAR 2002		HIGHEST	10.67	APR 19, 2002		LOWEST	16.26 JUL 17, 2002



GROUND-WATER LEVELS

CITY OF VIRGINIA BEACH

364745076004303. Local number, 62C 11 SOW 172C.

LOCATION.--Lat 36°47'47", long 76°00'42", NAD83, Hydrologic Unit 03010205, at the end of Phantom Boulevard, 0.25 mi south of Harpers Road and Oceana Naval Air Station in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 35 ft, screened 20 to 30 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 10, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.7 ft above land-surface datum prior to Jan. 28, 2002; 2.27 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--May 1984 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.89 ft below land-surface datum, Feb. 28, 1985; lowest measured, 8.76 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	8.49	JAN 28	8.07	APR 19	7.10	APR 30	7.31	JUL 17	8.76		
WATER YEAR 2002		HIGHEST	7.10	APR 19, 2002	LOWEST	8.76	JUL 17, 2002				



CITY OF VIRGINIA BEACH

364722075591801. Local number, 63C 4 SOW 173A.

LOCATION.--Lat 36°47'22", long 75°59'15", NAD83, Hydrologic Unit 02080108, at Redwing Park, 0.7 mi northeast of intersection of Oceana Boulevard and Dam Neck Road in Virginia Beach. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 3 in., depth 291 ft, screened 281 to 291 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 10, 1985, to July 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 10, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 8 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum prior to Nov. 16, 2001; 1.35 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--April 1984 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.10 ft below land-surface datum, June 21, 1989; lowest measured, 10.96 ft below land-surface datum, July 17, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	6.73	JAN 28	6.82	APR 19	6.56	JUL 17	10.96
WATER YEAR 2002		HIGHEST	6.56	APR 19, 2002	LOWEST	10.96	JUL 17, 2002



WESTMORELAND COUNTY

381132076551001. Local number, 55P 9.

LOCATION.--Lat 38°11'32", long 76°55'09", NAD83, Hydrologic Unit 02070011, at George Washington Birthplace National Monument, 500 ft east of park road, 0.6 mi north of the end of State Highway 204, and 3.4 mi southeast of Colonial Beach. Owner: National Park Service.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Dug unused water well, diameter 36 in., depth 22.6 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 17 ft NGVD of 1929, from topographic map. Measuring point: Top of concrete hatch on well casing, 2.25 ft above land-surface datum. Prior to July 3, 1995, top of concrete lip on casing, 1.65 ft above land-surface datum.

PERIOD OF RECORD.--July 1977 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.13 ft above land-surface datum, Feb. 24, 1994, Aug. 3, 2000; lowest measured, 12.80 ft below land-surface datum, Dec. 27, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 01	6.33	DEC 17	8.44	MAR 29	4.19	JUN 21	7.57	SEP 26	10.85		
29	7.64	FEB 01	8.52	APR 30	2.21	JUL 22	9.00				
NOV 28	8.23	25	8.47	MAY 28	6.39	AUG 28	10.21				
WATER YEAR 2002		HIGHEST	2.21	APR 30, 2002	LOWEST	10.85	SEP 26, 2002				



GROUND-WATER LEVELS

WESTMORELAND COUNTY

380538076490801. Local number, 56N 1 SOW 016.

LOCATION.--Lat 38°05'38", long 76°49'07", NAD83, Hydrologic Unit 02080104, at Washington and Lee School, 0.5 mi east of Montross. Owner: Westmoreland County Public Schools.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 4 in. to 189 ft, diameter 2 in. from 189 to 641 ft, depth 641 ft, screened 608 to 628 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 3, 1985, to July 11, 1995, bimonthly measurement with chalked tape. Mar. 31, 1979, to Oct. 2, 1985, occasional measurement with chalked tape. Prior to Mar. 31, 1979, continuous strip-chart recorder.

DATUM.--Elevation of land-surface datum is 149 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--August 1967 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 133.47 ft below land-surface datum, Aug. 28, 1967; lowest measured, 176.20 ft below land-surface datum, July 15, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 31	173.16	JAN 29	174.60	APR 22	174.00	JUL 15	176.20
WATER YEAR 2002		HIGHEST 173.16		OCT 31, 2001		LOWEST 176.20 JUL 15, 2002	



331

391138078111901. Local number, 45X 7.

AQUIFER.--Elbrook Formation of Middle to Upper Cambrian age.

WELL CHARACTERISTICS.--Drilled domestic water well, diameter 6 in., depth unknown, length of casing unknown.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.


DATUM.--Elevation of land-surface datum is 800 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 3.15 ft below land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.63 ft below land-surface datum, May 30, 2001; lowest measured, 28.75 ft below land-surface datum, Mar. 27, 2002.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	21.63	JUN 27	23.31	AUG 07	25.63	SEP 05	23.92	SEP 24	24.94
WATER YEAR 2001		HIGHEST	21.63	MAY 30, 2001		LOWEST	25.63	AUG 07, 2001	

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	27.88	MAR 27	28.75	MAY 02	26.64	MAY 31	24.53	JUL 10	24.63	AUG 01	25.37
WATER YEAR 2002		HIGHEST	24.53	MAY 31, 2002		LOWEST	28.75	MAR 27, 2002			



GROUND-WATER LEVELS

CITY OF WINCHESTER

391122078102401. Local number, 45X 8.

LOCATION.--Lat 39°11'22.20", long 78°10'24.22", NAD83, Hydrologic Unit 02070004, 980 ft north of the intersection of Selma Drive and U.S. Highway 50. Owner: John W. Truban.

AQUIFER.--Conococheague Limestone of Upper Cambrian to Lower Ordovician age.

WELL CHARACTERISTICS.--Drilled water well, diameter 6 in., depth 280 ft, cased to 23 ft, open hole 23 to 280 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 825 ft NGVD of 1929, NGVD29, from topographic map. Measuring point: Top of casing, 0.7 ft above land-surface datum.

PERIOD OF RECORD.--May 2001 to current year.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 93.69 ft below land-surface datum, May 30, 2001; lowest measured, 109.04 ft below land-surface datum, Nov. 14, 2001.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 30	93.69	JUN 27	99.84	AUG 07	101.12	SEP 05	95.38	SEP 24	102.02
WATER YEAR 2001		HIGHEST	93.69	MAY 30, 2001		LOWEST	102.02	SEP 24, 2001	

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 14	109.04	MAR 27	104.35	MAY 02	101.52	MAY 31	97.52	JUL 10	105.25	AUG 01	99.13
WATER YEAR 2002		HIGHEST	97.52	MAY 31, 2002		LOWEST	109.04	NOV 14, 2001			



YORK COUNTY

371654076401601. Local number, 57G 17 SOW 068.

LOCATION.--Lat 37°16'55", long 76°40'15", NAD83, Hydrologic Unit 02080107, 250 ft east of State Highway 716 at Parkway Estates, 0.5 mi east of Williamsburg. Owner: Sydnor Hydrodynamics.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age and Aquia aquifer of Paleocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 8 in., depth 452.3 ft, screened 411 to 426 ft, 442.2 to 452.3 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 1, 1985, to July 7, 1995, bimonthly measurement with chalked tape. Apr. 30, 1978, to Sept. 30, 1985, occasional measurement with chalked tape. Jan. 15, 1974, to Apr. 30, 1978, continuous strip-chart recorder. Prior to Jan. 15, 1974, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 60 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 0.85 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L. Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1972 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 106.09 ft below land-surface datum, Nov. 22, 1972; lowest measured, 156.64 ft below land-surface datum, July 18, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	151.46	JAN 15	148.82	APR 09	149.53	JUL 18	156.64
WATER YEAR 2002		HIGHEST	148.82	JAN 15, 2002		LOWEST	156.64 JUL 18, 2002



GROUND-WATER LEVELS

YORK COUNTY

371045076310702. Local number, 58F 62 SOW 187A.

LOCATION.--Lat 37°10'46", long 76°31'06", NAD83, Hydrologic Unit 02080206, 300 ft north of State Highway 105, 1.8 mi east of intersection of State Highways 105 and 143, and 3.1 mi southeast of Lee Hall. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Eastover-Calvert confining unit of Miocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 140 ft, screened 120 to 140 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 10, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.08 ft below land-surface datum, Apr. 6, 1994; lowest measured, 14.83 ft below land-surface datum, Nov. 6, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	13.39	JAN 15	14.38	APR 09	9.87	JUL 16	14.05
WATER YEAR 2002		HIGHEST	9.87	APR 09, 2002	LOWEST	14.38	JAN 15, 2002



YORK COUNTY

371045076310703. Local number, 58F 63 SOW 187B.

LOCATION.--Lat 37°10'46", long 76°31'06", NAD83, Hydrologic Unit 02080206, 300 ft north of State Highway 105, 1.8 mi east of intersection of State Highways 105 and 143, and 3.1 mi southeast of Lee Hall. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Cornwallis Cave aquifer of Pliocene-Holocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 28 ft, screened 18 to 28 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 10, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.76 ft below land-surface datum, Apr. 19, 2000; lowest measured, 14.95 ft below land-surface datum, Jan. 18, 1996.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	13.27	JAN 15	13.99	APR 09	8.33	JUL 16	13.96
WATER YEAR 2002		HIGHEST	8.33	APR 09, 2002	LOWEST	13.99	JAN 15, 2002



GROUND-WATER LEVELS

YORK COUNTY

371250076300502. Local number, 58F 65 SOW 191A.

LOCATION.--Lat 37°12'51", long 76°30'04", NAD83, Hydrologic Unit 02080107, 300 ft east of State Highway 704, 1.2 mi north of intersection of State Highway 704 and U.S. Highway 17, and 1.5 mi south of Yorktown. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 110 ft, screened 90 to 110 ft.

INSTRUMENTATION.--Occasional measurement with chalked taped by Virginia Department of Environmental Quality - Water Division personnel. May 7, 1991 to Oct. 17, 1995, continuous strip-chart recorder since May 7, 1991. Occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 55 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.8 ft above land-surface datum prior to May 7, 1991; 1.70 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--November 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 31.47 ft below land-surface datum, Apr. 16, 1998; lowest recorded, 38.38 ft below land-surface datum, Mar. 13, 1992.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002



YORK COUNTY

371535076373501. Local number, 59F 1 SOW 027.

LOCATION.--Lat 37°13'05", long 76°29'18", NAD83, Hydrologic Unit 02080107, at U.S. Naval Supply Center, 1.6 mi southeast of Yorktown. Owner: U.S. Naval Supply Center.

AQUIFER.--Chickahominy-Piney Point aquifer of Eocene-Oligocene age.

WELL CHARACTERISTICS.--Drilled unused water well, diameter 10 in., depth 446 ft, screened 421 to 446 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 11, 1985, to July 7, 1995, bimonthly measurement with chalked tape. Sept. 10, 1971, to Oct. 10, 1985, occasional measurement with chalked tape. Apr. 10, 1970, to Sept. 10, 1971, continuous strip-chart recorder. Prior to Apr. 10, 1970, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 50 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 2.8 ft above land-surface datum prior to Jan. 15, 2002; 2.40 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--October 1969 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.00 ft below land-surface datum, Oct. 27, 1969; lowest measured, 45.24 ft below land-surface datum, Nov. 4, 1997.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	44.67	JAN 15	44.70	APR 09	44.42	JUL 11	44.62
WATER YEAR 2002		HIGHEST	44.42	APR 09, 2002	LOWEST	44.70	JAN 15, 2002



GROUND-WATER LEVELS

YORK COUNTY

370841076275202. Local number, 59F 72 SOW 184A

LOCATION.--Lat 37°08'42", long 76°27'51", NAD83, Hydrologic Unit 02080108, 800 ft south of State Highway 620, 0.4 mi southwest of intersection of State Highway 620 and U.S. Highway 17, and 2.2 mi southwest of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 98 ft, diameter 3.5 in. from 98 to 131 ft, depth 131 ft, screened 121 to 131 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 12, 1991, to July 7, 1995, bimonthly measurement with chalked tape. Prior to Sept. 12, 1991, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 42 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 2.8 ft above land-surface datum prior to Nov. 6, 1991; top of casing, 1.80 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 2.46 ft below land-surface datum, Apr. 29, 1997; lowest recorded, 11.40 ft below land-surface datum, Jan. 15, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	14.05	JAN 15	14.40	APR 09	10.95	JUL 17	13.87
WATER YEAR 2002		HIGHEST	10.95	APR 09, 2002		LOWEST	14.40
							JAN 15, 2002



YORK COUNTY

370841076275203. Local number, 59F 73 SOW 184B.

LOCATION.--Lat 37°08'42", long 76°27'51", NAD83, Hydrologic Unit 02080108, 800 ft south of State Highway 620, 0.4 mi southwest of intersection of State Highway 620 and U.S. Highway 17, and 2.2 mi southwest of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Cornwallis Cave aquifer of Pliocene-Holocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 39 ft, diameter 2.0 in. from 39 to 60 ft, depth 60 ft, screened 50 to 60 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 42 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.7 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.03 ft below land-surface datum, Feb. 15, 1994; lowest measured, 13.43 ft below land-surface datum, Jan. 15, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	13.12	JAN 15	13.43	APR 09	8.36	JUL 17	12.94
WATER YEAR 2002		HIGHEST	8.36	APR 09, 2002		LOWEST	13.43
						JAN 15, 2002	



GROUND-WATER LEVELS

YORK COUNTY

370841076275204. Local number, 59F 74 SOW 184C.

LOCATION.--Lat 37°08'42", long 76°27'51", NAD83, Hydrologic Unit 02080108, 800 ft south of State Highway 620, 0.4 mi southwest of intersection of State Highway 620 and U.S. Highway 17, and 2.2 mi southwest of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 12, 1991, to July 7, 1995, bimonthly measurement with chalked tape. Prior to Sept. 12, 1991, digital recorder 60-minute punch.

DATUM.--Elevation of land-surface datum is 42 ft NGVD of 1929, from topographic map. Measuring point: Top of recorder shelf, 2.8 ft above land-surface datum prior to Nov. 6, 1991; top of casing, 1.80 ft thereafter.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--July 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 1.19 ft below land-surface datum, Oct. 9, 1996; lowest recorded, 14.08 ft below land-surface datum, Jan. 15, 2002.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	13.43	JAN 15	14.08	APR 09	9.49	JUL 17	13.15
WATER YEAR 2002		HIGHEST	9.49	APR 09, 2002		LOWEST	14.08
							JAN 15, 2002



YORK COUNTY

370958076291502. Local number, 59F 81 SOW 186A.

LOCATION.--Lat 37°09'59", long 76°29'14", NAD83, Hydrologic Unit 02080108, 100 ft south of State Highway 173, 0.8 mi southwest of intersection of U.S. Highway 17 and State Highway 173, and 2.8 mi west of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 132 ft, screened 112 to 132 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 50.77 ft NGVD of 1929. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.73 ft below land-surface datum, Apr. 6, 1994; lowest measured, 21.55 ft below land-surface datum, Jan. 8, 1992.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	20.26	JAN 15	21.32	APR 09	20.07	JUL 17	20.34
WATER YEAR 2002		HIGHEST	20.07	APR 09, 2002	LOWEST	21.32	JAN 15, 2002



GROUND-WATER LEVELS

YORK COUNTY

371207076265502. Local number, 59F 86 SOW 188A.

LOCATION.--Lat 37°12'08", long 76°26'54", NAD83, Hydrologic Unit 02080107, 200 ft north of State Highway 718, 0.3 mi east of intersection of State Highways 173 and 718, and 2.3 mi northwest of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--York County shallow aquifer system (undivided) of Miocene-Holocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 99 ft, screened 79 to 99 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 7 ft NGVD of 1929, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.37 ft below land-surface datum, Feb. 15, 1994; lowest measured, 7.73 ft below land-surface datum, Oct. 14, 1993.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	7.35	JAN 15	7.42	APR 09	3.01	JUL 17	7.50
WATER YEAR 2002		HIGHEST	3.01	APR 09, 2002	LOWEST	7.50	JUL 17, 2002



YORK COUNTY

371053076252202. Local number, 59F 89 SOW 189A.

LOCATION.--Lat 37°10'54", long 76°25'21", NAD83, Hydrologic Unit 02080108, 500 ft north of State Highway 617, 0.6 mi northeast of intersection of State Highways 620 and 617, and 1.3 mi northeast of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 97 ft, screened 77 to 97 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 4.63 ft NGVD of 1929. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.39 ft below land-surface datum, Apr. 18, 2001; lowest measured, 9.11 ft below land-surface datum, May 4, 1995.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	4.48	JAN 15	5.19	APR 09	3.84	JUL 17	6.75
WATER YEAR 2002		HIGHEST	3.84	APR 09, 2002	LOWEST	6.75	JUL 17, 2002



GROUND-WATER LEVELS

YORK COUNTY

371053076252203. Local number, 59F 96 SOW 189B.

LOCATION.--Lat 37°10'54", long 76°25'21", NAD83, Hydrologic Unit 02080108, 500 ft north of State Highway 617, 0.6 mi northeast of intersection of State Highways 620 and 617, and 1.3 mi northeast of Dare. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 15 ft, screened 5 to 15 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 4.77 ft NGVD of 1929. Measuring point: Top of casing, 1.6 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.70 ft below land-surface datum, Apr. 29, 1997; lowest measured, 4.68 ft below land-surface datum, June 11, 1991.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	3.54	JAN 15	2.17	APR 09	2.00	JUL 17	3.93
WATER YEAR 2002		HIGHEST	2.00	APR 09, 2002	LOWEST	3.93	JUL 17, 2002



YORK COUNTY

371314076252203. Local number, 59F 99 SOW 190B.

LOCATION.--Lat 37°13'14", long 76°25'24", NAD83, Hydrologic Unit 02080107, 50 ft north of State Highway 629, 0.8 mi northeast of intersection of State Highways 173 and 629, and 1.8 mi north of Seaford. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in., depth 15 ft, screened 5 to 15 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Sept. 4, 1991, to July 7, 1995, bimonthly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Sept. 4, 1991, occasional measurement with chalked tape by USGS and Virginia Department of Environmental Quality - Water Division personnel.

DATUM.--Elevation of land-surface datum is 3.49 ft NGVD of 1929. Measuring point: Top of casing, 1.5 ft above land-surface datum.


REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water from this well is known to contain concentrations of dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--September 1990 to current year. Unpublished records available in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.04 ft below land-surface datum, Apr. 29, 1997, Feb. 15, 1994; lowest measured, 3.62 ft below land-surface datum, June 11, 1991, Aug. 18, 1993.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 16	2.17	JAN 15	1.06	APR 09	.39	JUL 17	3.54
WATER YEAR 2002		HIGHEST		.39	APR 09, 2002	LOWEST	3.54 JUL 17, 2002



THIS IS A BLANK PAGE

GROUND-WATER-QUALITY RECORDS

The following remark codes may appear with the water-quality data in this section:

PRINTED OUTPUT	REMARK
E	Estimated value.
M	Constituent was detected but not quantified.
>	Actual value is known to be greater than the value shown.
<	Actual value is known to be less than the value shown.
K	Results based on colony count outside the acceptance range (non-ideal colony count).
L	Biological organism count less than 0.5 percent (organism may be observed rather than counted).
D	Biological organism count equal to or greater than 15 percent (dominant).
&	Biological organism estimated as dominant.
M	Constituent was detected but not quantified.

The following geologic unit codes or aquifer codes may appear with the water-quality data in this section:

CODE	GEOLOGIC UNIT/AQUIFER
000MMP	METAMORPHOSED SEDIMENTARY ROCKS
000MPV	METAMORPHOSED VOLCANIC AND SEDIMENTARY ROCKS
110QRNR	COLUMBIA AQUIFER
121CSPKU	YORKTOWN-EASTOVER AQUIFER
124EOCN	CHICKAHOMINY-PINEY POINT AQUIFER
125PLCN	AQUIA AQUIFER
211CRCSU	UPPER POTOMAC AQUIFER
217PPSC	MIDDLE POTOMAC AQUIFER
217PTXN	LOWER POTOMAC AQUIFER
231BLBF	BALLS BLUFF FORMATION
231MNSS	MANASSAS FORMATION
231VINT	VINTA FORMATION
231NWRK	NEWARK GROUP
324NRTN	NORTON FORMATION
324WISE	WISE FORMATION
327LEE	LEE FORMATION
330MSSP	MISSISSIPPIAN SYSTEM
331BLFD	BLUEFIELD FORMATION
340HRVL	HUNTERVILLE CHERT
341BRLR	BRALLIER FORMATION
341CMNG	CHEMUNG FORMATION
341MLBR	MILLBORO SHALE
347DVSL	DEVONIAN-SILURIAN SYSTEMS
361MRBG	MARTINSBURG SHALE
364EGLS	EGGLESTON FORMATION
364MCSN	MOCCASIN FORMATION
371ELBK	ELBROOK FORMATION
377ROME	ROME FORMATION
377SHDY	SHADY FORMATION
400GRGS	GRANITE GNEISS
400PCMB	PRECAMBRIAN ERATHEM

QUALITY OF GROUND WATER

DATA LISTED BY COUNTY

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- i- fier	Station number	Geo- logic unit	Date	Time	Sample type	AGENCY ANA- LYZING SAMPLE (CODE NUMBER) (00028)	AGENCY COL- LECTING SAMPLE (CODE NUMBER) (00027)	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET) (72019)	DEPTH TO BOT- TOM OF SAMPLE INTER- VAL (FT) (72016)
CAROLINE COUNTY									
50M 2	385814077321401	400PCMB	04-24-02	1230	ENVIRONMENTAL	USGS	USGS	16.35	40
50M 3	385814077321402	121CSPKU	04-24-02	1250	ENVIRONMENTAL	USGS	USGS	13.92	25
50M 4	385812077321801	400PCMB	04-25-02	1535	ENVIRONMENTAL	USGS	USGS	9.07	15
50M 7	385806077322501	400PCMB	04-24-02	0920	ENVIRONMENTAL	USGS	USGS	27.34	46
50M 8	375908077314801	121CSPKU	04-25-02	1125	ENVIRONMENTAL	USGS	USGS	.73	8.3
50M 9	375904077315401	400PCMB	04-25-02	1000	BLANK	USGS	USGS	--	--
		400PCMB	04-25-02	1035	ENVIRONMENTAL	USGS	USGS	3.55	10
50M 10	375904077315402	121CSPKU	04-25-02	1050	ENVIRONMENTAL	USGS	USGS	3.95	7.6
50M 11	375853077315901	400PCMB	04-25-02	1355	ENVIRONMENTAL	USGS	USGS	2.38	42
50M 12	375853077315902	121CSPKU	04-25-02	1420	ENVIRONMENTAL	USGS	USGS	2.12	15
50M 13	375853077315903	121CSPKU	04-25-02	1435	ENVIRONMENTAL	USGS	USGS	2.49	10
50M 14	375842077321301	400PCMB	04-25-02	1230	REPLICATE	USGS	USGS	17.85	47
		400PCMB	04-25-02	1235	ENVIRONMENTAL	USGS	USGS	17.85	47
50M 15	375842077321302	121CSPKU	04-25-02	1250	ENVIRONMENTAL	USGS	USGS	17.76	27
50M 16	385814077321403	121CSPKU	04-24-02	1320	ENVIRONMENTAL	USGS	USGS	13.92	16
50M 18	385812077321802	400PCMB	04-25-02	1550	ENVIRONMENTAL	USGS	USGS	9.13	14
50M 19	385812077321803	121CSPKU	04-25-02	1605	ENVIRONMENTAL	USGS	USGS	8.62	11
50M 21	375810077321901	400PCMB	04-25-02	1650	ENVIRONMENTAL	USGS	USGS	7.61	9.9
50M 25	375808077322001	110QRNR	04-24-02	1030	ENVIRONMENTAL	USGS	USGS	.59	3.4
50M 26	375807077322101	400PCMB	04-24-02	1000	ENVIRONMENTAL	USGS	USGS	3.34	8.9
50M 29	375808077321901	400PCMB	04-24-02	1100	ENVIRONMENTAL	USGS	USGS	2.67	7.0
50M 30	375808077321902	110QRNR	04-24-02	1120	ENVIRONMENTAL	USGS	USGS	1.82	3.4
51M 15	385832077253501	121CSPKU	04-23-02	1630	ENVIRONMENTAL	USGS	USGS	22.96	25
51M 17	385819077254501	121CSPKU	04-25-02	1755	ENVIRONMENTAL	USGS	USGS	11.41	14
51M 20	385759077254501	121CSPKU	04-23-02	1130	ENVIRONMENTAL	USGS	USGS	2.84	15
51M 21	385748077255801	121CSPKU	04-23-02	1035	ENVIRONMENTAL	USGS	USGS	13.94	18
51M 22	375729077254301	121CSPKU	04-23-02	1200	ENVIRONMENTAL	USGS	USGS	8.98	13
51M 23	375729077254302	121CSPKU	04-23-02	1215	REPLICATE	USGS	USGS	8.80	11
		121CSPKU	04-23-02	1220	ENVIRONMENTAL	USGS	USGS	8.80	11
51M 25	375803077253601	121CSPKU	04-23-02	1255	ENVIRONMENTAL	USGS	USGS	1.00	7.9
51M 26	375803077253602	121CSPKU	04-23-02	1320	ENVIRONMENTAL	USGS	USGS	.82	4.0
51M 27	375803077253603	121CSPKU	04-23-02	1340	ENVIRONMENTAL	USGS	USGS	1.20	1.6
51M 28	375845077253701	121CSPKU	04-23-02	1455	ENVIRONMENTAL	USGS	USGS	.58	13
51M 29	375845077253702	121CSPKU	04-23-02	1515	ENVIRONMENTAL	USGS	USGS	.91	3.9
51M 30	375845077253703	121CSPKU	04-23-02	1535	ENVIRONMENTAL	USGS	USGS	.95	1.8
GLOUCESTER COUNTY									
58H 11	372554076325101	217PTXN	06-26-02	1200	ENVIRONMENTAL	USGS	USGS	112.53	1550
JAMES CITY COUNTY									
56F 53	371454076460702	211CRCSU	03-20-02	1200	ENVIRONMENTAL	USGS	USGS	137.20	370
56F 54	371455076460801	217PTXN	01-30-02	1130	ENVIRONMENTAL	USGS	USGS	136.09	1250
56F 56	371453076460601	217PPSC	03-06-02	1245	ENVIRONMENTAL	USGS	USGS	130.26	725
MATHEWS COUNTY									
59H 4 SOW 193A	372641076235301	217PTXN	05-30-02	1100	ENVIRONMENTAL	USGS	USGS	86.01	1917.5
CITY OF CHESAPEAKE									
60C 41 SOW 164	364615076182101	211CRCSU	05-22-02	1545	ENVIRONMENTAL	USGS	USGS	81.80	928
61A 18	363526076123601	217PPSC	06-27-02	1620	ENVIRONMENTAL	USGS	USGS	88.23	1340
		217PPSC	06-27-02	1635	REPLICATE	USGS	USGS	88.23	1340

QUALITY OF GROUND WATER

349

DATA LISTED BY COUNTY--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- ifier	Date	DEPTH TO TOP OF SAMPLE INTER- VAL (FT) (72015)	DEPTH OF WELL, TOTAL (FEET) (72008)	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD) (72000)	FLOW RATE (G/M) (00059)	PUMP OR FLOW PERIOD PRIOR TO SAM- PLING (MIN) (72004)	BARO- METRIC PRES- SURE (MM OF HG) (00025)	OXYGEN, DIS- SOLVED (PER- CENT OF SATUR- ATION) (MG/L) (00300)	OXYGEN, DIS- SOLVED (PER- CENT OF SATUR- ATION) (MG/L) (00301)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	SPE- CIFIC CON- DUCT- ANCE (US/CM) (00095)
CAROLINE COUNTY											
50M 2	04-24-02	35	39.94	250	--	--	757	3.4	34	6.1	59
50M 3	04-24-02	20	25.14	250	--	--	757	9.6	93	5.0	42
50M 4	04-25-02	10	15.49	235	--	--	750	7.7	72	4.9	58
50M 7	04-24-02	41	46.28	240	--	--	760	.0	0	6.6	83
50M 8	04-25-02	6.0	8.5	200	--	--	751	.1	0	6.5	506
50M 9	04-25-02	--	10.35	215	--	--	--	--	--	--	--
	04-25-02	9.2	10.35	215	--	--	751	M	0	6.6	325
50M 10	04-25-02	5.6	7.90	215	--	--	751	.1	0	6.5	278
50M 11	04-25-02	37	41.8	240	--	--	749	4.7	47	6.1	65
50M 12	04-25-02	13	15.4	240	--	--	749	6.0	57	5.2	22
50M 13	04-25-02	8.0	10.2	240	--	--	749	3.2	31	5.0	18
50M 14	04-25-02	42	47.5	265	--	--	750	7.2	72	5.3	28
	04-25-02	42	47.5	265	--	--	750	7.2	72	5.3	28
50M 15	04-25-02	25	27.0	265	--	--	750	7.1	71	5.0	24
50M 16	04-24-02	11	16.2	250	--	--	757	10.6	100	5.0	57
50M 18	04-25-02	12	14.7	235	--	--	750	7.1	66	5.2	54
50M 19	04-25-02	9.3	11.5	235	--	--	750	5.0	46	5.1	45
50M 21	04-25-02	7.9	10.1	220	--	--	750	6.5	60	5.3	38
50M 25	04-24-02	1.4	3.6	210	--	--	760	3.4	32	5.5	71
50M 26	04-24-02	6.9	9.1	215	--	--	760	4.9	44	5.2	80
50M 29	04-24-02	5.4	7.0	210	--	--	760	.9	8	5.4	75
50M 30	04-24-02	2.1	3.4	210	--	--	760	.4	4	5.8	107
51M 15	04-23-02	20	25.29	190	--	--	758	7.4	72	6.1	203
51M 17	04-25-02	9.0	13.98	130	--	--	753	.2	1	5.7	100
51M 20	04-23-02	9.9	14.89	115	--	--	758	5.5	52	4.8	265
51M 21	04-23-02	13	17.53	185	--	--	758	.1	1	5.4	146
51M 22	04-23-02	11	13.4	110	--	--	758	7.9	75	4.5	199
51M 23	04-23-02	9.2	11.5	110	--	--	758	8.9	84	4.4	248
	04-23-02	9.2	11.5	110	--	--	758	8.9	84	4.4	248
51M 25	04-23-02	5.8	8.5	105	--	--	758	.1	0	6.4	168
51M 26	04-23-02	2.4	4.4	105	--	--	758	.1	0	6.5	528
51M 27	04-23-02	.10	2.0	105	--	--	758	M	0	6.3	317
51M 28	04-23-02	7.8	13.3	175	--	--	758	1.2	11	5.0	127
51M 29	04-23-02	2.3	4.4	175	--	--	758	6.1	62	6.2	142
51M 30	04-23-02	.20	2.3	175	--	--	758	6.0	61	6.2	147
GLOUCESTER COUNTY											
58H 11	06-26-02	1080	1574.00	37.2	1140	2520	758	.2	2	7.2	7720
JAMES CITY COUNTY											
56F 53	03-20-02	330	378.00	56.0	85.0	180	756	.0	0	8.0	779
56F 54	01-30-02	810	1260.00	58.0	1900	2740	758	.3	4	7.5	4460
56F 56	03-06-02	420	745.00	55.0	3180	3045	767	.1	0	7.8	1730
MATHEWS COUNTY											
59H 4 SOW 193A	05-30-02	1917.5	1917.5	15.7	--	30	756	.9	11	8.4	33600
CITY OF CHESAPEAKE											
60C 41 SOW 164	05-22-02	770	928	10.0	10.0	260	766	.1	1	8.4	2200
61A 18	06-27-02	1320	1360	10.0	30.0	190	755	.2	3	7.4	15900
	06-27-02	1320	1360	10.0	30.0	190	755	.2	3	7.4	15900

QUALITY OF GROUND WATER

DATA LISTED BY COUNTY--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- ifier	Date	TEMPER- ATURE AIR (DEG C) (00020)	TEMPER- ATURE WATER (DEG C) (00010)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	ALKA- LINITY WAT DIS TOT IT FIELD MG/L AS CACO3 (39086)	BICAR- BONATE WATER DIS IT FIELD MG/L AS HCO3 (00453)	CAR- BONATE WATER DIS IT FIELD MG/L AS CO3 (00452)	BROMIDE DIS- SOLVED (MG/L AS BR) (71870)
CAROLINE COUNTY											
50M 2	04-24-02	21.9	14.7	--	--	--	--	--	--	--	--
50M 3	04-24-02	18.4	13.4	--	--	--	--	--	--	--	--
50M 4	04-25-02	19.5	11.4	--	--	--	--	--	--	--	--
50M 7	04-24-02	13.7	14.5	--	--	--	--	--	--	--	--
50M 8	04-25-02	16.2	13.1	--	--	--	--	--	--	--	--
50M 9	04-25-02	--	--	--	--	--	--	--	--	--	--
	04-25-02	14.4	13.4	--	--	--	--	--	--	--	--
50M 10	04-25-02	16.0	13.9	--	--	--	--	--	--	--	--
50M 11	04-25-02	24.4	14.5	--	--	--	--	--	--	--	--
50M 12	04-25-02	24.5	12.5	--	--	--	--	--	--	--	--
50M 13	04-25-02	16.2	12.1	--	--	--	--	--	--	--	--
50M 14	04-25-02	17.7	14.5	--	--	--	--	--	--	--	--
	04-25-02	17.7	14.5	--	--	--	--	--	--	--	--
50M 15	04-25-02	17.9	15.0	--	--	--	--	--	--	--	--
50M 16	04-24-02	18.4	12.5	--	--	--	--	--	--	--	--
50M 18	04-25-02	20.1	11.2	--	--	--	--	--	--	--	--
50M 19	04-25-02	19.0	10.5	--	--	--	--	--	--	--	--
50M 21	04-25-02	24.2	11.2	--	--	--	--	--	--	--	--
50M 25	04-24-02	11.3	12.5	--	--	--	--	--	--	--	--
50M 26	04-24-02	13.3	10.9	--	--	--	--	--	--	--	--
50M 29	04-24-02	14.7	11.3	--	--	--	--	--	--	--	--
50M 30	04-24-02	13.3	12.6	--	--	--	--	--	--	--	--
51M 15	04-23-02	17.9	13.7	--	--	--	--	--	--	--	--
51M 17	04-25-02	17.1	11.2	--	--	--	--	--	--	--	--
51M 20	04-23-02	14.8	12.7	--	--	--	--	--	--	--	--
51M 21	04-23-02	--	12.6	--	--	--	--	--	--	--	--
51M 22	04-23-02	14.5	12.7	--	--	--	--	--	--	--	--
51M 23	04-23-02	14.1	12.6	--	--	--	--	--	--	--	--
	04-23-02	14.1	12.6	--	--	--	--	--	--	--	--
51M 25	04-23-02	14.0	11.2	--	--	--	--	--	--	--	--
51M 26	04-23-02	14.0	12.3	--	--	--	--	--	--	--	--
51M 27	04-23-02	12.5	13.5	--	--	--	--	--	--	--	--
51M 28	04-23-02	17.6	12.0	--	--	--	--	--	--	--	--
51M 29	04-23-02	14.4	15.7	--	--	--	--	--	--	--	--
51M 30	04-23-02	14.0	16.6	--	--	--	--	--	--	--	--
GLOUCESTER COUNTY											
58H 11	06-26-02	30.7	27.1	49.8	12.6	17.1	1550	224	271	1	9.29
JAMES CITY COUNTY											
56F 53	03-20-02	12.1	18.4	2.22	.611	6.69	173	334	395	6	.22
56F 54	01-30-02	24.2	23.6	20.2	4.71	12.8	867	330	401	1	4.57
56F 56	03-06-02	14.9	20.4	4.09	1.08	7.39	367	338	410	1	1.43
MATHEWS COUNTY											
59H 4 SOW 193A	05-30-02	28.0	18.4	906	243	77.5	6860	11	13	0	52.1
CITY OF CHESAPEAKE											
60C 41 SOW 164	05-22-02	18.3	22.0	3.02	3.36	14.1	491	474	559	9	1.64
61A 18	06-27-02	30.0	25.8	112	66.2	52.4	3290	279	338	1	19.8
	06-27-02	30.0	25.8	111	65.1	52.2	3200	279	338	1	19.3

QUALITY OF GROUND WATER

351

DATA LISTED BY COUNTY--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- ifier	Date	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO2) (00955)	SULFATE DIS- SOLVED (MG/L AS SO4) (00945)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN,AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	PHOS- PHORUS DIS- SOLVED (MG/L AS P) (00666)
CAROLINE COUNTY											
50M 2	04-24-02	--	--	--	--	--	<.015	<.10	.263	<.002	.005
50M 3	04-24-02	--	--	--	--	--	.015	.18	2.60	<.002	E.003
50M 4	04-25-02	--	--	--	--	--	<.015	E.06	4.00	<.002	.005
50M 7	04-24-02	--	--	--	--	--	<.015	<.10	.357	E.002	.042
50M 8	04-25-02	--	--	--	--	--	11.3	12	.013	.004	.007
50M 9	04-25-02	--	--	--	--	--	<.015	<.10	<.013	<.002	<.004
	04-25-02	--	--	--	--	--	1.26	1.2	.016	.004	<.004
50M 10	04-25-02	--	--	--	--	--	1.25	1.5	E.011	.003	E.003
50M 11	04-25-02	--	--	--	--	--	<.015	<.10	.025	<.002	.104
50M 12	04-25-02	--	--	--	--	--	<.015	<.10	.098	<.002	<.004
50M 13	04-25-02	--	--	--	--	--	.020	E.05	.087	<.002	<.004
50M 14	04-25-02	--	--	--	--	--	<.015	<.10	.263	<.002	<.004
	04-25-02	--	--	--	--	--	<.015	<.10	.271	<.002	<.004
50M 15	04-25-02	--	--	--	--	--	<.015	<.10	.799	<.002	<.004
50M 16	04-24-02	--	--	--	--	--	<.015	E.09	4.12	<.002	<.004
50M 18	04-25-02	--	--	--	--	--	<.015	<.10	3.48	<.002	<.004
50M 19	04-25-02	--	--	--	--	--	<.015	<.10	1.78	<.002	<.004
50M 21	04-25-02	--	--	--	--	--	<.015	<.10	.021	<.002	<.004
50M 25	04-24-02	--	--	--	--	--	<.015	E.05	2.79	.003	E.004
50M 26	04-24-02	--	--	--	--	--	<.015	<.10	4.41	<.002	<.004
50M 29	04-24-02	--	--	--	--	--	<.015	<.10	1.10	<.002	<.004
50M 30	04-24-02	--	--	--	--	--	.016	.17	<.013	<.002	.011
51M 15	04-23-02	--	--	--	--	--	.243	.49	11.7	E.002	.006
51M 17	04-25-02	--	--	--	--	--	.060	.14	<.05	<.002	.131
51M 20	04-23-02	--	--	--	--	--	<.015	E.09	11.1	E.002	<.004
51M 21	04-23-02	--	--	--	--	--	<.015	E.07	.538	<.002	<.004
51M 22	04-23-02	--	--	--	--	--	<.015	.11	7.25	<.002	.007
51M 23	04-23-02	--	--	--	--	--	<.015	E.09	13.8	<.002	<.004
	04-23-02	--	--	--	--	--	<.015	.10	14.1	<.002	<.004
51M 25	04-23-02	--	--	--	--	--	1.30	1.9	E.012	<.002	.033
51M 26	04-23-02	--	--	--	--	--	1.97	3.4	.016	.007	.012
51M 27	04-23-02	--	--	--	--	--	.23	1.0	.107	.013	.051
51M 28	04-23-02	--	--	--	--	--	<.015	.11	2.42	.003	.012
51M 29	04-23-02	--	--	--	--	--	E.013	.15	.08	<.002	E.004
51M 30	04-23-02	--	--	--	--	--	<.015	.12	E.03	<.002	E.004
GLOUCESTER COUNTY											
58H 11	06-26-02	2360	.8	19.3	109	4350	--	--	--	--	--
JAMES CITY COUNTY											
56F 53	03-20-02	52.5	3.0	17.9	9.4	492	--	--	--	--	--
56F 54	01-30-02	1180	1.2	27.2	91.4	2460	--	--	--	--	--
56F 56	03-06-02	352	2.0	34.3	41.9	1020	--	--	--	--	--
MATHEWS COUNTY											
59H 4 SOW 193A	05-30-02	12800	.2	<.26	465	23000	--	--	--	--	--
CITY OF CHESAPEAKE											
60C 41 SOW 164	05-22-02	418	2.9	11.9	40.3	1210	--	--	--	--	--
61A 18	06-27-02	5210	.3	15.3	283	9370	--	--	--	--	--
	06-27-02	5230	.3	13.1	285	9380	--	--	--	--	--

QUALITY OF GROUND WATER

DATA LISTED BY COUNTY--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- i- fier	Date	ORTHO- PHOS- PHATE, DIS- SOLVED (MG/L AS P) (00671)	IRON, DIS- SOLVED (UG/L AS FE) (01046)	MANGA- NESE, DIS- SOLVED (UG/L AS MN) (01056)
CAROLINE COUNTY				
50M 2	04-24-02	E.004	--	--
50M 3	04-24-02	<.007	--	--
50M 4	04-25-02	<.007	--	--
50M 7	04-24-02	.038	--	--
50M 8	04-25-02	--	--	--
50M 9	04-25-02	<.007	--	--
	04-25-02	--	--	--
50M 10	04-25-02	--	--	--
50M 11	04-25-02	.093	--	--
50M 12	04-25-02	<.007	--	--
50M 13	04-25-02	<.007	--	--
50M 14	04-25-02	<.007	--	--
	04-25-02	<.007	--	--
50M 15	04-25-02	<.007	--	--
50M 16	04-24-02	<.007	--	--
50M 18	04-25-02	<.007	--	--
50M 19	04-25-02	<.007	--	--
50M 21	04-25-02	<.007	--	--
50M 25	04-24-02	<.007	--	--
50M 26	04-24-02	<.007	--	--
50M 29	04-24-02	<.007	--	--
50M 30	04-24-02	E.006	--	--
51M 15	04-23-02	<.007	--	--
51M 17	04-25-02	.094	--	--
51M 20	04-23-02	<.007	--	--
51M 21	04-23-02	<.007	--	--
51M 22	04-23-02	E.004	--	--
51M 23	04-23-02	<.007	--	--
	04-23-02	<.007	--	--
51M 25	04-23-02	.025	--	--
51M 26	04-23-02	--	--	--
51M 27	04-23-02	.032	--	--
51M 28	04-23-02	E.006	--	--
51M 29	04-23-02	<.007	--	--
51M 30	04-23-02	<.007	--	--
GLOUCESTER COUNTY				
58H 11	06-26-02	--	434	192
JAMES CITY COUNTY				
56F 53	03-20-02	--	136	5.4
56F 54	01-30-02	--	E25	71.1
56F 56	03-06-02	--	E5	11.0
MATHEWS COUNTY				
59H 4 SOW 193A	05-30-02	--	2710	1060
CITY OF CHESAPEAKE				
60C 41 SOW 164	05-22-02	--	40	4.1
61A 18	06-27-02	--	2300	188
	06-27-02	--	2170	184

QUALITY OF GROUND WATER

353

DATA LISTED BY COUNTY--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

Local ident- fier	Station number	Geo- logic unit	Date	Time	Sample type	AGENCY ANA- LYZING SAMPLE (CODE NUMBER) (00028)	AGENCY COL- LECTING SAMPLE (CODE NUMBER) (00027)	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET) (72019)	DEPTH OF WELL, TOTAL (FEET) (72008)
CITY OF VIRGINIA BEACH									
61C 27 SOW 174A	364920076093201	121CSPKU	07-19-02	1230	ENVIRONMENTAL	USGS	USGS	11.50	175
61C 28 SOW 174B	364920076093202	121CSPKU	07-19-02	0910	ENVIRONMENTAL	USGS	USGS	14.55	80.0
62B 9	364352076005401	110QRNR	07-23-02	0940	ENVIRONMENTAL	USGS	USGS	9.20	67
62C 15	364708076024501	121CSPKU	07-17-02	1100	ENVIRONMENTAL	USGS	USGS	19.70	195
62C 24	364916076051601	121CSPKU	07-18-02	1100	ENVIRONMENTAL	USGS	USGS	14.50	135
62C 34	364909076051101	121PLCN	07-18-02	1305	ENVIRONMENTAL	USGS	USGS	9.45	75
63C 4 SOW 173A	364722075591801	121CSPKU	07-16-02	1500	ENVIRONMENTAL	USGS	USGS	6.69	291
63C 5 SOW 173B	364722075591802	121CSPKU	07-17-02	1330	ENVIRONMENTAL	USGS	USGS	10.90	95.0
63C 13	364721075591601	121CSPKU	07-15-02	1510	ENVIRONMENTAL	USGS	USGS	14.23	205
		121CSPKU	07-15-02	1515	REPLICATE	USGS	USGS	14.23	205

Local ident- fier	Date	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD) (72000)	FLOW RATE (G/M) (00059)	PUMP OR FLOW PERIOD PRIOR TO SAM- PLING (MIN) (72004)	BARO- METRIC PRES- SURE (MM HG) (00025)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) (MG/L) (00300)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) (MG/L) (00301)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	SPE- CIFIC CON- DUCT- ANCE (US/CM) (00095)	TEMPER- ATURE AIR (DEG C) (00020)	TEMPER- ATURE WATER (DEG C) (00010)
-------------------------	------	---	----------------------------------	--	---	---	---	--	--	---	---

CITY OF VIRGINIA BEACH

61C 27 SOW 174A	07-19-02	15.00	--	--	754	2.3	27	7.3	7660	--	20.2
61C 28 SOW 174B	07-19-02	15.00	--	--	754	.8	8	7.5	1110	--	17.4
62B 9	07-23-02	10.7	--	--	760	1.6	17	7.0	243	31.5	16.8
62C 15	07-17-02	15	--	--	758	1.9	20	7.4	4640	--	17.5
62C 24	07-18-02	10.0	--	--	757	.8	8	7.1	2450	--	18.2
62C 34	07-18-02	10.0	--	--	757	.4	4	7.0	529	--	17.4
63C 4 SOW 173A	07-16-02	8.2	--	--	757	.1	0	7.2	13200	--	21.0
63C 5 SOW 173B	07-17-02	9.00	--	--	--	1.3	--	7.4	343	--	17.0
63C 13	07-15-02	7.5	3.0	55	757	.4	4	7.6	1170	25.0	16.7
	07-15-02	7.5	3.0	55	757	.4	4	7.6	1170	25.0	16.7

Local ident- fier	Date	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	ALKA- LINITY WAT DIS TOT IT FIELD MG/L AS CACO3 (39086)	BICAR- BONATE WATER DIS IT FIELD MG/L AS HCO3 (00453)	CAR- BONATE WATER DIS IT FIELD MG/L AS CO3 (00452)	BROMIDE DIS- SOLVED (MG/L AS BR) (71870)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)
-------------------------	------	---	---	--	---	--	--	---	---	--	---

CITY OF VIRGINIA BEACH

61C 27 SOW 174A	07-19-02	42.3	65.2	48.5	1490	606	736	1	7.85	2090	.5
61C 28 SOW 174B	07-19-02	34.6	17.4	17.8	154	240	291	0	.56	194	.3
62B 9	07-23-02	27.7	5.95	1.36	9.41	--	--	--	.07	12.5	.2
62C 15	07-17-02	55.2	70.5	33.6	787	395	480	1	4.23	1220	.1
62C 24	07-18-02	47.8	61.6	32.7	318	403	490	0	1.72	530	<.1
62C 34	07-18-02	71.2	9.20	4.82	20.3	228	277	0	.07	26.9	.3
63C 4 SOW 173A	07-16-02	92.9	146	71.4	2410	560	679	2	15.1	4110	.3
63C 5 SOW 173B	07-17-02	28.3	13.7	10.4	14.7	140	171	0	.04	16.8	<.1
63C 13	07-15-02	44.1	13.4	13.2	157	174	211	0	.82	252	<.1
	07-15-02	44.2	13.6	12.7	158	174	211	0	.91	251	E.1

Local ident- fier	Date	SILICA, DIS- SOLVED (MG/L AS SIO2) (00955)	SULFATE DIS- SOLVED (MG/L AS SO4) (00945)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	IRON, DIS- SOLVED (UG/L AS FE) (01046)	MANGA- NESE, DIS- SOLVED (UG/L AS MN) (01056)
-------------------------	------	--	--	---	---	---

CITY OF VIRGINIA BEACH

61C 27 SOW 174A	07-19-02	197	89.2	4170	1890	71.0
61C 28 SOW 174B	07-19-02	43.2	<.1	604	720	56.8
62B 9	07-23-02	25.7	4.2	139	4630	170
62C 15	07-17-02	33.1	87.5	2600	734	15.8
62C 24	07-18-02	34.1	<.1	1340	1310	68.4
62C 34	07-18-02	73.4	<.1	317	7800	370
63C 4 SOW 173A	07-16-02	21.5	118	7690	758	E11.7
63C 5 SOW 173B	07-17-02	31.4	<.1	200	746	70.1
63C 13	07-15-02	30.0	<.1	641	337	5.3
	07-15-02	30.3	<.1	635	338	5.6

THIS IS A BLANK PAGE

	Page		Page
A		Well 61B 12 SOW 091E	102
Access to USGS water data	10	Well 61B 13 SOW 091F	103
ACCOMACK COUNTY		Well 61B 14 SOW 091G	104
Well 64H 5 SOW 102C	44	Well 61B 15 SOW 091H	105
Well 64H 6 SOW 102A	45	Well 61B 16 SOW 091J	106
Well 64H 7 SOW 102B	46	Well 61B 17 SOW 091K	107
Well 64K 7 SOW 106C	47	Well 61B 19 SOW 091M	108
Well 64K 8 SOW 106B	48	CHESTERFIELD COUNTY	
Well 64K 9 SOW 106A	49	Well 51H 92	109
Well 64K 10 SOW 108A	50	Well 51H 95	110
Well 64K 11 SOW 108B	51	Well 51H130	111
Well 64K 12 SOW 108C	52	Well 52G 22	112
Well 65K 23 SOW 109C	53	Well 52G 24	113
Well 65K 24 SOW 109A	54	CLARKE COUNTY	
Well 65K 25 SOW 109B	55	Well 46W175	114
Well 65K 26 SOW 109S	56	COLONIAL HEIGHTS (INDEPENDENT CITY)	
Well 65K 27 SOW 114A	57	Well 51G 1	115
Well 65K 28 SOW 114B	58	Contents	v
Well 65K 29 SOW 114C	59	Conversion factors	inside back cover
Well 65K 30 SOW 114S	60		
Well 65K 59 SOW 183A	61	D	
Well 65K 60 SOW 183B	62	Definition of terms	11
Well 65K 61 SOW 183C	63		
Well 65K 62 SOW 183D	64	E	
Well 66K 2 SOW 101C	65	ESSEX COUNTY	
Well 66K 3 SOW 101B	66	Well 55N 2	116
Well 66K 4 SOW 101A	67	Explanation of ground-water records	4-10
Well 66L 1 SOW 107C	68		
Well 66L 2 SOW 107A	69	F	
Well 66L 3 SOW 107B	70	FAIRFAX COUNTY	
Well 66M 16 SOW 110A	71	Well 52V 2	117
Well 66M 17 SOW 110B	72	Figure 1. Monthly ground-water levels at	
Well 66M 18 SOW 110C	73	key observation wells in water-table	
Well 66M 19 SOW 110S	74	aquifer	3
Well 66M 23 SOW 181A	75	2. Ground-water levels in selected	
Well 66M 24 SOW 181B	76	observation wells in confined	
Well 66M 25 SOW 181C	77	Coastal Plain aquifers	5
Well 66M 26 SOW 181D	78	3. System for numbering wells	6
Well 66M 27 SOW 181E	79	4. Map of Virginia showing location of	
Well 67M 10 SOW 115A	80	ground-water observation wells	34-35
Well 67M 11 SOW 115B	81	5. Map of southeastern Virginia	
Well 67M 13 SOW 115D	82	showing location of ground-water	
ALBEMARLE COUNTY		observation wells	36-37
Well 43N 1 SOW 028	83	6. Map of York-James peninsula and	
APPOMATTOX COUNTY		vicinity in Virginia showing	
Well 41H 2 SOW 012	84	location of ground-water	
ARLINGTON COUNTY		observation wells	38-39
Well 53V 1	85	7. Map of Delmarva peninsula in Virginia	
Well 54V 3	86	showing location of ground-water	
AUGUSTA COUNTY		observation wells	40
Well 38P 1 SOW 070	87	8. Map of Frederick County in Virginia	
		showing location of ground-water	
B		observation wells	41
BUCHANAN COUNTY		Footnotes, ground-water quality records	347
Well 14E 40	88	FRANKLIN (INDEPENDENT CITY)	
BUCKINGHAM COUNTY		Well 55B 67 SOW 145D	118
Well 41H 3	89	FREDERICK COUNTY	
		Well 44W 2	119
C		Well 44W 4	120
CAROLINE COUNTY		Well 44W 5	121
Quality of ground water	348-352	Well 44W 6	122
Well 52N 5	90	Well 44W 7	123
Well 52N 6	91	Well 44W 8	124
Well 53M 1	92	Well 44W 9	125
CHARLES CITY COUNTY		Well 44W 10	126
Well 54G 13 SOW 067	93	Well 44W 11	127
CHESAPEAKE (INDEPENDENT CITY)		Well 44W 12	128
Quality of ground water	348-352	Well 44W 13	129
Well 59C 29 SOW 163A	94	Well 44W 14	130
Well 59C 30 SOW 163B	95	Well 44W 16	131
Well 59C 31 SOW 163C	96	Well 44W 17	132
Well 60B 3 SOW 090A	97	Well 44W 18	133
Well 60B 4 SOW 090B	98	Well 44W 19	134
Well 60C 41 SOW 164	99	Well 44X 2	135
Well 61B 5 SOW 091B	100	Well 44X 5	136
Well 61B 6 SOW 091C	101		

Page	Page
Well 44X 6137	Well 56H 31 SOW 135B 193
Well 45W 16138	Well 57H 14 SOW 095 194
Well 45W 17139	
Well 45X 3140	K
Well 45X 4141	
Well 45X 9142	KING AND QUEEN COUNTY
Well 45X 11143	Well 54K 6 SOW 064 195
Well 45X 12144	Well 54L 10 196
Well 45X 13145	Well 56J 11 SOW 073 197
Well 45X 14146	Well 57J 3 SOW 074 198
Well 45X 15147	KING GEORGE COUNTY
Well 45Y 1148	Well 54Q 21 199
Well 45Y 2149	Well 54R 2 200
Well 45Y 3150	KING WILLIAM COUNTY
Well 45Y 4151	Well 56J 2 201
Well 45Y 5152	Well 56J 10 202
Well 45Y 6153	
Well 45Y 8154	L
Well 46X108155	
Well 46Y 1156	LANCASTER COUNTY
	Well 59K 1 SOW 015 203
G	Well 59K 9 204
GLOUCESTER COUNTY	LOUDOUN COUNTY
Quality of ground water348-352	Well 49Y 1 SOW 022 205
Well 57H 20 SOW 192A157	Well 50W 4C 206
Well 57H 21 SOW 192B158	LOUISA COUNTY
Well 57H 22 SOW 192C159	Well 45N 1 207
Well 58H 6 SOW 168A160	Well 45N 4 208
Well 58H 7 SOW 168B161	Well 46N 1 SOW 056 209
Well 58H 8 SOW 168C162	
Ground-water level records44-345	M
H	Map of Delmarva peninsula in Virginia
	showing location of ground-water
HANOVER COUNTY	observation wells..... 40
Well 51M 11163	Map of Frederick County in Virginia
Well 52J 56164	showing location of ground-water
Well 53K 19 SOW 080165	observation wells..... 41
HENRICO COUNTY	Map of southeastern Virginia showing location
Well 50J 1 SOW 023166	of ground-water observation wells..... 36-37
Well 51K 14 SOW 137167	Map of Virginia showing location of
Well 52H 3 SOW 136168	ground-water observation wells..... 34-35
Well 52H 16169	Map of York-James peninsula and vicinity
Well 52H 17170	in Virginia showing location of ground-
	water observation wells..... 38-39
I	MATHEWS COUNTY
	Quality of ground water 348-352
Illustrations, list ofv	Well 59H 1 210
Introduction1	MIDDLESEX COUNTY
ISLE OF WIGHT COUNTY	Well 58J 5 211
Well 55B 16171	Well 59J 16 212
Well 55B 36172	Well 59J 25 213
Well 55B 62 SOW 096B173	Well 59J 27 214
Well 57C 25 SOW 149174	MONTGOMERY COUNTY
Well 57C 26 SOW 149B175	Well 27F 2 SOW 019 215
Well 57C 28 SOW 149D176	
Well 57D 21 SOW 143A177	N
Well 57D 22 SOW 143B178	
Well 57D 23 SOW 143C179	NEW KENT COUNTY
Well 57E 10 SOW 144B180	Well 53J 6 216
Well 57E 14 SOW 144A181	Well 55J 6 217
Well 57E 15 SOW 144C182	NEWPORT NEWS (INDEPENDENT CITY)
	Well 58F 1 SOW 002 218
J	Well 58F 50 SOW 171A 219
JAMES CITY COUNTY	Well 58F 51 SOW 171B 220
Quality of ground water348-352	Well 58F 52 SOW 171C 221
Well 55H 20183	Well 58F 53 SOW 171D 222
Well 56F 1 SOW 018184	Well 58F 54 SOW 171E 223
Well 56G 57185	Well 58F 55 SOW 171F 224
Well 56H 22 SOW 135A186	NORFOLK (INDEPENDENT CITY)
Well 56H 25 SOW 177A187	Well 61C 1 225
Well 56H 26 SOW 177B188	NORTHAMPTON COUNTY
Well 56H 27 SOW 177C189	Well 62G 15 SOW 121 226
Well 56H 28 SOW 177D190	Well 63F 15 SOW 105A 227
Well 56H 29 SOW 177E191	Well 63F 16 SOW 105C 228
Well 56H 30 SOW 177F192	Well 63F 17 SOW 105B 229
	Well 63F 34 230
	Well 63F 51 SOW 182A 231

	Page		Page
Well 63F 52 SOW 182B	232	Well 55C 3	278
Well 63F 53 SOW 182C	233	Well 55C 10	279
Well 63F 54 SOW 182D	234		
Well 63F 55 SOW 182E	235	SUFFOLK (INDEPENDENT CITY)	
Well 63G 15 SOW 104C	236	Well 56A 10 SOW 088A	280
Well 63G 16 SOW 104B	237	Well 56A 11 SOW 089	281
Well 63G 17 SOW 104A	238	Well 56A 12 SOW 088B	282
Well 63G 22 SOW 111A	239	Well 56A 13 SOW 076B	283
Well 63G 23 SOW 111B	240	Well 56A 14 SOW 076C	284
Well 63G 25 SOW 111S	241	Well 57B 8	285
Well 63H 4 SOW 103C	242	Well 57C 21 SOW 099A	286
Well 63H 5 SOW 103B	243	Well 57C 22 SOW 099B	287
Well 63H 6 SOW 103A	244	Well 57C 24 SOW 099D	288
Well 63J 1 SOW 113A	245	Well 58A 75 SOW 170	289
Well 63J 2 SOW 113B	246	Well 58A 77 SOW 180A	290
Well 63J 3 SOW 113C	247	Well 58A 78 SOW 180B	291
Well 64J 9 SOW 112A	248	Well 58A 79 SOW 180C	292
Well 64J 10 SOW 112B	249	Well 58A 80 SOW 180D	293
Well 64J 11 SOW 112C	250	Well 58A 81 SOW 180E	294
		Well 58A 83 SOW 180G	295
		Well 58A 84 SOW 180H	296
		Well 58B 13	297
		Well 58B268 SOW 169A	298
		Well 58B269 SOW 169B	299
		Well 58B270 SOW 169C	300
		Well 58B273 SOW 169F	301
		Well 58C 57 SOW 141A	302
		Well 58C 58 SOW 141B	303
		Well 58C 59 SOW 141C	304
		Well 58C 60 SOW 141D	305
		Well 58C 61 SOW 159A	306
		Well 58C 62 SOW 159B	307
		Summary of hydrologic conditions	2-5
		SURRY COUNTY	
		Well 56F 2 SOW 039	308
		Well 57E 11 SOW 094A	309
		Well 57E 13 SOW 094C	310
		Well 57F 16 SOW 087A	311
		Well 57F 24 SOW 087B	312
		SUSSEX COUNTY	
		Well 53D 6 SOW 179A	313
		Well 53D 10 SOW 179E	314
		Well 53D 11 SOW 179F	315
		Well 53E 5 SOW 045	316
		V	
		VIRGINIA BEACH (INDEPENDENT CITY)	
		Quality of ground water	353
		Well 61C 27 SOW 174A	317
		Well 61C 28 SOW 174B	318
		Well 61D 5 SOW 155	319
		Well 62A 2 SOW 097A	320
		Well 62B 1 SOW 098A	321
		Well 62B 2 SOW 098B	322
		Well 62C 2 SOW 092A	323
		Well 62C 3 SOW 092B	324
		Well 62C 10 SOW 172B	325
		Well 62C 11 SOW 172C	326
		Well 63C 4 SOW 173	327
		W	
		WESTMORELAND COUNTY	
		Well 55P 5	328
		Well 55P 9	329
		Well 56N 1 SOW 016	330
		WINCHESTER (INDEPENDENT CITY)	
		Well 45X 7	331
		Well 45X 8	332
		Y	
		YORK COUNTY	
		Well 57G 17 SOW 068	333
		Well 58F 62 SOW 187A	334
		Well 58F 63 SOW 187B	335
		Well 58F 65 SOW 191A	336

	Page	Page
Well 59F 1 SOW 027	337	
Well 59F 72 SOW 184A	338	
Well 59F 73 SOW 184B	339	
Well 59F 74 SOW 184C	340	
Well 59F 81 SOW 186A	341	
Well 59F 86 SOW 188A	342	
Well 59F 89 SOW 189A	343	
Well 59F 96 SOW 189B	344	
Well 59F 99 SOW 190B	345	

CONVERSION FACTORS

Multiply	By	To obtain
Length		
inch (in.)	2.54×10^1	millimeter
	2.54×10^{-2}	meter
foot (ft)	3.048×10^{-1}	meter
mile (mi)	1.609×10^0	kilometer
Area		
acre	4.047×10^3	square meter
	4.047×10^{-1}	square hectometer
	4.047×10^{-3}	square kilometer
square mile (mi ²)	2.590×10^0	square kilometer
Volume		
gallon (gal)	3.785×10^0	liter
	3.785×10^0	cubic decimeter
	3.785×10^{-3}	cubic meter
million gallons (Mgal)	3.785×10^3	cubic meter
	3.785×10^{-3}	cubic hectometer
cubic foot (ft ³)	2.832×10^1	cubic decimeter
	2.832×10^{-2}	cubic meter
cubic-foot-per-second day [(ft ³ /s) d]	2.447×10^3	cubic meter
	2.447×10^{-3}	cubic hectometer
acre-foot (acre-ft)	1.233×10^3	cubic meter
	1.233×10^{-3}	cubic hectometer
	1.233×10^{-6}	cubic kilometer
Flow		
cubic foot per second (ft ³ /s)	2.832×10^1	liter per second
	2.832×10^1	cubic decimeter per second
	2.832×10^{-2}	cubic meter per second
gallon per minute (gal/min)	6.309×10^{-2}	liter per second
	6.309×10^{-2}	cubic decimeter per second
	6.309×10^{-5}	cubic meter per second
million gallons per day (Mgal/d)	4.381×10^1	cubic decimeter per second
	4.381×10^{-2}	cubic meter per second
Mass		
ton (short)	9.072×10^{-1}	megagram or metric ton

Temperature in degrees Celsius (°C) may be converted to degrees Fahrenheit (°F) as follows:

$$^{\circ}\text{F} = (1.8 \times ^{\circ}\text{C}) + 32$$